

1999
DODGE/PLYMOUTH/CHRYSLER
(PL)



Jeep

CHRYSLER • PLYMOUTH • DODGE • JEEP

THE MOPAR DIFFERENCE

VIN PLATE DECODING INFORMATION

1	2	3	4	5	6	7	8	9	10	11	12 thru 17
Country	Make	Vehicle Type	Other	Line	Series	Body Style	Engine	Check Digit	Model Year	Assy. Plant	Sequence No.

The following table interprets the VIN Plate positions shown above.

Position	Interpretation	Codes = Description
1	Country of Origin	1 = Built in U.S. by Chrysler Corporation. 3= Built in Mexico by Chrysler de Mexico .
2	Make	B = Dodge P = Plymouth C = Chrysler
3	Vehicle type	3 = Passenger Car
4	Passenger Safety	E = Restraint System Active Driver and Passenger Air Bag
5	Vehicle Line	S=Neon & Neon Sport
6	Series	2 = Low Line 4 = High Line 6 = Sport
7	Body Style	2 = 2 Door Pillared Hardtop (22) 7 = 4 Door Pillared Hardtop (42)
8	Engine	C = 2.0L 4 Cyl. 16V Gasoline (SFI) SOHC (ECB) Y = 2.0L 4 Cyl. 16V Gasoline (SFI) DOHC (ECC) A = 1.8L 4 Cyl. 16V SOHC Gasoline (SFI) (EBD)
9	Check Digit	
10	Model Year	V = 1997, W = 1998, X = 1999
11	Assembly Plant	T = Toluca D = Belvidere Assembly
12 thru 17	Vehicle Build Sequence	Model Year Assembly Sequence

Group – 002


Front Suspension & Drive



GROUP 2 - Front Suspension & Drive

Illustration Title


Group-Fig. No.

Front Suspension	
Suspension, Front	Fig. 002-105
Front Axle Drive Shafts	
Shaft, Front Drive	Fig. 002-205



<div>002-100</div> <div>Front Suspension</div> <div></div>	<div>002-200</div> <div>Front Axle Drive Shafts</div> <div></div>		
---	--	--	--

Suspension, Front
Figure 002-105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Sales Code: [SDC]=Touring Suspension [SDE]=Wishbone Handling [SDF]= European Homologation Suspension [SDK]=Competition Suspension NOTE: Sales Code ZCC thur ZRJ=Spring Group Types Found on Individual Vehical Sales Code Listing									
1	4626 835	2	D, P						STRUT, Front Suspension (SDE)
	4626 681	2	D, P						(SDC)
	4626 778	2							(SDF)
2	4626 830	2							BUMPER, Jounce (SDE,SDF,SDK)
	4626 789	2	D, P						(SDC,ACS)
3	4626 098	2							SHIELD, Shock Absorber Dust
4									SPRING, Front Coil
	5273 401	1	D, P						(SDC), Tag#401 (ZCA, ZRA)
	5273 402	1	D, P						(SDC) Tag#402 (ZCB,ZRB)
	5273 403	1	D, P						(SDC), Tag# 403 (ZCC,ZRC)
	5273 404	1	D, P						(SDC), Tag#404 (ZCD,ZRD)
	5273 405	1	D, P						(SDC), Tag#405 (ZCE,ZRE)
	5273 406	1	D, P						(SDC), Tag# 406 (ZCF,ZRF)
	5273 407	1	D, P						(SDC), Tag# 407 (ZCG,ZRG)
	5273 408	1	D, P						(SDC), Tag# 408 (ZCH,ZRH)
	5273 409	1	D, P						(SDC), Tag# 409 (ZCJ,ZRT)
	5273 411	1							(SDF)(SDK) Tag # 411 (ZAA, ZNA)
	5273 412	1							[SDF](SDK) Tag #412 (ZAB, ZNB]
	5273 413	1							(SDF)(SDK) Tag #413 (ZAC,ZNC)
	5273 414	1							(SDF)(SDK)
	5273 415	1							(SDF)(SDK) Tag #415 (ZAE, ZNE)
	5273 416	1							(SDF)(SDK) Tag #416 (ZAF,ZNF)
	5273 417	1							(SDA)(SDF) (SDK) Tag #417 (ZNG, ZAG)
	5273 418	1							(SDF)(SDK) Tag #418 (ZAH, ZNH)
5	4626 864	2							SEAT, Spring
6	4626 100AB	2							MOUNT, Strut
7	6501 094	2							NUT, Hex Lock, M14 x 2.00, Strut Damper Rod
8									NUT AND WASHER
	6101 446	2							
		1	Z			42		DBB	Mount to Fender M8x1.25x13
9	4762 135	4							BOLT PACKAGE, Camber
10									Adjustment KNUCKLE, Front

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

Suspension, Front
Figure 002-105




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4897 663AB	1							Left
	4897 662AB	1							Right
11	6501 247	2							NUT, M12x1.75
12	6501 248	2							BOLT, Hex Flange Head, M12x1.75x57
13	4509 774	1							ARM, Control Right
	4509 775	1							Left
14	4449 553	1							BALL JOINT, Lower Control Arm
15	4052 509	2							SEAL, Ball Joint
16	6030 099	1							FITTING, Ball Joint, Zirc
17	4626 447	1							BUSHING, Lower Control Arm
18	6505 317AA	2							SCREW, M14x2.00x105.00
19	6503 068	2							BOLT, Hex Head, M14
20	6502 502	2							NUT, Hex Flange Lock, M14x2
21	6503 292	2							SCREW, Hex Head, M8x1.25x50
-22	6101 695	2	Z		42		DD4, DD5		NUT, Hex Flange Lock, M8x1.25, Sway Bar Mount
23	4626 762	2							CLAMP, Stabilizer Bar
24	4626 368	2							CUSHION, Sway Eliminator
25	4656 351AA	2							LINK PACKAGE, Sway Bar
26	4626 109	1	D, P						BAR, Front Sway, (SDC)
27	4509 719	1							BUSHING, Lower Control Arm
28	6101 695	2	Z		42		DD4, DD5		NUT, Hex Flange Lock, M8x1.25, Sway Bar Shaft Link
29	4626 096	2							ISOLATOR, Spring Seat
-30	6101 448	6							NUT AND WASHER, Hex Nut-Coned Washer, M10 x 1.5, Strut Mount to Body
31	6503 292	2							SCREW, Hex Head, M8x1.25x50
-32	4668 361AB-	1							PLATE, Suspension, Retainer to Knuckle
-33	6505 230AA-	3							SCREW, Hex Head, M8x1.25x20, Plate, Retainer Knuckle
-34	4656 080	1							KNOB KIT, Strut Self Adjustment, (SDK)
-35	4626 777	1							BAR, Rear Sway, not Rear use Front w/Special suspension (SDE) w/ European Suspension (SDF) w/ Competition Suspension (SDK)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Shaft, Front Drive
 Figure 002-205



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: WARNING! Reduced Braking performance will result if this part is used on earlier model vehicles and an accident could result. Do not use on Pre-1998 Models

Note: Sales Code DD4= 5 Sp. Manual Trans. (Performance)

Note: Sales Code DD5= 5 Sp. Manual Trans.

Note: Sales Code DGC= 3 Sp. Auto. Trans.

1	4668 800AB	1					DD4, DD5		SHAFT, Axle Half Right with Manual Trans with out ABS
	4668 801AB	1					DD4, DD5		Left with Manual Trans with out ABS
	5003 484AA	1					DD4, DD5		Right with Manual Trans with ABS (See Note).
	5003 485AA	1					DD4, DD5		Left with Manual Trans with ABS (See Note)
-2	5003 486AA-	1					DGC		SHAFT, Axle Half Right with Auto Trans with ABS (See Note)
	5003 487AA-	1					DGC		Left with Auto Trans with ABS (See Note)
	4668 804AB-	1					DGC		Right with Auto Trans with out ABS
	4668 805AB-	1					DGC		Left with Auto Trans with out ABS
	4762 494	1							BOOT KIT, Half Shaft, Inner, Right with or with out ABS
4	4762 496	2							BOOT KIT, Half Shaft, Outer
5	4797 704	2							CIRCLIP, Half Shaft
6	6503 595	2							NUT, Hex, M20x1.5
7	6503 596	2							WASHER, Flat, M21x38x4
8	6500 336	2							PIN, Cotter, M5x36.00
9	4293 167	2							NUT AND WASHER PACKAGE, Front Hub

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 004

Parking Brake


GROUP 4 - Parking Brake

Illustration Title

Group-Fig. No.

Parking Brake Lever and Cables


Lever and Cables Fig. 004-105



004-100
Parking Brake Lever and Cables



Lever and Cables
Figure 004-105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4509 637	1							LEVER, Park Brake
2	4509 488	2							CLIP, Parking Brake Cable
3	6503 270	1	D, P						SCREW, Hex Head, M8x1.25x30
		2							Parking Brake Att Rail
4	4509 633	2							CABLE, Parking Brake Rear with Disc/Drum with or with out ABS (With End)
	5273 636	2							Rear with Disc/Disc with or with out ABS (With End)
5	5209 922	1							SWITCH, Parking Brake
6									NUT, Flex-Flg with Locking Serrations Park Brake M8x1.25, (NOT SERVICED) (Not Serviced)
7									EQUALIZER, Parking Brake Cable, (Service in Lever Assembly), (NOT SERVICED) (Not Serviced)
8									CLIP, (Service with Cable), (NOT SERVICED) (Not Serviced)
9									SCREW, Tap/Hex Flg Hd Light Switch to Parking Brake Lever Mount .190-24x.750, (NOT SERVICED) (Not Serviced)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

Group – 005

Service Brakes

GROUP 5 - Service Brakes

Illustration Title Group-Fig. No.

Front Brakes

Brakes, Front Fig. 005-105

Rear Brakes

Brakes, Rear Drum Fig. 005-205

Brakes, Rear Disc Fig. 005-207

Power Brake Booster

Booster, Power Brake Fig. 005-305

Brake Master Cylinder

Master Cylinder Fig. 005-405

Anti-Lock Brake Control Fig. 005-410


Brake Lines and Hoses







Lines and Hoses, Brake w/o Anti-Lock Brakes Fig. 005-505

Lines and Hoses, Brake w/Anti-Lock Brakes Fig. 005-545


Brake Pedals

Pedal, Brake Fig. 005-605



005-100 Front Brakes 	005-200 Rear Brakes 	005-300 Power Brake Booster 	005-400 Brake Master Cylinder 
005-500 Brake Lines and Hoses 	005-600 Brake Pedals 		


Brakes, Front
Figure 005-105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Code BRA= Disc/Drum									
Note: Sales Code BRX= Disc/Drum (Export)									
Note: Sales Code BRD= Disc/Disc									
Note: Sales Code BRF= Disc/Disc w/ABS									
Note: Sales Code ACR= Competition Package									
1	5066 699AA	1							PISTON KIT, DISC BRAKE
2	5066 700AA	1							BOOT AND SEAL, Disc Brake
3	4238 717	1							CAP, Bleeder
4									CALIPER, Disc Brake
	5011 070AA	1		D, P					[BRA], Right
	5011 071AA	1		D, P					[BRA], Left
	5011 072AA	1							[BRD] [BRF] [BRX], Right
	5011 073AA	1							[BRD] [BRF] [BRX], Left
5	4383 471	1							BUSHING, Disc Brake Caliper
6	3780 788	1							BLEEDER SCREW, Brake
7	4423 573	1							SLEEVE, Disc Brake Caliper
8	6502 527	4							BOLT, Hex Flange Head, M8-1.25x68.50, (Pin)
9									PAD KIT, Front Disc Brake
	5011 067AA	1							[BRD,BRF,BRX]
	5011 069AA	1		D, P					[BRA]
10									HUB, Wheel
	4670 292	1							w/ACR
	4670 287	1							w/o ACR
11	4641 120	1							BEARING, Wheel
12									STUD, Hub
	6501 053	5							Without [ACR]
	6503 067	5							With [ACR]
13	4668 361AB	1							RETAINER
-14	6505 230AA-	3							SCREW, Hex Head, M8x1.25x20, Retainer to Hub
15	4509 718	2							ROTOR, Brake, Five Stud (BRA, BRD, BRF, BRX)
16									SENSOR, Anti-Lock Brakes
	5273 226	1							Right
	5273 227	1							Left
17									CLIP, Anti-Lock Brake System, (NOT REQUIRED)
18									GROMMET, Speed Sensor Cable (Service with Sensor), (NOT SERVICED) (Not Serviced)
-19	4897 662AB-	1							KNUCKLE, Front

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

Brakes, Rear Drum Figure 005-205



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Code BRA= Disc/Drum									
Note: Sales Code BRX= Disc/Drum (Export)									
1	4762 296	1							CYLINDER, Wheel
-2	4238 717	1							CAP, Bleeder
3	4238 728	1							SOCKET, Brake Adjusting Screw
4	4383 543	1							CLIP, Brake Shoe Hold Down
5	4762 530	1	D, P						LEVER, Park Brake Adjusting Right
	4762 531	1	D, P						Left
6	4762 537	1	D, P						SHOE KIT, Brake
7	4238 730	1							SPRING, Brake Shoe Return
8	4238 851	1							SPRING, Brake Auto Adjuster Lever
9									PLATE, Brake Backing
	5011 628AA	1							with out ABS, Right
	5011 629AA	1							with out ABS, Left
10									LEVER, Park Brake Adjusting Left
	4238 723	1							Left
	4238 722	1							Right
11	5273 983	2							DRUM, Brake, Five Stud (BRA,BRX)
12	4509 599	2							HUB AND BEARING, Brake, Five Stud (BRA, BRX)
-13	6502 432	2							LOCK NUT, Rear Spindle, M20-1.50
14	4509 396	2							CAP, Wheel Bearing
15	6500 526	20							NUT, Wheel, M12x1.5
16	4509 544	2							SEAL, Brake Support
17	4238 716	1							CLIP, Parking Brake Pin Lever
18	4238 721	1							PLUG, Brake Adjusting Hole
19	6503 579	8							BOLT AND CONED WASHER, Hex Head, M10x1.5x30
20	4762 536	1							PIN, Brake Shoe Hold Down
21	4423 678	1							BOLT, Wheel Cylinder
22	4762 534	1	D, P						ADJUSTER, Parking Brake Right
	4762 535	1	D, P						Left
23									CABLE, Parking Brake, [Reference], (NOT SERVICED) (Not Serviced)
24	4741 674	1							SPRING, Brake Shoe Return
-25									NUT, Push Rear Drum Retainer for M12 Stud, (NOT SERVICED) (Not Serviced)
26	4238 715	1							SCREW, Rear Wheel Brake Cylinder Mounting

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special


LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

Brakes, Rear Drum
Figure 005-205




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
27									PLATE, Anchor [Service in Backing Plate], (NOT SERVICED) (Not Serviced)
28	3766 674	1	D, P						SCREW, Bleeder
29	4746 174	AR							STUD, Wheel

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				TRANSMISSION	
SERIES	LINE	BODY	ENGINE	DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DGC = 3 Speed Automatic	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGL = 4 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DG0 = All Automatics	
	P=Plymouth			DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Brakes, Rear Disc Figure 005-207



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Code BRD= Disc/Disc									
Note: Sales Code BRF= Disc/Disc w/ABS									
1	5011 700AA	1							CALIPER, Disc Brake Black Coated, Right
	5011 701AA	1							Black Coated, Left
2	4728 133	1							PISTON PACKAGE, Disc Brake
3									BOOT, Brake Piston, (Service in Piston Package, (NOT SERVICED) (Not Serviced)
-4	4728 132	1							BOOT AND SEAL PACKAGE, Disc Brake
5	4383 471	1							BUSHING, Disc Brake Caliper
6	4423 573	1							SLEEVE, Disc Brake Caliper
7	3780 788	1							SCREW, Bleeder
8	4238 717	1							CAP, Bleeder
9	6502 527	4							BOLT, Hex Flange Head, M8-1. 25x68.50, (Pin)
10	4509 553	2							ROTOR, Brake, (BRD,BRF)
11	6500 526	20							NUT, Wheel, M12x1.5, W4E)
-12	6502 738	20							NUT, Wheel Chrome, M12x1.5 w/Style Wheels
	6504 266	20							w/Wheel Covers
13	4509 396	2							CAP, Wheel Bearing
14	4509 599	2							HUB AND BEARING, Brake (BRD)
	5003 549AA	2							(BRF)
-15	6502 432	2							LOCK NUT, Rear Spindle, M20-1.50
16	4509 504	1							SOCKET, Brake Adjusting Screw
17									SPRING, Park Brake Shoe Return
	4383 541	1							Upper
	4383 542	1							Lower
18	4383 543	1							CLIP, Brake Shoe Hold Down
19	4383 539	1							NUT, Parking Brake Adjusting
20									ADAPTER, Disc Brake Caliper
	4762 686	1							Right with out Sensor
	4762 687	1							Left with out Sensor
	4762 684	1							Right w/Sensor Mount
	4762 685	1							Left w/Sensor Mount
21	4238 733	1							PIN, Brake Shoe Hold Down
22	4238 721	1							PLUG, Brake Adjusting Hole
23									LEVER, Park Brake Adjusting
	4882 209	1							Left
	4882 208	1							Right


DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Brakes, Rear Disc
Figure 005-207



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
24	4509 503	1							SCREW, Parking Brake
25									SENSOR, Anti-Lock Brakes
	5273 224	1							Right
	5273 225	1							Left
26	4364 779	1	D, P						SEAL PACKAGE, Brake Caliper
27	4762 551	1	D, P						PISTON, Brake
28	6503 579	8							BOLT AND CONED WASHER, Hex Head, M10x1.5x30, Pilot Pt Brake Attach
29	4509 544	2							SEAL, Brake Support
30	4746 174	2							STUD, Wheel
31									SHIELD, Brake
	4728 111	1							Left
	4728 110	1							Right
32	4723 981	1							SCREW, Rear Brake Dust Shield to Adapter
33	5011 630AA	1							PAD, Disc Brake, Black Coated
34									LINK, Brake Cylinder, (Service with Lever), (NOT SERVICED) (Not Serviced)
35	4741 772	1							SHOE AND LINING, parking Brake
36									PIN, (Service with Lever), (NOT SERVICED) (Not Serviced)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DGO = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Booster, Power Brake
 Figure 005-305

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


Note: Sales Code BRA= Disc/Drum
 Note: Sales Code BRX= Disc/Drum (Export)
 Note: Sales Code BRD= Disc/Disc
 Note Sales Code BRF= Disc/Disc w/ABS

1									BOOSTER, Power Brake
	4886 463AA	1	Z		42				
	4509 751AB	1	D, P						w/(BRF)
	4509 788AB	1	D, P						w/(BRA,BRX,BRD)
-2	4509 678	1	D, P						SEAL, Master Cylinder To Booster, (BRF)
-3									CONNECTOR, Brake Booster Vacuum
	4324 173	1	D, P						
		1	Z		42				
	4669 462	1	D, P						with Calif Only
		1	Z		42				with Calif Only
-4									CONNECTOR, Manifold Vacuum
	4026 117	1	D, P						with 2.0L Engine OverHead Cam
		1	Z		42				with 2.0L Engine Single OverHead Cam
		1	D, P						with 1.8L Engine Single OverHead Cam
		1	D, P						with 2.0L Engine Single OverHead Cam
5	4485 491	1	D, P						VALVE, Brake Booster Check
-6	4886 480AA-	1	Z		42				CHECK VALVE, Brake Booster
7	4509 793	1	D, P						HOSE, Brake Booster with 2.0L Engine Single Over Head Cam
	4509 609	1	D, P						with 2.0L Engine Dual Over Head Cam Rear Exhaust
-8	4509 695	1	Z		42				HOSE, Brake Booster Vacuum, with 2.0L Engine Single Over Head Cam (Throttle Body to Booster Nipple)
-9	J812 5883	1	Z		42				HOSE, Vacuum Supply, 11/32 rough stock, (11/32" Roll Stock) Booster to Nipple End
10	2448 761	1							CLAMP, Hose
11	3699 447	1	D, P						GASKET, Booster To Dash
	4886 488AA	1	Z		42				

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Booster, Power Brake
 Figure 005-305

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
12	4886 487AA	1	Z		42				GROMMET, Brake Booster Check Valve
13	6035 334	1							CLIP, Brake Push Rod
14	6502 524	2	D, P						NUT, Hex Lock, M8x1.25
-15	4897 486AA-	1	Z		42				NUT, Master Cylinder to Booster
16	6101 445	4							NUT AND WASHER, Hex Nut-Coned Washer, M8 x 1.25




DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Master Cylinder Figure 005-405



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Code BRA= Disc/Drum									
Note: Sales Code BRX= Disc/Drum (Export)									
Note: Sales Code BRD= Disc/Disc									
Note: Sales Code BRF= Disc/Disc w/ABS									
1									MASTER CYLINDER, Brake
	4509 855AA	1	D, P						with (BRX)
	4762 594	1	D, P						with (BRA) with out Reservoir
	4886 465AA	1	Z		42				with (BRF)
	4509 681	1	D, P						with (BRA) with Reservoir
	4509 853AA	1	D, P						with (BRD)
	4762 608	1	D, P						with (BRF)
	4886 464AA	1	Z		42				with (BRD, BRX)
2									CAP, Master Cylinder Reservoir
	4509 683	1	D, P						
	4886 489AA	1	Z		42				
3									RESERVOIR, Brake Master Cylinder
	4762 595	1	D, P						
	4886 485AA	1	Z		42				with Switch (Brake Fluid Level)
4									VALVE, Proportioning
	4509 863AA	2	Z		42				
	4762 166	AR	D, P						[BRD] BRF] Secondary
	4762 167	AR	D, P						[BRD] BRF] Primary
	4797 185	AR	D, P						[BRA] Primary
	4797 186	AR	D, P						[BRA] Secondary
-5	4723 389	1	D, P						GROMMET, Master Cylinder
6	4637 625	1	D, P						Reservoir
7									SWITCH, Brake Fluid Level
	4509 678	1	D, P						SEAL, Master Cylinder To Booster
	4886 157AA	1	D, P						with (BRF)
									230MM Single with (BRA,BRD, BRX)
8	6502 524	2	D, P						NUT, Hex Lock, M8x1.25, Master Cylinder to Booster
9	4897 486AA	1	Z		42				NUT, Master Cylinder to Booster
-10	6101 695	1	Z		42				NUT, Hex Flange Lock, M8x1.25, Master cylinder Res Bracket to Brake Booster


DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Anti-Lock Brake Control
Figure 005-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: HCU= Hydraulic Control Unit


1	4897 779AA	1							HYDRAULIC CONTROL UNIT, Anti-Lock Brake System
2	4509 842	1	D, P						TUBE, Master Cylinder to HCU Secondary
	4509 854	1	D, P						Primary
	4860 010	1	Z		42				Secondary
	4860 023	1	Z		42				Primary
3	6034 880	1							NUT, Hex, .375-24x.85
4	6034 881	1							NUT, Inverted Flare, .375-24
5	4509 875	1							TUBE, HCU to Front Hose, Left
6	6034 880	1							NUT, Hex, .375-24x.85
7	6034 881	1							NUT, Inverted Flare, .375-24
-8	1843 251	1	D, P						TUBE, Steel, .187 25 Foot Roll, HCU to Front Hose Right
-9	6034 880	1							NUT, Hex, .375-24x.85, Primary Qty 02
-10	6034 880	1							NUT, Hex, .375-24x.85, Secondary Qty 02
11	6101 795	3							SCREW, Tapping, M8x1.25x30
12									VALVE, Proportioning
	4762 166	AR	D, P						Secondary
	4762 167	AR	D, P						Primary
13									O RING, Proportioning Valve
	4762 168	AR	D, P						Primary
	4762 169	AR	D, P						Secondary

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Lines and Hoses, Brake w/o Anti-Lock Brakes
Figure 005-505



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Code BRA= Disc/Drum									
Note: Sales Code BRX= Disc/Drum (Export)									
Note: Sales Code BRD= Disc/Disc									
1	6035 098	2							BOLT, Hex Head, .437-20x.937
2	6030 084	4							GASKET, Brake Hose, Front
3	6035 098	2							BOLT, Hex Head, .437-20x.937, Front Brake Hose Intermediate
4	6101 308	1							NUT, U, M6x1, Brake Hose
5									HOSE, Brake
	4509 722	1							Right
	4509 723	1							Left
6	6035 098	2							BOLT, Hex Head, .437-20x.937, Front Brake Hose
7									HOSE, Brake
	5273 670	1							with(BRA,BRX) Right
	5273 671	1							with(BRA,BRX) Left
	4509 564	1							with(BRD) Right
	4509 565	1							with(BRD) Left
-8	6035 098	2							BOLT, Hex Head, .437-20x.937, Rear Disc Brake Inlet Hex Drilled
9	6504 975AA	2							SCREW, Hex Flange Head Tapping, M6.3 x 1.81 x 20.00, Brake Hose
10	6100 558	3	D, P						Rear Rail BOLT AND CONED WASHER, Hex Head, M6x25x14, Rear Brake Hose
11									Intermediate Att
	4495 632	4	D, P						CLIP, Tube
		4	Z			42			U/Body 4 Tube
	4495 634	2	Z			42			U/Body 4 Tube
		1	D, P						Dash 3 Tube
12	1843 251	1	D, P						Dash 3 Tube
									TUBE, Steel, .187 25 Foot Roll, Rear Brake Right
-13	6034 880	2	D, P						NUT, Hex, .375-24x.85
-14	1843 251	1	D, P						TUBE, Steel, .187 25 Foot Roll, Rear Brake Left
-15	6034 880	2	D, P						NUT, Hex, .375-24x.85
-16	1843 251	1	D, P						TUBE, Steel, .187 25 Foot Roll, Front Brake Right
-17	6034 880	1							NUT, Hex, .375-24x.85, Qty 02
-18	4509 852AB-	1	Z			42			TUBE, Brake, Front Brake, Right
-19	6034 880	1							NUT, Hex, .375-24x.85
-20	6034 881	1							NUT, Inverted Flare, .375-24

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

Lines and Hoses, Brake w/o Anti-Lock Brakes
 Figure 005-505


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
21	1843 251	1	D, P						TUBE, Steel, .187 25 Foot Roll, Front Brake Left
-22	6034 880	2	D, P						NUT, Hex, .375-24x.85
-23	4509 739	1	Z		42				TUBE, Brake
24	6034 880	2	Z		42				NUT, Hex, .375-24x.85
25	6030 084	4							GASKET, Brake Hose, Rear
-26	6034 880	1							NUT, Hex, .375-24x.85
-27	4495 631	2	D, P						ISOLATOR, Tube Dash
-28	6100 266	2							BOLT AND WASHER, M6x1.0x20, Front Brake Hose to Strut or Rail
-29	4509 863AA-4762 166	2 AR	Z D, P		42				VALVE, Proportioning w/(BRX) Secondary w/(BRD)
	4797 186	AR	D, P						with(BRA) Secondary
	4509 850AA-	AR	D, P						Primary w/BRD) 3/8x24
	4509 851AA-	AR	D, P						Primary w/BRD) 7/16x24
	4762 167	AR	D, P						Primary w/(BRD)
	4797 185	AR	D, P						with(BRA) Primary
-30	4546 674	1	Z		42				CLIP, Tube, Front Rail

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				TRANSMISSION	
SERIES	LINE	BODY	ENGINE	DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DGC = 3 Speed Automatic	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGL = 4 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DG0 = All Automatics	
	P=Plymouth			DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Lines and Hoses, Brake w/Anti-Lock Brakes Figure 005-545




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Code BRF= Disc/Disc w/ABS									
Note: Sales Code BRJ= Disc/Drum w/ABS									
1	6035 098	2							BOLT, Hex Head, .437-20x.937, Front Disc Brake Inlet Hex Drilled
2	6030 084	4							GASKET, Brake Hose, Front
3	6035 098	2							BOLT, Hex Head, .437-20x.937, Front Brake Hose Intermediate
4	6101 308	1							NUT, U, M6x1, Front Brake Hose
5									HOSE, Brake
	4509 722	1							Front
	4509 723	1							Left
6	6035 098	2							BOLT, Hex Head, .437-20x.937, Front Brake Hose
7									SENSOR, Anti-Lock Brakes
	5273 224	1							Right
	5273 225	1							Left
8									HOSE, Brake
	4509 564	1							with(BRF) Right
	4509 565	1							with(BRF) Left
-9	6100 558	3	D, P						BOLT AND CONED WASHER, Hex Head, M6x25x14, Rear Brake hose
									Intermediate Att
-10	6035 098	2							BOLT, Hex Head, .437-20x.937, Rear Disc Brake Intlet Hex Drilled w/(BRF)
11	6100 558	3	D, P						BOLT AND CONED WASHER, Hex Head, M6x25x14, Brake hose Rear Rail
12									TUBE, Brake
	5278 077AB	1	Z			42			Rear Brake, Right
	5278 234AB	1	D, P						Rear Brake, Right
-13	6034 880	1							NUT, Hex, .375-24x.85
-14	6034 881	1							NUT, Inverted Flare, .375-24
-15									TUBE, Brake
	5278 078AB-	1	Z			42			Rear Brake, Left
	5278 235AB-	1	D, P						Rear Brake, Left
-16									NUT, Inverted Flare, .375-24
	6034 881	2	D, P						
		2	Z			42			
-17									TUBE, Brake
	5278 079AB-	1	Z			42			Front Brake, Right
	5278 134AB-	1	D, P						Front Brake, Right
-18									NUT, Hex, .375-24x.85
DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES		LINE		BODY		ENGINE		TRANSMISSION	
L=Low Line		Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua	
H=High Line		D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic	
S=Special		D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic	
		P=Plymouth						DG0 = All Automatics	
								DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Lines and Hoses, Brake w/Anti-Lock Brakes Figure 005-545



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6034 880	2	Z		42				
-19	1843 251	1	D, P						TUBE, Steel, .187 25 Foot Roll, Front Brake Left
-20	6034 880	2	D, P						NUT, Hex, .375-24x.85
21	4495 632	4	Z		42				CLIP, Tube U/Body 4 Tube
	4495 636	5	Z		42				U/Body 4 Tube Rail Kick Up
22	6030 084	4	D, P						Rail Kick Up GASKET, Brake Hose, Rear
-23	4661 949AC-	1	Z		42				WIRING, Anti-lock Brake
	4793 700AC-	1	D, P						
-24	4495 631	2	D, P						ISOLATOR, Tube Dash
-25									SCREW AND WASHER, Hex Head, M6x1x25
	6101 451	13	D, P						
26		13	Z		42				SCREW, And Washer Wheel Speed Sensor Rear M8x1.00x30.00, (NOT SERVICED) (Not Serviced)
-27	5278 236	1	Z		42				TUBE, Brake Right Rear Extension
		1	D, P						Right Rear Extension
-28	6034 880	1							NUT, Hex, .375-24x.85
-29	6034 908	1	Z		42				NUT, Inverted Flare, .375-24x.85
		1	D, P						
-30	5278 237	1	Z		42				TUBE, Brake Left Rear Extension
		1	D, P						Left Rear Extension
-31	6034 880	1							NUT, Hex, .375-24x.85
-32	6034 908	1	Z		42				NUT, Inverted Flare, .375-24x.85
		1	D, P						
-33	5278 073AB-	2	Z		42				VALVE, Proportioning in Line w/(BRF))
		2	D, P						In Line w/(BRF)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DGO = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Pedal, Brake
Figure 005-605

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									BRACKET, Brake Pedal
	4683 019	1	D, P						with Manual
	4683 024	1	D, P						with Automatic
2	6500 197	1	D, P						NUT, M10x1.5, Brake Pedal
3									PEDAL, Brake
	4683 025	1	D, P						with Automatic
	5273 134	1	Z		42				with Manual with Bracket
	4509 708	1	Z		42				with Automatic with Bracket
	4683 020	1	D, P						with Manual
4									BUSHING, Pedal Shaft
	2467 770	2	D, P						
		2	Z		42				
5	4671 336	1							SWITCH, Stop Lamp, with or with
									out ABS
6									PAD, clutch
	4683 021	1	D, P						Brake with Manual
		1	Z		42				Brake with Manual
7	6035 334	1							CLIP, Brake Push Rod
-8	6101 446	2							NUT AND WASHER, Pedal Bracket
9	4683 022	1	D, P						SHAFT, Brake Pedal Pivot
-10									PAD, Brake Pedal
	4509 607	1	Z		42				with Automatic
		1	D, P						with Automatic

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 006

Clutch

GROUP 6 - Clutch

Illustration Title Group-Fig. No.

Clutch

Clutch and Disc, (DD4 - DD5) Fig. 006-110

Clutch Housing

Housing, Clutch and Mounting Bolts, (DD4 - DD5) Fig. 006-210

Clutch Controls


Linkage, Clutch, (DD4 - DD5) Fig. 006-310





Controls, Release Fork & Bearing, Hydraulic Clutch, RHD, (DD4 - DD5) Fig. 006-312

Controls, Master Cylinder && Slave Cylinder, Hydraulic Clutch, RHD, (DD4 - DD5) Fig. 006-315

Clutch Pedals

Pedal, Clutch, (DD4 - DD5) Fig. 006-410



006-100 Clutch	006-200 Clutch Housing	006-300 Clutch Controls	006-400 Clutch Pedals
			

Clutch and Disc, (DD4 - DD5)
Figure 006-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; If 11 Digit Of Vin # Is A [D] Vehicle Has Modular Clutch


If 11 Digit Of Vin # Is A [T] Vehicle Has Conventional Clutch Package

Sales Codes

DD4 - 5 Spd Manual Trans A578 W/Perf G/S

DD5 - 5 Spd Manual Trans A578


-1	4670 161	1					DD4, DD5		CLUTCH, Modular
2	4856 319	1	D, P				DD4, DD5		CLUTCH PACKAGE
3	6501 099	4	D, P				DD4, DD5		BOLT, Hex Head, M10x1.50 x 13.20



DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

Housing, Clutch and Mounting Bolts, (DD4 - DD5)
Figure 006-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; DD4 - 5 Spd Manual Trans A578 W/Perf G/S

DD5 = 5 Spd Manual Trans A578

EBD = 1.8L 4 CYL - SOHC

ECB = 2.0L 4 CYL - SOHC

ECC = 2.0L 4 CYL - DOHC

ECB = 2.0L 4 CYL - SOHC

ECC = 2.0L 4 CYL - DOHC

1									HOUSING, Clutch
	5003 473AA	1	D, P			ECB	DD5		
	4874 130	1	Z			EBD	DD4		
2	6501 755	1					DD4, DD5		SCREW AND WASHER, Hex Head, M6x1x16
3	6501 742	3					DD4,		SCREW, Hex Head, M12x1.75x50
							DD5		
4	6503 244	1				ECB	DD4, DD5		STUD
		1				EBD	DD4		
5	4761 099	2							PIN, Locating


DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Linkage, Clutch, (DD4 - DD5) Figure 006-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DD4 = 5 Spd Manual Trans A578 W/Perf G/S									
DD5 = 5 Spd Manual Trans A578									
EBD = 1.8L 4 Cyl - SOHC									
ECB = 2.0L 4 Cyl - SOHC									
ECC = 2.0 L 4 Cyl - DOHC									
1	4670 277	1	D, P				DD4, DD5		SPACER, Clutch Pedal Adjuster
2	4670 400	1	D, P				DD4, DD5		CABLE, Clutch Release
3									LEVER PACKAGE, Clutch Release
	4796 664	1	D, P			ECC	DD4		
	4796 665	1	Z			EBD	DD4		
		1	Z			ECB	DD5		
4	4670 088	1	D, P				DGC		PLUG, Dash Panel, 35mm Diameter
5									BEARING, Clutch Release
	4670 026	1	D, P			ECB	DD5		
		1					DD4		
6									PIVOT, Clutch Release Lever
	4670 240	1					DD4		
		1	D, P			ECB	DD5		
7									BOOT, Clutch Release Lever
	4670 071	1	Z			EBD	DD4		
	4670 019	1	D, P				DD4, DD5		
	4670 071	1	Z			ECB	DD5		
8	6034 206	1	D, P				DD4, DD5		PIN, Hair, .250 Dia x.766x.059


DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Controls, Release Fork & Bearing, Hydraulic Clutch, RHD, (DD4 - DD5)
Figure 006-312




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; DD4 = 5 Spd Manual Trans A578 W/Perf G/S
DD5 = 5 Spd Manual Trans A578
ECB = 2.0 4 Cyl. - SOHC
ECC = 2.0L 4CYL - DOHC

1									BEARING, Clutch Release
	4670 026	1					DD4		
		1	D, P			ECB	DD5		
2									BOOT, Clutch Release Lever
	4670 019	1	D, P				DD4,		
							DD5		
	4670 071	1	Z			ECB	DD5		
3									LEVER PACKAGE, Clutch Release
	4796 664	1					DD4		
		1	D, P			ECB	DD5		
	4796 665	1	Z			ECB	DD5		
4									PIVOT, Clutch Release Lever
	4670 240	1	D, P			ECB	DD5		
		1					DD4		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

Controls, Master Cylinder & Slave Cylinder, Hydraulic Clutch, RHD, (DD4 - DD5)
Figure 006-315



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; DD4 = 5 Spd Manual Trans A578 W/Perf G/S

DD5 - 5 Spd Manual Trans A578

1	4670 233	1	Z				DD4, DD5		BRACKET, Brake Fluid Reservoir
2	4606 041	1	Z				DD4, DD5		CLIP, Stud
3	4670 268	1	Z				DD4, DD5		CLIP, Clutch Tube
4	4670 265	1	Z				DD4, DD5		BUSHING, Hydraulic Clutch Actuator
5	6101 695	2	Z				DD4, DD5		NUT, Hex Flange Lock, M8x1.25
6	4670 367	1	Z				DD4, DD5		CLIP, Clutch Tube
7	4668 302	1	Z				DD4, DD5		ACTUATOR, Hydraulic Clutch
8	6101 695	2	Z				DD4, DD5		NUT, Hex Flange Lock, M8x1.25
9	6101 614	2	Z				DD4		SCREW AND WASHER, Hex Head, M8x1.25x45
10	4668 304	1	Z				DD4, DD5		ACTUATOR, Hydraulic Clutch


DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Pedal, Clutch, (DD4 - DD5)
Figure 006-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; DD4 = 5 Spd Manual Trans A578 W/Perf G/S

DD5 = 5 Spd Manual Trans

DBB = All Manual Trans

1	6500 197	1	D, P				DD4, DD5		NUT, M10x1.5
2	4511 135	1	D, P				DD4, DD5		SHAFT, Clutch Pedal
3	4670 093	1	D, P				DD4, DD5		SPRING, Clutch Pedal Return
4	2467 770	4 2	Z D, P				DBB		BUSHING, Pedal Shaft
5	4796 915	1	D, P				DD4, DD5		PEDAL, Clutch
6		AR							PAD, clutch
	4683 021	1	D, P				DD4, DD5		
		1	D, P				DBB		
7	4672 014	1					DBB		SWITCH, Clutch Starter Interlock
8	6034 206	1							PIN, Hair, .250 Dia x.766x.059
-9	6100 025	1	Z				DD4, DD5		PIN, Cotter, M3.2x36
10	2266 820	1	D, P				DBB		BUMPER, Clutch Pedal
-11	4668 306	1	Z				DD4, DD5		STOPPER, Clutch and Brake Pedal
12	4670 225	1	Z				DD4, DD5		PIN, Clutch Pedal
13	4796 915	AR							PEDAL, Clutch

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 007
Cooling

GROUP 7 - Cooling

Illustration Title Group-Fig. No.

Radiator and Related Parts

- Radiator and Related Parts Auto. Trans. Fig. 007-110
- Radiator and Related Parts Manual Trans. Fig. 007-120

Water Pump and Related Parts

- Water Pump and Related Parts Fig. 007-203

Tank, Coolant Engine

- Coolant Reserve Tank Fig. 007-303

Pulleys and Related Parts

- Pulley, Drive Fig. 007-403

Drive Belts


- Belts Fig. 007-503








Lines, Transmission Oil Cooler

- Lines, Oil Cooler Fig. 007-603


Grilles

- Grille and Related Parts Fig. 007-703



<div>007-100</div> <div>Radiator and Related Parts</div> <div></div>	<div>007-200</div> <div>Water Pump and Related Parts</div> <div></div>	<div>007-300</div> <div>Tank, Coolant Engine</div> <div></div>	<div>007-400</div> <div>Pulleys and Related Parts</div> <div></div>
<div>007-500</div> <div>Drive Belts</div> <div></div>	<div>007-600</div> <div>Lines, Transmission Oil Cooler</div> <div></div>	<div>007-700</div> <div>Grilles</div> <div></div>	

Radiator and Related Parts Auto. Trans.
Figure 007-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: When specifying Module components refer to appropriate stamping number.									
A/C = Air Conditioning									
R.F.I. = Radio Frequency Interference									
Sales Codes:									
ECB = 2.0L SOHC									
ECC = 2.0L DOHC									
EBD = 1.8L SOHC 16V									
DGC = TRANSMISSION - AUTOMATIC 3-SPEED									
DG0 = TRANSMISSIONS - ALL AUTOMATIC									
1	6100 558	2							BOLT AND CONED WASHER, Hex Head, M6x25x14
2	4546 950	2							BRACKET, Cooling Module
3									RADIATOR, Engine Cooling
	4495 947	1	D, P			EC0	DG0		Module 4546947 (Mexico Built), Heater only
	4740 097	1				ECB	DG0		Module 4495936-4495936AB ,with A/C
	4883 141	1				ECC	DGC		Module 4546899, with A/C
		1				ECB	DG0		MID-EAST(Module 4546899), with A/C
4									DRAINCOCK, Radiator
	4762 334	1				ECB	DG0		SCREW, Hex Head, M6x12
		1				ECC	DGC		
-5	4762 340	1				ECC	DGC		CONDENSER, Air Conditioning
		1				ECB	DG0		
6	4740 109	1				ECB	DG0		CONDENSER, Air Conditioning
		1				ECC	DG0		
7	4592 114	1				ECB	DG0		LABEL, Fan Caution
8	4401 438	1							CLAMP, Radiator
9	4546 651	1	D, P			ECC			HOSE AND CLAMP, Radiator Inlet, w/ A/C
10	4546 696	1							HOSE AND CLAMP, Radiator Outlet, w/ A/C
11	4546 657	2							ISOLATOR, Cooling Module Mounting, Lower, w/ A/C
12									MOTOR, Radiator Fan
	4882 799	1	D, P			ECB, ECC			Fan (Module 5278512), Heater only (Stamped - DENSO AA263500-770)
	4897 836AA	1				EC0	DG0		Fan, Left (Module 4546835 - 4546835AB)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Radiator and Related Parts Auto. Trans. Figure 007-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4897 837AA	1				EC0	DG0		Fan, Right (Module 5278364 - 5278364AB)
13	4740 100	1	D, P			ECB, ECC			FAN, Cooling Fan (Module 5278512), Heater only
	4762 345	1				EC0	DG0		Fan, Right (Module 5278364 - 5278364AB)
	4762 349	1				EC0	DG0		Fan, Left (Module 4546835 - 4546835AB)
14	4740 102	1	D, P			ECB, ECC			SHROUD, Fan Fan (Module 5278512), Heater only
	4762 350	1				EC0	DG0		Fan, Left (Module 4546835 - 4546835AB)
	4874 458	1				EC0	DG0		Fan, Right (Module 5278364 - 5278364AB)
-15	4762 342	1				EC0	DG0		SCREW, Hex Head Fan, Right - Left (Module 4546835 - 4546835AB - 5278364 - 5278364AB)
	4762 343	1	D, P			ECB, ECC			Fan (Module 5278512), Heater only
-16	4762 341	1				EC0	DG0		NUT, Fan Module Retaining, Fan to Motor
-17	6500 377	4							CLIP, Motor
18	5278 144AA	1	D, P			ECB	DGC		THERMOSTAT
		1	Z			ECB	DGC		
		1	D, P			ECC	DGC		
19									CONNECTOR, Engine Coolant Outlet
	4495 717	1	D, P			ECC	DGC		
	4546 729	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
20									SCREW AND WASHER, Hex Head, M6x1x30
	6101 939	2	Z			ECB	DGC		
		2	D, P			ECB	DGC		
		2	D, P			ECC	DGC		
21									CAP, Radiator
	4592 098	1	D, P			ECB	DGC		
		1	D, P			ECC	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI


TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Radiator and Related Parts Auto. Trans. Figure 007-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	Z			ECB	DGC		



DODGE - PLYMOUTH - CHRYSLER NEON (PL)-

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
 DD5 = 5 Speed Manua
 DGC = 3 Speed Automatic
 DGL = 4 Speed Automatic
 DG0 = All Automatics
 DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Figure 007-120



NOTE: When specifying Module components refer to appropriate stamping number.						
A/C = Air Conditioning						
R.F.I. = Radio Frequency Interference						
Sales Codes:						
ECB = 2.0L SOHC						
ECC = 2.0L DOHC						
EC0 = ALL 2.0L ENGINES						
EBD = 1.8L SOHC 16V						
DBB = TRANSMISSIONS - ALL MANUAL						
1	6100 558	2				BOLT AND CONED WASHER, Hex Head, M6x25x14
2	4546 950	2				BRACKET, Cooling Module
3						FLAPPER KIT, Cooling Fan Module
	4762 398	1	D, P	EBD	DBB	
		1	D, P	ECB, ECC	DBB	
-4						SCREW, Hex Head, M6x16
	4762 339	1	D, P	ECB	DBB	
		1	D, P	EBD	DBB	
-5						SCREW, Hex Head, M6x12
	4762 340	1	D, P	EBD	DBB	
		1	Z	ECB	DBB	
		1		ECC	DBB	
		1	Z	EBD	DBB	
6						CONDENSER, Air Conditioning
	4740 109	1	D, P	EBD	DBB	
		1		ECC	DBB	
		1	Z	EBD	DBB	
		1	Z	ECB	DBB	
7						RADIATOR, Engine Cooling
	4740 097	1	D, P	EBD	DBB	
		1	Z	EBD	DBB	
		1	D, P	ECB, ECC	DBB	with ACR
	4495 947	1	D, P	ECB, ECC	DBB	
8						DRAINCOCK, Radiator
	4762 334	1	Z	ECB	DBB	
		1	D, P	EC0	DBB	
		1	Z	EBD	DBB	
-9						LABEL, Fan Caution

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Radiator and Related Parts Manual Trans.
Figure 007-120

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4592 114	1	D, P			ECB, ECC	DBB		
		1	D, P			EBD	DBB		
		1	Z			EBD	DBB		
		1	Z			ECB	DBB		
10	4401 438	1							CLAMP, Radiator
11									HOSE AND CLAMP, Radiator Inlet
	4546 651	1	D, P			ECC	DBB		Air Conditioning
	4546 656	1	D, P			ECC	DBB		Without Air Conditioning
	4546 723	1				EBD, ECB			Air Conditioning
	4546 725	1	D, P			ECB	DBB		Without Air Conditioning
12									HOSE AND CLAMP, Radiator Outlet
	4546 696	1							Air Conditioning
	4546 697	1	D, P				DBB		Without Air Conditioning
13									ISOLATOR, Cooling Module
									Mounting, Lower
	4495 963	2	D, P			EC0			Without Air Conditioning
	4546 657	2							Air Conditioning
14									MOTOR, Radiator Fan
	4882 800	1	D, P			ECB, ECC	DBB		Fan, (Stamped 5278470)
									(Belvedere Built - First Digit of VIN = 1)
	4882 799	1	D, P			ECB, ECC			Fan, (Stamped 5278512)
									Belvedere Built
	4882 800	1	D, P			EBD	DBB		Fan, (Stamped 5278470)
									(Belvedere Built - First Digit of VIN = 1)
	4897 836AA	1	Z			EBD	DBB		Fan, Left (Stamped 4546835 - 4546835AB) (Belvedere Built)
		1				ECC	DBB		Fan, Left (Stamped 4546835 - 4546835AB) (Belvedere Built)
		1				ECB	DBB		Fan, Left (Stamped 4546835 - 4546835AB) (Belvedere Built)
	4897 837AA	1				ECC	DBB		Fan, Right (Stamped 5278364)
									(Belvedere Built - First Digit of VIN = 1)
		1				ECB	DBB		Fan, Right (Stamped 5278364)
									(Belvedere Built - First Digit of VIN = 1)
		1	Z			EBD	DBB		Fan, Right (Stamped 5278364)
									(Belvedere Built - First Digit of VIN = 1)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				TRANSMISSION	
SERIES	LINE	BODY	ENGINE	DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DGC = 3 Speed Automatic	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGL = 4 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DG0 = All Automatics	
	P=Plymouth			DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




Radiator and Related Parts Manual Trans.
Figure 007-120

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-15	4762 341	1	D, P			ECB, ECC	DBB		NUT, Fan Module Retaining, Fan to Motor
16	4740 100	1	D, P			ECB, ECC			FAN, Cooling Fan, w/o A/C (Stamped 5278512) Belvedere Built
	4762 345	1				ECC	DBB		Fan, Right (Stamped 5278364) (Belvedere Built - First Digit of VIN = 1)
		1				ECB	DBB		Fan, Right (Stamped 5278364) (Belvedere Built - First Digit of VIN = 1)
		1	Z			EBD	DBB		Fan, Right (Stamped 5278364) (Belvedere Built - First Digit of VIN = 1)
	4762 349	1				ECC	DBB		Fan, Left (Stamped 4546835) (Belvedere Built - First Digit of VIN = 1)
		1	Z			EBD	DBB		Fan, Left (Stamped 4546835) (Belvedere Built - First Digit of VIN = 1)
	4773 731	1	D, P			ECB, ECC	DBB		Fan, (Stamped 5278470) (Belvedere Built - First Digit of VIN = 1)
17	4740 102	1	D, P			ECB, ECC			SHROUD, Fan Fan, (Stamped 5278512) Belvedere Built
	4740 107	1	D, P			ECB, ECC	DBB		Fan, (Stamped 5278470) (Belvedere Built - First Digit of VIN = 1)
	4762 350	1				ECC	DBB		Fan, Left (Stamped 4546835) (Belvedere Built - First Digit of VIN = 1)
		1				ECB	DBB		Fan, Left (Stamped 4546835) (Belvedere Built - First Digit of VIN = 1)
		1	Z			EBD	DBB		Fan, Left (Stamped 4546835) (Belvedere Built - First Digit of VIN = 1)
	4874 458	1				ECC	DBB		Fan, Right (Stamped 5278364) (Belvedere Built - First Digit of VIN = 1)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




Radiator and Related Parts Manual Trans.
Figure 007-120

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	Z			EBD	DBB		Fan, Right (Stamped 5278364) (Belvedere Built - First Digit of VIN = 1)
		1				ECB	DBB		Fan, Right (Stamped 5278364) (Belvedere Built - First Digit of VIN = 1)
-18	4762 343	1	D, P			ECB, ECC			SCREW, Hex Head
-19	6500 377	4							CLIP, Motor
20	5278 144AA	1	D, P			EBD	DD4		THERMOSTAT
		1	D, P			ECB	DD4, DD5		
		1	D, P			ECC	DD4, DD5		
21									CONNECTOR, Engine Coolant Outlet
	4495 717	1	D, P			ECC	DD4, DD5		
	4546 729	1	D, P			ECB	DD4, DD5		
22									SCREW AND WASHER, Hex Head, M6x1x30
	6101 939	2	D, P			ECB	DD4, DD5		
		2	D, P			ECC	DD4, DD5		
23	4592 098	1	D, P			EBD	DD4		CAP, Radiator
		1	D, P			ECB	DD4, DD5		
		1	D, P			ECC	DD4, DD5		
24	4762 338	1	D, P			ECB	DBB		SHROUD, Fan, Use with 4740107 - Center


DODGE - PLYMOUTH - CHRYSLER NEON (PL)				TRANSMISSION	
SERIES	LINE	BODY	ENGINE	DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DGC = 3 Speed Automatic	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGL = 4 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGO = All Automatics	
	P=Plymouth			DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Water Pump and Related Parts
Figure 007-203




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:
Sales Codes:
ECB = 2.0L SOHC
ECC = 2.0L DOHC
EBD = 1.8L SOHC 16V
DGC = TRANSMISSION - AUTOMATIC 3-SPEED
DD4 = TRANSMISSION - MANUAL 5-SPEED
DD5 = TRANSMISSION - PERF. MANUAL 5-SPEED

1									
PUMP, Water									
4667 660									
		1	D, P			EBD	DD4		Export
		1	Z			EBD	DD4		Export
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
-2 MD13 3859									
		1				EEB			STAY, Water Pump
-3 4621 653									
		1	D, P			EBD	DD4		NIPPLE, Heater Return
		1	Z			EBD	DD4		Export
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
4									
6503 255									
		6	D, P			EBD	DD4		BOLT, Hex Head, M6x1.0x22
		6	Z			EBD	DD4		Export
		6	D, P			ECB	DGC		
		6	Z			ECB	DGC		
		6	D, P			ECC	DGC		
		6	D, P			ECC	DD4, DD5		
5									
4667 663									
		1	D, P			ECB	DGC		SEAL, Water Pump To Front Cover
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	D, P			EBD	DD4		Export
		1	Z			EBD	DD4		Export
		1	D, P			ECC	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)
SERIES L=Low Line H=High Line S=Special
LINE Z=Chrysler, RHD D=Dodge D=Chrysler P=Plymouth
BODY 41=4 Door, 104WB
ENGINE ECB=2.0L 4 Cyl., 16V SMPI EJD=1.6L 4 Cyl16V SOHC EBD=1.8L 4 Cyl16V SEFI
TRANSMISSION DD5 = 5 Speed Manua DGC = 3 Speed Automatic DGL = 4 Speed Automatic DG0 = All Automatics DBB= All 5 Speed Manual

Water Pump and Related Parts
Figure 007-203



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
6	4777 173	1	D, P			ECC	DD4, DD5		O RING, Water Inlet Tube
		1	D, P			EBD	DD4		Export
		1	Z			EBD	DD4		Export
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
									TUBE, Water Inlet
									Export
7	4777 171	1	D, P			EBD	DD4		Export
		1	Z			EBD	DD4		Export
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
									BOLT AND CONED WASHER, Hex Head, M6x25x12.5
									Export
									Export
8	6100 267	2	D, P			EBD	DD4		Export
		2	Z			EBD	DD4		Export
		2	D, P			ECB	DGC		
		2	Z			ECB	DGC		
		2	D, P			ECB	DD4, DD5		
		2	D, P			ECC	DGC		
		2	D, P			ECC	DD4, DD5		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

Coolant Reserve Tank
Figure 007-303


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CAP, Coolant Reserve Tank
	4796 447	1	D, P			ECC			
		1	D, P			EBD, ECB			
		1	Z			EBD, ECB			
2									BOTTLE, Coolant Recovery
	4746 206	1	D, P			ECC			
	4496 000	1	Z			EBD, ECB			
	4746 206	1	D, P			EBD, ECB			
3									HOSE, Overflow, Roll Stock
	4266 423	1	Z			EBD, ECB			
		1	D, P			EBD, ECB			
4	4495 804	1	D, P			ECC			HOSE, Coolant Reserve Tank
-5	2448 761	1							CLAMP, Hose
6	6503 676	1							NUT, Hex Flange, M6x1
7	6034 716	1							SCREW AND WASHER, Hex Flange Head, .25-14x.875

DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Pulley, Drive
Figure 007-403



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:

Sales Codes:

ECB = 2.0L SOHC

ECC = 2.0L DOHC

EBD = 1.8L SOHC 16V

DGC = TRANSMISSION - AUTOMATIC 3-SPEED

DG0 = TRANSMISSIONS - ALL AUTOMATIC

DD4 = TRANSMISSION - MANUAL 5-SPEED


DD5 = TRANSMISSION - PERF. MANUAL 5-SPEED

1									DAMPER, Crankshaft
	4667 765	1	Z			EBD	DD4		
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
2									BOLT, Hex Flange Head, M12x1. 75x87.50
	6503 553	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1	D, P			EBD	DD4		Export
		1	Z			EBD	DD4		Export
		1	Z			ECB	DD5		
		1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
3	4612 242	1							PULLEY, Power Steering Pump
4	4723 014	1							CLUTCH, A/C Compressor

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

Belts
Figure 007-503



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:

Sales Codes:

ECB = 2.0L SOHC

ECC = 2.0L DOHC

EBD = 1.8L SOHC 16V

DGC = TRANSMISSION - AUTOMATIC 3-SPEED

DG0 = TRANSMISSIONS - ALL AUTOMATIC

DD4 = TRANSMISSION - MANUAL 5-SPEED


DD5 = TRANSMISSION - PERF. MANUAL 5-SPEED

1	4668 180AB	1	D, P			EBD	DD4		BELT, Alternator Drive
		1	Z			EBD	DD4		Export
		1	D, P			ECB	DGC		Export
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	D, P			ECC	DGC		
2	4612 247	1	D, P			ECC	DD4, DD5		BELT, Power Steering
		1	D, P			ECC	DD4, DD5		Air Conditioning
		1	D, P			ECC	DD4, DD5		Heater

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

Lines, Oil Cooler
Figure 007-603



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:

Sales Codes:

ECB = 2.0L SOHC

ECC = 2.0L DOHC

DGC = TRANSMISSION - AUTOMATIC 3-SPEED

1	5278 603AA	1					DGC		HOSE, Transmission Oil Pressure
	5278 605AA	1	D, P				DGC		A/C
	5278 603AA	1	Z			ECB	DGC		Heater
2	5278 604AA	1					DGC		Heater
	5278 606AA	1	D, P				DGC		HOSE, Transmission Oil Return
	5278 604AA	1	Z			ECB	DGC		Air Conditioning
3	6032 839	4					DGC		Heater
4	4531 202	2				ECC	DGC		CLAMP, Oil Cooler
		2	D, P			ECB	DGC		CONNECTOR, Oil Cooler Hose
		2	Z			ECB	DGC		


DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Grille and Related Parts
Figure 007-703



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4655 390	1							CROSSMEMBER, Radiator Closure Panel
-2	4495 886	1	D, P						SHIELD, Radiator To Closure Panel
3	4655 474	1							SUPPORT, Radiator Closure Panel
4									PANEL, Radiator Closure
	4655 520	1							Right, Upper
	4655 521	1							Left, Upper
5									PANEL, Radiator Closure
	4655 214	1							Right, Lower
	4655 215	1							Left, Lower
6	5003 942AB	1							CROSSMEMBER, Front Side Rail
-7	5256 905	1							BRACKET, Side Rail Crossmember, Tow Hook
8									GUSSET, Front Crossmember, Serviced in Item #6, (NOT SERVICED) (Not Serviced)
9	5278 075	1	D, P						BAFFLE, Air Intake
10									SCREW, Hex Head, 5/16, (NOT SERVICED) (Not Serviced)
11									GRILLE, Radiator
	4741 499	1	D, P						
		1	Z						
12									SCREW AND WASHER, Hex Head, M5x0.80x25.00, (NOT SERVICED) (Not Serviced)
13	5263 860	1							BRACKET, Radiator Grille


DODGE - PLYMOUTH - CHRYSLER NEON (PL)				ENGINE		TRANSMISSION	
SERIES	LINE	BODY		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB		EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic	
H=High Line	D=Dodge			EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic	
S=Special	D=Chrysler					DG0 = All Automatics	
	P=Plymouth					DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005







Group – 008









Electrical



Group – 008

Electrical

008-1000 Battery Tray and Cables	008-1100 Lamps – Front, Rear and Courtesy	008-1200 Wiring-Engine & Related Parts	008-1300 Wiring-Headlamp to Dash
			
008-1400 Wiring-Instrument Panel	008-1500 Wiring-Body & Accessories	008-1600 Wiring Repair	008-1900 Spark Plugs-Cables-Coils
WIRING INSTR. PANEL		WIRING REPAIR PKG.	

008-100 Starters	008-200 Alternators	008-400 Modules	008-500 Relays
			
008-600 Sensors	008-700 Single Board Engine Controllers	008-800 Switches	008-900 Horns
			

GROUP 8 - Electrical

Illustration Title	Group-Fig. No.
Starters	
Starter	Fig. 008-102
Alternators	
Alternators	Fig. 008-202
Modules	
Modules, Electronic	Fig. 008-405
Relays	
Relays	Fig. 008-505
Sensors	
Sensors, Engine	Fig. 008-605
Sensors, Transmission	Fig. 008-610
Sensors, Body	Fig. 008-615
Single Board Engine Controllers	
Single Board Engine Controllers	Fig. 008-705
Switches	
Switches	Fig. 008-805
Horns	
Horns	Fig. 008-905
Battery Tray and Cables	
Battery Tray And Cables	Fig. 008-1001
Lamps - Front, Rear and Courtesy	
Lamps, Front	Fig. 008-1105
Lamps, Rear	Fig. 008-1110
Lamps, Cargo, Dome, Courtesy	Fig. 008-1115
Sockets And Bulbs	Fig. 008-1180
Wiring-Engine & Related Parts	
Wiring, Engine And Related Parts	Fig. 008-1205
Wiring-Headlamp to Dash	
Wiring, Headlamp to Dash	Fig. 008-1305
Wiring-Instrument Panel	
Wiring, Instrument Panel	Fig. 008-1405
Wiring-Body & Accessories	
Wiring, Body And Accessories	Fig. 008-1505
Wiring Repair	
Wiring, Repair	Fig. 008-1605

GROUP 8 - Electrical

Illustration Title	Group-Fig. No.
Spark Plugs-Cables-Coils	
Spark Plugs, Cables, Coils	Fig. 008-1902



Starter
 Figure 008-102


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

1.8L 4 CYL SOHC 16V SEFI

ECB= 2.0L 4 CYL SOHC 16V SMPI

ECC= 2.0L 4 CYL DOHC 16V SFI

1	4793 804	1							STARTER
2									SCREW AND WASHER, Hex Head, M10x1.5x95
	6503 237	1				EBD, ECB			Starter mounting
		2				ECC			Starter mounting
3									SCREW AND WASHER, Hex Head, M10x1.5x50
	6502 717	1				EBD, ECB			Starter mounting
		2				ECC			Starter mounting




DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Alternators
Figure 008-202



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EBD=1.8L 4 CYL SOHC 16V SEFI ECB= 2.0L 4 CYL SOHC 16V SMPI ECC= 2.0L 4 CYL DOHC 16V SFI DGC= AUTOMATIC 3-SPEED DD4= PERF. MANUAL 5-SPEED DD5= MANUAL 5-SPEED									
1	4793 692AB	1	D, P			EBD	DD4		ALTERNATOR
		1	Z		42	EBD	DD4		
		1	D, P			ECB	DGC		
		1	Z		42	ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	Z		42	ECB	DD5		
		1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
2	6101 448	1	Z		42	EBD	DD4		NUT AND WASHER, Hex Nut-Coned Washer, M10 x 1.5
		1	D, P			ECB	DGC		Alternator To Adjustment Bracket
		1	Z		42	ECB	DGC		Alternator To Adjustment Bracket
		1	D, P			ECB	DD4, DD5		Alternator To Adjustment Bracket
		1	D, P			ECC	DD4, DD5		Alternator To Adjustment Bracket
		1	D, P			EBD	DD4		Alternator To Adjustment Bracket
		1	D, P			ECC	DGC		Alternator To Adjustment Bracket
		1	Z		42	ECB	DD5		Alternator To Adjustment Bracket
3	4793 398AB	1	D, P			EBD	DD4		SHIELD, Alternator
		1	Z		42	EBD	DD4		
		1	D, P			ECB	DGC		
		1	D, P			ECC	DGC		
		1	D, P			ECB	DD4, DD5		
		1	Z		42	ECB	DD5		
		1	D, P			ECC	DD4, DD5		
4	6503 705	1	D, P			ECB	DGC		SCREW AND WASHER, Hex Head Lock, M8x1.25x95
									Alternator Adjustment

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		


Alternators
Figure 008-202



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	D, P			ECB	DD4, DD5		Alternator Adjustment
		1	D, P			EBD	DD4		Alternator Adjustment
		1	Z		42	EBD	DD4		Alternator Adjustment
		1	Z		42	ECB	DD5		Alternator Adjustment
		1	D, P			ECC	DGC		Alternator Adjustment
		1	D, P			ECC	DD4, DD5		Alternator Adjustment
5									SCREW, Header Point, M10x1. 50x50.00
	6504 286	1	Z		42	EBD	DD4		
		1	D, P			ECB	DGC		
		1	Z		42	ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
		1	Z		42	ECB	DD5		
6									SCREW AND WASHER, Hex Head, M10x1.5x25
	6101 503	2	D, P			EBD	DD4		
		2	Z		42	EBD	DD4		
		2	D, P			ECB	DGC		
		2	Z		42	ECB	DGC		
		2	D, P			ECB	DD4, DD5		
		2	D, P			ECC	DGC		
		2	D, P			ECC	DD4, DD5		
		2	Z		42	ECB	DD5		
7									SCREW AND WASHER, Hex Head, M10x1.5x105
	6101 623	1	D, P			EBD	DD4		Alternator Pivot
		1	Z		42	EBD	DD4		Alternator Pivot
		1	D, P			ECB	DGC		Alternator Pivot
		1	Z		42	ECB	DGC		Alternator Pivot
		1	D, P			ECB	DD4, DD5		Alternator Pivot
		1	Z		42	ECB	DD5		Alternator Pivot
		1	D, P			ECC	DGC		Alternator Pivot

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

Alternators
Figure 008-202




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
8	4612 132	1	D, P			ECC	DD4, DD5		Alternator Pivot
		1	D, P			ECB	DGC		BRACKET, Alternator
		1	Z		42	ECB	DGC		Alternator Adjusting
		1	D, P			ECB	DD4, DD5		Alternator Adjusting
		1	D, P			EBD	DD4		Alternator Adjusting
		1	Z		42	EBD	DD4		Alternator Adjusting
		1	Z		42	ECB	DD5		Alternator Adjusting
		1	D, P			ECC	DGC		Alternator Adjusting
		1	D, P			ECC	DD4, DD5		Alternator Adjusting
9	6101 512								SCREW AND WASHER, Hex Head, M10x1.5x45
		3	D, P			EBD	DD4		Alternator Pivot Bracket To Block
		3	Z		42	EBD	DD4		Alternator Pivot Bracket To Block
		3	D, P			ECB	DGC		Alternator Pivot Bracket To Block
		3	Z		42	ECB	DGC		Alternator Pivot Bracket To Block
		3	D, P			ECB	DD4, DD5		Alternator Pivot Bracket To Block
		3	Z		42	ECB	DD5		Alternator Pivot Bracket To Block
		3	D, P			ECC	DGC		Alternator Pivot Bracket To Block
		3	D, P			ECC	DD4, DD5		Alternator Pivot Bracket To Block
10	6502 987								NUT AND RETAINER, Hex Flange Locking, M10 x 1.50
		1	D, P			ECC	DGC		Alternator Pivot
		1	D, P			ECC	DD4, DD5		Alternator Pivot
		1	D, P			ECB	DGC		Alternator Pivot
		1	Z		42	ECB	DGC		Alternator Pivot
		1	D, P			ECB	DD4, DD5		Alternator Pivot
		1	Z		42	EBD	DD4		Alternator Pivot
		1	Z		42	ECB	DD5		Alternator Pivot
		1	D, P			EBD	DD4		Alternator Pivot
11	4612 132 4668 250								BRACKET, Alternator
		1	Z		42	ECB	DD5		
		1	Z		42	EBD	DD4		
		1	D, P			EBD	DD4		
		1	Z		42	ECB	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY			ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB			ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth					DG0 = All Automatics			
						DBB= All 5 Speed Manual			

Alternators
Figure 008-202

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	D, P			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	D, P			ECC	DD4, DD5		
		1	D, P			ECC	DGC		




DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Modules, Electronic
Figure 008-405



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5293 098AA	1							MODULE, Anti-Lock Brake System
2	5269 971AE	1							MODULE, Air Bag Control
3	4672 271	1	D, P						MODULE, Daytime Running Lamp
4	5600 7182	1	D, P						CHIME, Warning
-5	5293 136AA-	1							MODULE, Security Alarm
-6	8220 3763	1							MODULE KIT, Alarm without Keyless

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

Relays
Figure 008-505


[illegible][illegible]

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Sensors, Engine
Figure 008-605



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EBD=1.8L 4 CYL SOHC ECB=2.0L 4 CYL SOHC DD5 = Manual 5 Speed DGL= 4 Speed Automatic DGC=3 Speed Automatic									
1	4661 341	1	D, P			ECC	DGC		SENSOR, Combination Temp. Unit
		1	Z		42	ECB	DGC		
		1	D, P			EBD	DD4		
2	5269 547	1	Z		42	EBD	DD4		CAM MAGNET, Target
		1	D, P			EBD	DD4		
		1	Z		42	EBD	DD4		
		1	Z		42	ECB	DGC		
		1	D, P			ECC	DGC		
		1	D, P			ECB	DGC		
3	4882 850AA	1	D, P			EBD	DD4		SENSOR PACKAGE, Camshaft
		1	Z		42	EBD	DD4		
		1	Z		42	ECB	DGC		
	4882 851AA	1	D, P			ECC	DGC		
		1	D, P			ECB	DGC		
	4882 850AA	1	D, P			ECB	DD4, DD5		
4	4777 068	1	D, P			EBD	DD4		SEAL, Camshaft Sensor
		1	Z		42	EBD	DD4		
		1	Z		42	ECB	DGC		
5	4557 667	1	D, P			EBD	DD4		SENSOR, Knock
		1	Z		42	EBD	DD4		
		1	Z		42	ECB	DGC		
6	5269 703	1	D, P			EBD	DD4		SENSOR, Crankshaft Position
		1	Z		42	EBD	DD4		
		1	Z		42	ECB	DGC		
7	4608 303	1	D, P			EBD	DD4		SWITCH, Oil Pressure
		1	Z		42	EBD	DD4		
		1	D, P			ECB	DGC		
		1	Z		42	ECB	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

Sensors, Engine
Figure 008-605



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
8	5269 743	1				ECB, ECC			SENSOR, Oxygen, Downstream
9	4686 154AB	1	D, P			EBD	DD4		SENSOR, Oxygen Upstream
		1	Z		42	EBD	DD4		Upstream
		1	D, P			ECB	DGC		Upstream
		1	Z		42	ECB	DGC		Upstream
		1	D, P			ECC	DGC		Upstream
10	5293 985AA	1	D, P			EBD	DD4		SENSOR, Map
		1	Z		42	EBD	DD4		
		1	D, P			ECB	DGC		
		1	Z		42	ECB	DGC		
11	4874 430AB	1	D, P			ECB	DGC		SENSOR KIT, Throttle Position
		1	Z		42	ECB	DGC		
		1	D, P			EBD	DD4		
		1	Z		42	EBD	DD4		


DODGE - PLYMOUTH - CHRYSLER NEON (PL)				TRANSMISSION	
SERIES	LINE	BODY	ENGINE	DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DGC = 3 Speed Automatic	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGL = 4 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DG0 = All Automatics	
	P=Plymouth			DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Sensors, Transmission
Figure 008-610

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4707 839AA	1							SENSOR, Vehicle Speed




DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Sensors, Body
Figure 008-615



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5273 226	1							SENSOR, Anti-Lock Brakes, Right Front
2	5273 227	1							SENSOR, Anti-Lock Brakes, Left Front
3	5273 224	1							SENSOR, Anti-Lock Brakes, Right Rear
4	5273 225	1							SENSOR, Anti-Lock Brakes, Left Rear
5	5269 742	1							SENSOR, Battery Temperature

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

Single Board Engine Controllers
Figure 008-705




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
ECC= 2.0L 4 CYL DOHC 16V SFI ECB= 2.0L 4 CYL SOHC 16V SMPI DGC= AUTOMATIC 3-SPEED DBB=TRANSMISSIONS - ALL MANUAL DGO=TRANSMISSIONS - ALL AUTOMATIC									
1	5269 815AE	1	D, P			ECB	DBB		MODULE, Engine Controller California Emissions
	5269 817AD	1	D, P			ECB	DBB		Competition Group
	5269 819AE	1	D, P			ECB	DGC		Taiwan Equiped
	5269 818AD	1	D, P			ECB	DBB		w/Leaded Fuel
	5269 819AE	1	D, P			ECB	DGC		Federal Emissions
	5269 822AC	1	D, P			ECB	DGC		w/Leaded Fuel
	5269 820AE	1	D, P			ECB	DGC		California Emissions
	5269 821AC	1	D, P			ECB	DGC		European
		1	Z		42	ECB	DGC		
	5269 825AD	1	D, P			ECC	DBB		Federal Emissions
	5269 826AD	1	D, P			ECC	DGC		California Emissions
	5293 064AD	1	D, P			ECC	DD4		Federal Emissions
	5293 065AD	1	D, P			ECC	DGC		Federal Emissions
	5269 823AE	1	D, P			ECC	DBB		California Emissions
	5269 958AE	1				EBD	DBB		European
	5293 063AC	1	D, P			ECB	DD5		Federal Emissions
	5293 079AB	1	Z		42	ECB	DGC		Japan Equiped
2	6500 284	1							NUT, Hex, M6x1.00
-3	4897 266AA-	1							INSULATOR PACKAGE
-4	4897 267AA-	1							COVER PACKAGE, Powertrain Control Module
-5									WIRING REPAIR PACKAGE, Powertrain Control Module, (NOT REQUIRED)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DGO = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Switches Figure 008-805



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
ECC= 2.0L 4 CYL DOHC 16V SFI									
ECB= 2.0L 4 CYL SOHC 16V SMP									
EBD=1.8L 4 CYL SOHC 16V SEFI									
DBB=TRANSMISSIONS - ALL MANUAL									
DGO=TRANSMISSIONS - ALL AUTOMATIC									
DGC= AUTOMATIC 3-SPEED									
DD4= PERF. MANUAL 5-SPEED									
DD5= MANUAL 5-SPEED									
1	4793 150	1							SWITCH, Multifunction
2	4671 264	3							SWITCH, Door Ajar
		2				42			Has Seal, with Shorter Travel, Front
									Has Seal, with Shorter Travel, Rear
3	QM42 LAZ	1	D, P						SWITCH, Electric Back Light
	QM42 SKB	1	D, P						Agate, With Bezel
4									Camel Tan, With Bezel
									SWITCH, Ignition
	4565 326	1					DG0		
		1					DBB		
5	4671 336	1							SWITCH, Stop Lamp
6									SWITCH, Mirror
	4608 294	1	D, P		22				
		1	D, P		42				
	4793 765	1	Z		42				
-7	4793 313	1							SWITCH, Intermittent Wiper, Right
-8	6503 395	2							SCREW AND WASHER, Self Tapping, M4x.7x14
-9									SWITCH AND BEZEL, Fog Lamp
	4793 050	1	Z		42				
	5269 530	1	D, P		42				Export
	GY94 LAZ	1	D		42				Agate, Rear Fog Lamp,Export
	GY89 LAZ	1	D, P						Agate, w/Rear Defroster
	GY89 SKB	1	D, P						Camel Tan, w/Rear Defroster
	GY94 SKB	1	D		42				Camel Tan, Rear Fog Lamp,Export
	GY94 LAZ	1	Z		42				Agate, Rear Fog Lamp
	QM43 LAZ	1	D, P						Agate, w/o Rear Defroster
	QM43 SKB	1	D, P						Camel Tan, w/o Rear Defroster
	GY94 SKB	1	Z		42				Camel Tan, Rear Fog Lamp
-10	5269 269	1							LAMP, Illuminated Entry, Hood, Ignition Cylinder Lamp
-11									SWITCH, Headlamp
	56021 898AA-	1	D, P						

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special


LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DGO = All Automatics
DBB= All 5 Speed Manual

Switches Figure 008-805



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	56009 869AA-	1	D, P						Europe
		1	Z		42				
-12	4793 000	1	Z		42				PLATE, Headlamp
-13	4672 014	1					DBB		SWITCH, Clutch Starter Interlock
-14									SWITCH, Door Lock
	4373 860	1							Power Sunroof
	4565 330	1	D, P		22				
		1	Z		42				
-15									SWITCH, 2 Gang
	4793 180	1	Z		42				Right Door, Power Window
		1	D, P						Left Door, Power Window
-16									SWITCH, 1 Gang
	4793 191	1	Z		42				Left Door, Power Window
		1	D, P						Right Door, Power Window
-17	4637 625	1	D, P						SWITCH, Brake Fluid Level
-18									SWITCH, Neutral, Safety, Back Up
	3747 361	1	D, P			ECB	DGC		
		1	Z		42	ECB	DGC		
-19									SWITCH, Oil Pressure
	4608 303	1	D, P			ECB	DGC		
		1	Z		42	ECB	DGC		
		1	D, P			EBD	DD4		
		1	Z		42	EBD	DD4		
		1	D, P			ECB	DD4, DD5		
		1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
		1	Z		42	ECB	DD5		
-20									SWITCH, Sunroof
	PX30 RK4	1							Camel Tan
	PX30 SC1	1							Blue
-21									SWITCH AND BEZEL, Power Window
	MH15 LAZ	1	Z		42				Agate, Left Door
	MH15 RK5	1	Z		42				Camel Tan, Left Door
	PF92 LAZ	1	D, P						Agate, Right Door
	MH14 LAZ	1	Z		42				Agate, Right Door
	MH14 RK5	1	Z		42				Camel Tan, Right Door
	PF91 LAZ	1	D, P						Agate, Left Door
	PF92 RK5	1	D, P						Camel Tan, Right Door
	PF91 RK5	1	D, P						Camel Tan, Left Door
-22	4773 101	1							SWITCH, A/C High Pressure Cut Off

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DGO = All Automatics
DBB= All 5 Speed Manual

Switches

Figure 008-805

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-23	4608 288AB-	1							SWITCH, Cargo Lamp
-24	4798 909	1							SWITCH PACKAGE, Power Top



DODGE - PLYMOUTH - CHRYSLER NEON (PL)-

DODGE - PL
SERIES
 L=Low Line
 H=High Line
 S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI


TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Horns
Figure 008-905

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4793 746	1							HORN AND BRACKET, Low Note
2	4793 747	1							HORN AND BRACKET, High Note
-3	4793 750	1							LABEL, BUX Horn Identification, Export



DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual


Battery Tray And Cables
Figure 008-1001



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EBD=1.8L 4 CYL SOHC 16V SEFI									
ECC= 2.0L 4 CYL DOHC 16V SFI									
ECB= 2.0L 4 CYL SOHC 16V SMPI									
DD4= PERF. MANUAL 5-SPEED									
DD5= MANUAL 5-SPEED									
DGC= AUTOMATIC 3-SPEED									
1	4783 282	1							TRAY, Battery
2	6101 283	1	Z		42				U-NUT, M8x1.25
3	5008 016AA	1							STRUT, Radiator To Battery Tray
4	4671 023	1							TUBE, Battery Thermoguard
5	4671 022	1							COVER, Battery
6	4793 957AC	1							WIRING, Battery
7									STUD, .312-18x2.187, (NOT REQUIRED)
8									STRAP, Ground
	4794 048AA	1	D, P			EBD	DD4		Cylinder Head to Body
		1	Z		42	EBD	DD4		Cylinder Head to Body
	4793 411	1							Strut Bracket to Body
	4793 736	1							Hood Hinge Ground
	4794 048AA	1	D, P			ECB	DGC		Cylinder Head to Body
		1	Z		42	ECB	DD5		Cylinder Head to Body
		1	Z		42	ECB	DGC		Cylinder Head to Body
		1	D, P			ECC	DGC		Cylinder Head to Body
		1	D, P			ECC	DD4, DD5		Cylinder Head to Body
	5278 081AB	1							Fuel Pump Grounding
9	4655 102	1							RETAINER, Battery Hold Down
10	6101 308	1							NUT, U, M6x1, Radiator Bracket To Battery Tray Strut
11	6503 492	4							SCREW AND WASHER, Hex Head Tapping, M8x1.25x26
12	4793 062	1							LABEL, Battery Export
	4557 480	2	D, P						Canada Only
	4671 062	1	D, P						Canada Only
13	6101 682	2							BOLT AND CONED WASHER, Hex Head, M6x1.0x20, Battery Strut Attg.
-14									WIRING PACKAGE, Positive Cable, (NOT SERVICED) (Not Serviced)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

**Lamps, Front
Figure 008-1105**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LAMP, Headlamp And Adapter
	4761 448	1	D, P						Right
	4761 449	1	D, P						Left
2									LAMP, Headlamp
	4886 236AA	1	Z		42				Right
	4886 237AA	1	Z		42				Left
	4886 238AA	1	D, P						Right,Export
	4886 239AA	1	D, P						Left,Export
3									CABLE, Headlamp Adjusting
	5263 959AB	1	Z		42				
		1	D, P						Leveling
	5288 371	1	Z		42				Horizontal Ajuster
		1	D, P						Horizontal Adjuster, Export
4									CLAMP, (NOT REQUIRED)
-5									SCREW, Aero Headlamp
	5263 480	1	Z		42				
		1	D, P						
6	6504 324	4							SCREW AND WASHER, Hex Head
-7	5288 372	1							CLIP, Retaining, Horizontal Adjuster
8	5288 631AA	1							LABEL, Headlamp Leveling
9									BRACKET, Headlamp
	4546 821	1	Z		42				Left
		1	D, P						Left
	5288 369	1	Z		42				Right
		1	D, P						Right
-10	4857 115	2							GASKET, Side Marker Lamp
11									MOTOR, Headlamp Leveling
	5288 033AB	AR							Kit
	5288 250AB	AR							Motor Only
12	5263 879	1	D, P						DRIVE, Headlamp
-13	5288 029	2	D, P						SCREW, Drive Assembly to Headlamp Adapter
14									LAMP, Park and Turn Signal
	4762 328	1	D, P						Right
	4762 329	1	D, P						Left
	5263 944AB	1	Z		42				Right
		1	D, P						Europe, Right
	5263 945AB	1	Z		42				Left
		1	D, P						Europe, Left
-15									COVER, Fascia
	4566 418	1							Right
	4566 419	1							Left
-16									SEAL, Headlamp Closure Panel

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Lamps, Front
Figure 008-1105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5263 877AB-	1	Z		42				Left
		1	D, P						Left
	5263 876AB-	1	Z		42				Right
		1	D, P						Right
17									VENT, Headlamp
	5263 878	2	D, P						Left
	5263 875	2	Z		42				Right
		2	D, P						Right
	5263 878	2	Z		42				Left
18									RETAINER, Headlamp Bulb
	5263 388	1	Z		42				Europe
		1	D, P						
	5600 3773	1	D, P						
19									BULB, Headlamp
	0153 621	1	Z		42				Europe
		1	D, P						
	L000 9007	1	D, P						
20									DUST CAP, Headlamp Bulb
	5263 391	1	Z		42				Export
		1	D, P						LAMP, Side Marker
21									Right
	5303 034	1	D, P						Left
	5303 035	1	D, P						
22	4400 588	2							SOCKET, Tail and Side Lamp, Side Marker
23	L000 0168	2	D, P						BULB, 168, Side Marker
24	6029 471	4							NUT, Stamped Hex Flange, .330, Lamp Mounting
25	5602 1441	1							LAMP, Underhood
-26	4897 446AA-	1							LENS, Lamp Module, Under Hood
27									LAMP, Fog
	4882 568	2	D, P						Europe
	4762 775	2	D, P						
		2	Z		42				
-28									GROMMET, Running Lamp Bulb
	5263 389	1	Z		42				Europe
		1	D, P						
29									HOUSING, Fog Lamp
	4882 569	2	D, P						Europe
		2	Z		42				
30									SEAL, Fog Lamp
	5288 055	2	D, P						Europe

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

Lamps, Front
Figure 008-1105


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2	Z		42				
31	L000 0881	2	D, P						BULB, 881, Fog Lamp
32	4728 646	2	D, P						BULB PACKAGE, 55 Watt
		2	D, P						Europe
		2	Z		42				
33	5288 615	2							LAMP, Side Repeater
34	5288 620	2							WIRING, Side Repeater Lamp
-35									BULB, 8/4
	0153 620	1	Z		42				Side Marker Lamp
		1	D, P						Europe, Side Marker Lamp
-36	4399 900	1	D, P						SOCKET, Park, Turn, and Side Lamp
-37									WIRING, Turn Signal Lamp
	5263 961AB-	1	Z		42				
		1	D, P						
-38	L0003 157NA-	1	D, P						BULB, 3157 NAK
-39									ADAPTER, Headlamp Mounting
	5263 911	1	Z		42				Left
	5263 910	1	Z		42				Right
		1	D, P						Right
	5263 911	1	D, P						Left
-40									SCREW, Headlamp Horizontal Adjustment
	5288 370	1	Z		42				
		1	D, P						

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				TRANSMISSION	
SERIES	LINE	BODY	ENGINE	DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DGC = 3 Speed Automatic	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGL = 4 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DG0 = All Automatics	
	P=Plymouth			DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Lamps, Rear Figure 008-1110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LAMP, Tail Stop Turn
	5261 862	1	D, P						Right
	5261 863	1	D, P						Left
	5288 342AB	1							Europe, Right
	5288 343AB	1							Europe, Left
2									GASKET, Tail Lamp
	4546 660	1	D, P						Right
	4546 661	1	D, P						Left
3	5261 857	1							LAMP, High Mounted Stop
4	5261 994	1							GASKET, High Mounted Stop Lamp
5	0154 883AA	1	D, P						BULB, 921, High Mounted Stop Lamp
6	5303 251	1	D, P						SOCKET, High Mounted Stop Lamp
7	5261 993	1							BEZEL, High Mounted Stop Lamp
8	5303 021	1	D, P						LAMP, License Plate
9	L000 0168	1	D, P						BULB, 168, License Plate Lamp
10	0153 625	2							BULB, W10/5, Export, License Plate Lamp
11									BULB, 3157
	L000 3157	2	D, P						Tail, Stop And Turn Signal
		2	D, P						Back Up Lamp
-12	0153 623	1							BULB, P-25-2, Right Hand Drive
-13									BULB, P-25-1
	0153 622	3							Europe, Fog And Turn Signal Lamp
		3							Europe, High Mounted Stop Lamp
14	9420 294	4							NUT, Stamped Hex Flange, .190-24
15									STUD, .250/14/.250-14x1.810, (NOT SERVICED) (Not Serviced)
16									NUT, (NOT SERVICED) (Not Serviced)
17									SCREW, (NOT SERVICED) (Not Serviced)
-18									WIRING, Deck Lid
	4793 685	1	D, P						w/o Light Group, Trunk Lamp, High Mounted Stop Lamp
	4793 686	1	D, P						w/Light Group, Trunk Lamp, w/o High Mounted Stop Lamp
	4793 790	1							High Mounted Stop Lamp
-19	5288 497	1							LAMP, Deck Lid
-20									GASKET, Turn Signal Lamp
	5288 320	1							Right
	5288 321	1							Left

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth


BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

Lamps, Cargo, Dome, Courtesy
Figure 008-1115

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LENS, Dome Lamp
	5269 489	1	Z		42				Housing serviced in Headliner only
		1	D, P		42				Housing serviced in Headliner only
		1	D, P		22				Housing serviced in Headliner only
2									BULB, 578
	L000 0578	1	Z		42				
		1	D, P		42				Dome Lamp
-3	5209 554	1							LENS, Cargo Lamp, Trunk Lamp
-4	L000 0912	1							BULB, 912, Trunk Lamp
-5	5288 497	1							LAMP, Deck Lid, Export
-6	5602 1441	1							LAMP, Underhood




DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Sockets And Bulbs Figure 008-1180

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4399 900	1	D, P						SOCKET, Park, Turn, and Side Lamp
2	0154 851AA	1	Z		42				BULB, 3157
	L000 3157	2	D, P						Turn Signal And Stop
		2	D, P						Back-Up Lamp
3	0154 544	1	D, P						BULB, Headlamp, 9007, Domestic, Aero Headlamp
4									BULB, Headlamp
	0153 621	1	Z		42				
		1	D, P						
-5	L000 0881	2	D, P						BULB, 881, Fog Lamp
-6	0153 938	1	D, P						BULB, 921
-7									BULB, 168
	L000 0168	2	D, P						Side Marker
		1	D, P						License Lamp
-8	5303 251	1	D, P						SOCKET, High Mounted Stop Lamp
-9									BULB, 578
	L000 0578	1	Z		42				
		1	D, P		42				
-10	L000 0161	1							BULB, 161, Ash Receiver,Ignition
									Key Cylinder Lamp
-11	L000 0912	1							BULB, 912, Trunk Lamp
-12	L000 0194	1					DGC		BULB, 194, Gearshift Selector
-13									BULB, Fog Lamp, H-3 35 Watt
	0154 513	2	D, P						
		2	Z		42				
-14	6501 966	1							BULB, 74, Illuminated Visor



DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special


LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

Wiring, Engine And Related Parts
Figure 008-1205



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

ECC= 2.0L 4 CYL DOHC 16V SFI

EBD=1.8L 4 CYL SOHC 16V SEFI

ECB= 2.0L 4 CYL SOHC 16V SMPI

DGC= AUTOMATIC 3-SPEED

DD4= PERF. MANUAL 5-SPEED

DD5= MANUAL 5-SPEED

1									WIRING, Engine
	4793 745AD	1	D, P			ECB	DGC		
		1	Z		42	ECB	DGC		
		1	D, P			ECB	DD4,		
							DD5		
	4793 748AD	1	D, P			ECC	DGC		
	4794 075AA	1	Z		42	EBD	DD4		
		1	D, P			EBD	DD4		
-2									STRAP, Ground
	4794 048AA-	1	Z		42	EBD	DD4		Cylinder Head
		1	D, P			ECB	DGC		Cylinder Head
	4793 736	1							Hood Hinge
	4794 048AA-	1	D, P			EBD	DD4		Cylinder Head
		1	Z		42	ECB	DGC		Cylinder Head
		1	D, P			ECC	DD4,		Cylinder Head
							DD5		
	5278 081AB-	1							Fuel Pump
	4794 048AA-	1	D, P			ECB	DD4,		Cylinder Head
							DD5		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Wiring, Headlamp to Dash
Figure 008-1305

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

DGO=TRANSMISSIONS - ALL AUTOMATIC

DBB=TRANSMISSIONS - ALL MANUAL

1									WIRING, Headlamp to Dash
	4793 717AF	1	D, P				DG0		w/o ABS, Speed Control
	4793 718AF	1	D, P				DG0		w/o ABS, w/Speed Control
	4793 719AF	1	D, P				DG0		w/ABS, w/o Speed Control
	4793 720AF	1	D, P				DG0		w/ABS, Speed Control
	4793 721AF	1	D, P				DBB		w/o ABS, w/o Speed Control
	4793 722AF	1	D, P				DBB		w/o ABS, w/Speed Control
	4793 723AF	1	D, P				DBB		w/ABS, w/o Speed Control
	4793 724AF	1	D, P				DBB		w/ABS, Speed Control
	4793 725AE	1	D, P				DG0		w/o ABS, European
	4793 726AE	1	D, P				DG0		w/ABS, European
	4793 727AE	1	D, P				DBB		w/o ABS, European
	4793 728AE	1	D, P				DBB		w/ABS, European
	4793 729AF	1	Z		42		DBB		w/o ABS
	4793 730AF	1	Z		42		DBB		w/ABS
	4793 731AF	1	Z		42		DG0		w/o ABS
	4793 732AF	1	Z		42		DG0		w/ABS


DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Wiring, Instrument Panel
Figure 008-1405



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WIRING, Instrument Panel
	4793 704AE	1	D, P						w/ Speed Control, Fog Lamps, Power Mirrors
	4793 705AE	1	D, P						w/Light Group, w/o Keyless Entry
	4793 708AE	1	D, P						w/Daytime Running Lamps, Light Group, Fog Lamps,Keyless Entry
	4793 702AE	1	D, P						w/o Power Mirrors, Rear Window Defroster
	4793 703AE	1	D, P						w/o Power Mirrors, w/Air Conditioning, Rear Window Defroster
	4793 706AE	1	D, P						w/Keyless Entry, w/o Light Group
	4793 707AE	1	D, P						w/Keyless Entry, Light Group
	4793 712AE	1	D, P						European
	4793 713AE	1	Z		42				w/Daytime Running Lamps, w/o Light Group, Fog Lamps, Keyless Entry
	4793 709AE	1	D, P						w/Daytime Running Lamps, Keyless Entry, Light Group, Fog Lamps
	4793 710AE	1	D, P						w/Daytime Running Lamps, Keyless Entry, w/o Light Group, Fog Lamps
	4793 711AE	1	D, P						Taiwan Equipped
	4794 267AA	1	D, P						Taiwan Equipped, w/Light Group
	4794 268AA	1	D, P						FUSE, Mini, 10 AMP, Red
2	6101 486	2							LABEL, Fuse Block
3	4793 733	1	Z		42				BREAKER, Circuit
-4	4793 715	1	Z		42				15-Amps, Export
	4414 333	1	D, P						30-Amps.
		1	Z		42				30- Amps.
-5									FLASHER
	5266 282	1	Z		42				
	5266 169	1	D, P						
-6	4793 802AB-	1							INSULATOR, 16-Way OBD II Connector

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			


Wiring, Body And Accessories
Figure 008-1505

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EBD = 1.8L 4 CYL SOHC 16V ECO=ENGINES - ALL 2.0L 4 CYL DGO = TRANSMISSIONS - ALL AUTOMATIC DBB = TRANSMISSIONS - ALL MANUAL									
1									WIRING, Unified Body
	4793 697AD	1	D, P		42				w/Power Locks, w/o Rear Wide License Plate
	4793 698AD	1	D, P		42				Europe
	4794 256AA	1	D, P		42				w/Rear Wide License Plate
	4793 695AD	1	D, P		42				w/o Light Groups
	4793 696AD	1	D, P		42				w/Light Groups
	4793 699AD	1	D, P		22				
	4793 701AD	1	Z		42				
2									WIRING, Body
	4661 504	1							Visor Vanity, w/Map Lamp
	4793 469	1							Light Package,w/Sunroof
3									WIRING, Deck Lid
	4793 790	1							
	4793 685	1	D, P						w/o Light Group,, Chmsl
	4793 686	1	D, P						Light Package
4	4793 911AA	1							WIRING, Taillamp Jumper, EUROPE
5	4793 782	1							WIRING, Sunroof
-6									WIRING, Heater and A/C Jumper
	4661 315AB-	1	D, P						
	4661 940AB-	1	Z		42				
-7									WIRING, Fan Motor
	5016 263AA-	1				ECO	DGO		
		1				ECC	DBB		
		1				ECB,	DGO		
		1				ECC			
		1				ECB	DBB		
		1	Z		42	EBD	DBB		
		1	D, P			EBD,	DBB		
						ECB			
-8	4661 923AB-	2	D, P		22				WIRING, Door Locks
-9									WIRING, Door
	4661 921AD-	1	Z		42				w/Power Windows, Left Front Door
	4793 275AD-	1	D, P						w/Power Locks, Power Mirrors, w/o Power Windows (Not Mexico Built), Left Front Door
	4793 278AD-	1	D, P						w/Power Windows, Right Door
	4625 635AD-	2	D, P						w/Power Mirrors, (US Bulit), Right & Left,Front Door

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DGO = All Automatics					
				DBB= All 5 Speed Manual					


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Wiring, Body And Accessories

Figure 008-1505



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4661 912AD-	2	D, P						w/Power Mirrors, (Mexico Built), Right & Left,Front Door
	4793 276AD-	1	D, P						w/Power Locks, Power Mirrors, w/o Power Windows (Not Mexico Built), Right Front Door
	4793 277AD-	1	D, P						w/Power Windows, Left Door
	4793 283AD-	1	D, P						w/Power Windows, (Mexico Built), Right Front Door
	4793 664	2			42				w/Power Locks, Rear Door
	4793 279AD-	1	D, P						w/Power Locks, Power Mirrors, w/o Power Windows (Mexico Built), Left Front Door
	4793 280AD-	1	D, P						w/Power Locks, Power Mirrors, w/o Power Windows (Mexico Built), Right Front Door
	4793 281AE-	1	D, P						w/Power Windows, (Mexico Built), Left Front Door
-10	4793 714AD-	1	Z		42				w/Power Windows, Right Front Door
-11	5288 061	2	D, P						WIRING, Power Steering Switch, (NOT REQUIRED)
-12	4793 271	1	D, P						WIRING, Fog Lamp
-13	4793 147AB-	1				ECC			WIRING, High Speed Warning Jumper
-14	4793 957AC-	1							WIRING, A/C
-15									WIRING, Battery SWITCH PACKAGE, Power Top, (NOT REQUIRED)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manual
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Wiring, Repair
Figure 008-1605

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-1	4797 670	1	D, P						WIRING REPAIR PACKAGE, Headlamp, For Electrical Connector Repair Information visit the World Wide Web at http://dto.vftis.com/ mopar/disclaimer.asp
-2	4641 780	2	Z		42		DGC		STRAP, Tie
-3	4364 375	1							TUBE, Convoluted
-4									CONNECTOR PACKAGE, Beam Select Switch, (NOT REQUIRED)
-5	4773 187	1							WIRING REPAIR PACKAGE, Alternator Fuselink
-6	5013 930AA-	1							WIRING PACKAGE, Underhood Connector Repair
-7	4793 802AB-	1							INSULATOR, 16-Way OBD II Connector

For Electrical Connector Repair Information visit
the World Wide Web at

<http://dto.vftis.com/mopar/disclaimer.asp>

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

Spark Plugs, Cables, Coils
Figure 008-1902

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

ECC= 2.0L 4 CYL DOHC 16V SFI
ECB= 2.0L 4 CYL SOHC 16V SMPI
DGO=TRANSMISSIONS - ALL AUTOMATIC
DGC= AUTOMATIC 3-SPEED
DD4= PERF. MANUAL 5-SPEED
DD5= MANUAL 5-SPEED

1	4883 233	1	D, P			EBD	DD4		CABLE PACKAGE, Ignition
		1	Z		42	EBD	DD4		
		1	D, P			ECB	DGC		
		1	Z		42	ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	Z		42	ECB	DD5		
		2	D, P			ECC	DG0		
		2	D, P			ECC	DBB		
	4773 841	2	D, P			ECC	DGC		
		2	D, P			ECC	DD4, DD5		
		2	D, P			ECC	DD4, DD5		
		2	D, P			ECC	DD4, DD5		
2	5269 549	1	D, P			ECC	DGC		SEPERATOR, Ignition Cable
		1	D, P			ECC	DD4, DD5		
3	5269 670	1	D, P			EBD	DD4		COIL, Ignition
		1	Z		42	ECB	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
4	5269 897	4	D, P			EBD	DD4		SPARK PLUG, RC-9-YC
		4	Z		42	EBD	DD4		
		4	D, P			ECB	DGC		
		4	Z		42	ECB	DGC		
		4	D, P			ECB	DD4, DD5		
		4	Z		42	ECB	DD5		
		4	D, P			ECC	DGC		
		4	D, P			ECC	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Spark Plugs, Cables, Coils
Figure 008-1902

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		4	D, P			ECC	DD4, DD5		
5	SP00R C9YC5	1				ECC			SPARK PLUG
6	4672 113	2	D, P			ECC	DGC		CABLE, Ignition [#2,3]
		2	D, P			ECC	DD4, DD5		[#2,3]
	4672 114	2	D, P			ECC	DGC		[#1,4]
		2	D, P			ECC	DD4, DD5		[#1,4]
	5269 577	1	D, P			ECB	DGC		[#1]
		1	Z		42	ECB	DGC		[#1]
		1	Z		42	ECB	DD5		[#1]
		1	D, P			ECB	DD4, DD5		[#1]
		1	D, P			EBD	DD4		[#1]
5269 578		2	D, P			ECB	DGC		[#2,3]
		2	Z		42	ECB	DD5		[#2,3]
		2	D, P			ECB	DD4, DD5		[#2,3]
		2	D, P			EBD	DD4		[#2,3]
	5269 667	2	Z		42	EBD	DD4		[#2,3]
		1	D, P		42	EBD	DD4		[#4]
		1	Z			ECB	DGC		[#4]
		1	D, P			ECB	DGC		[#4]
		1	Z		42	ECB	DD4, DD5		[#4]
		1	D, P			ECB	DD4, DD5		[#4]
		1	Z		42	ECB	DD5		[#4]
-7									RETAINER, Ignition Cable
	5269 579	1	D, P			EBD	DD4		Single Wire
		1	Z		42	EBD	DD4		Single Wire
	5269 580	1	D, P			EBD	DD4		Two Wire
		1	Z		42	EBD	DD4		Two Wire


DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 08A

Instrument Panel and Radios and Consoles



GROUP 8A - Instrument Panel and Radios and Consoles

Illustration Title

Group-Fig. No.

Instrument Panel

Instrument Panel Fig. 08A-105

Instrument Panel Cluster

Cluster, Instrument Panel Fig. 08A-205


Radio, Antenna, and Speakers

Radios Fig. 08A-305


Antenna - Speakers Fig. 08A-310

Consoles

Consoles Fig. 08A-405



Instrument Panel
Figure 08A-105




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Instrument
	RH82 LAZAA	1	D, P						Agate
	RH82 RK5AA	1	D, P						Camel Tan
	RJ13 LAZAA	1	Z		42				Agate
	RJ13 RK5AA	1	Z		42				Camel Tan
2									AIR BAG, Passenger
	RN82 LAZAC	1	D, P						Agate
	RN82 SKBAC	1	D, P						Camel Tan
	RN83 LAZAC	1	D, P						Agate, Europe
	RN83 SKBAC	1	D, P						Camel Tan, Europe
	RN84 LAZAB	1	Z		42				Agate
	RN84 SKBAB	1	Z		42				Camel Tan
3									PANEL, Instrument Panel Trim
	EW46 1AZ	1	D, P						Agate, Left
	EW46 1KB	1	D, P						Camel Tan, Left
	LP75 1AZAB	1	D, P						Agate, Left,Export
	LP75 1K5AB	1	D, P						Camel Tan, Left,Export
	LR22 1AZ	1	D, P						Agate, Right
	LR22 1KB	1	D, P						Camel Tan, Right
	MB39 1AZAC	1	Z		42				Agate, Left
	MB39 1K5AC	1	Z		42				Camel Tan, Left
4	6032 723	7	D, P						SCREW, Self Tapping, M4.2x1. 69x19.05
5									SWITCH AND BEZEL, Fog Lamp Front
	4793 050	1	Z		42				
	GY89 LAZ	1	D, P						Agate, Front
	GY89 SKB	1	D, P						Camel Tan, Front
	GY94 LAZ	1	D		42				Agate, Rear,Export
		1	Z		42				Agate, Rear
	GY94 SKB	1	D		42				Camel Tan, Rear,Export
		1	Z		42				Camel Tan, Rear
	QM43 LAZ	1	D, P						Agate, w/o Rear Defroster, Front
	QM43 SKB	1	D, P						Camel Tan, w/o Rear Defroster, Front
6									SWITCH, Electric Back Light
	QM42 LAZ	1	D, P						Agate
	QM42 SKB	1	D, P						Camel Tan
-7									COVER, Switch
	QM36 LAZ	1	D, P						[AZ] Without heated back glass
	QM36 SKB	1	D, P						[K5] Without heated back glass
8	5265 726	1	D, P						BEZEL, Cluster
9									LINER, Steering Column Cover

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

Instrument Panel
Figure 08A-105




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10	5291 069	1	Z		42				w/Tilt Steering
	5291 172	1	D, P						COVER, Instrument Panel, Steering Column Opening
	EP81 LAZ	1	D, P						Agate, w/o Tilt
	EP81 RK5	1	D, P						Camel Tan, w/o Tilt
	FM47 LAZ	1	D, P						Agate
	FM47 RK5	1	D, P						Camel Tan
	LH99 LAZ	1	Z		42				Agate, w/Tilt, Right Hand Drive
11	LH99 RK5	1	Z		42				Camel Tan, w/Tilt, Right Hand Drive
	LJ24 1AZ	1	Z		42				BEZEL, Instrument Panel, Center Agate
	LJ24 1K5	1	Z		42				Camel Tan
	PX29 LAZ	1	D, P						Agate, With Air Conditioning
12	PX29 RK5	1	D, P						Camel Tan, With Air Conditioning
	EW43 LAZ	1							ASH RECEIVER, Instrument Panel Agate
13	EW43 RK5	1							Camel Tan
	5269 357	1							HOOD, Ash Receiver Lamp
14	LJ22 LAZ	1	Z		42				GLOVE BOX AND INNER DOOR, Instrument Panel Agate
	LJ22 RK5	1	Z		42				Camel Tan
	PS56 LAZ	1	D, P						Agate
	PS56 RK5	1	D, P						Camel Tan
	5291 051	2	D, P						BUMPER, Glove Box Door, Striker
15	6504 097	3	Z		42				SCREW TAPPING & WASHER, Hex Head, M4.8x1.59x25.00
	4565 022	1							SWITCH AND LAMP, Glove Box
16	5265 768	1	D, P						STRIKER, Glove Box Door Latch
		1	Z		42				
	4565 339	1	D, P						KNOB AND SHAFT, Headlamp Switch
17	5269 298	1	D		42				Europe
		1	Z		42				
	4221 064	1							RETAINER, Headlamp Switch
18	4793 000	1	Z		42				PLATE, Headlamp Switch Mounting
									SWITCH, Headlamp

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				ENGINE		TRANSMISSION	
SERIES	LINE	BODY		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB		EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic	
H=High Line	D=Dodge			EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic	
S=Special	D=Chrysler					DG0 = All Automatics	
	P=Plymouth					DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Instrument Panel
Figure 08A-105




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	56009 869AA	1	Z		42				
	56021 898AA	1	D, P						
23	5291 042	1							NAMEPLATE, Instrument Panel, Neon
24	4685 370	1							KNOB AND ELEMENT, Cigar Lighter
25									BRACKET, Instrument Panel to Cowl
	5265 849	1							Left
	5291 066	1							Right
26									BASE, Cigar Lighter
	4793 551	1	D, P						
		1	Z		42				
27	5291 037	1							SHIELD, Steering Column
28	4793 733	1	Z		42				LABEL, Fuse Block
29									LATCH, Glovebox
	FX01 DX9	1	D, P						Black, w/o Glovebox Lock
		1	Z		42				Black, w/o Glovebox Lock
30									GRILLE, Instrument Panel Demister
	MF98 1AZ	1	D, P						Agate, Right
	MF98 1KB	1	D, P						Camel Tan, Right
	MF99 1AZ	1	D, P						Agate, Left
	MF99 1KB	1	D, P						Camel Tan, Left
31									REINFORCEMENT, Instrument Panel
	5291 201	1	D, P						w/o European Equipment
	5291 202	1	D, P						w/European Equipment
32									SEAL, Panel Top Cover
	5291 227AB	1	D, P						Front Edge
		1	Z		42				Front Edge
33									CLIP, Glove Box Catch
	4311 741	1	D, P						
		1	Z		42				
34									PLATE, Fuse Block
	PH64 LAZ	1	D, P						Agate
		1	Z		42				Agate
	PH64 RK5	1	D, P						Camel Tan
		1	Z		42				Camel Tan
	PK38 LAZ	1	Z		42				Agate, Right Hand Drive
	PK38 RK5	1	Z		42				Camel Tan, Right Hand Drive
35									CAP, Instrument Panel End
	ML05 LAZ	1	Z		42				Agate
	ML05 RK5	1	Z		42				Camel Tan
36									COVER, Instrument Panel

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Instrument Panel
Figure 08A-105




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	QW86 LAZAA	1	Z		42				Agate
	QW86 SKBAA	1	Z		42				Camel Tan
	RE82 LAZAA	1	D, P						Agate
	RE82 SKBAA	1	D, P						Camel Tan
37	GY77 TX9	1							BEZEL, Headlamp Switch, Flat Black
-38									CLIP, M7.25x16.20
	6503 519	4	D, P						
		4	Z		42				
-39									CLIP
	4524 342	4	Z		42				Center Bezel To I/P
		4	D, P						Center Bezel To I/P
40									SHELL, Cigar Lighter, (NOT SERVICED) (Not Serviced)
-41									RING, Cigar Lighter Mounting
	4793 555	1	D, P						
		1	Z		42				

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				ENGINE		TRANSMISSION	
SERIES	LINE	BODY		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB		EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic	
H=High Line	D=Dodge			EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic	
S=Special	D=Chrysler					DG0 = All Automatics	
	P=Plymouth					DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Cluster, Instrument Panel
Figure 08A-205



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Odometer assy.is a service repair center item									
ECC= 2.0L 4 CYL DOHC 16V SFI									
ECB= 2.0L 4 CYL SOHC 16V SMPI									
DGO=TRANSMISSIONS - ALL AUTOMATIC									
DBB=TRANSMISSIONS - ALL MANUAL									
1	L00P C194	1							LAMP, Bulb And Socket
2									BOARD, Circuit
	4864 397AB	1	D, P						MPH, w/Tachometer
	4864 398AB	1	D, P						KPH, w/Tachometer
	4864 395AB	1	D, P						MPH, w/o Tachometer
	4864 396AB	1	D, P						KPH, w/o Tachometer
	5012 271AA	1	Z		42				140 MPH
		1	Z		42				KPH
3									GAUGE PACK
	4864 387	1	D, P						MPH, w/o Tachometer
	4864 388	1	D, P						KPH, w/o Tachometer
	4864 390	1	D, P						MPH, Tachometer, Manual
									Transmission
	4864 389	1	D, P						MPH, Tachometer,, Automatic
									Transmission
	4864 391	1	D, P						KPH, Tachometer, Automatic
									Transmission
	4864 393	1	Z		42				140 MPH, Tachometer
	4864 394	1	Z		42				KPH, Tachometer
	4864 392	1	D, P						KPH, Tachometer, Manual
									Transmission
4									KNOB, Odometer Reset
	4437 777	1	D, P						
		1	Z		42				
5	4713 501AB	1	D, P						HOUSING, Cluster
6	4796 444AB	1	Z		42				HOUSING, Instrument Cluster
7	6032 723	2							SCREW, Self Tapping, M4.2x1.69x19.05, Instrument Panel
8									COVER, Printed Circuit Board
	4713 506	1	D, P						
		1	Z		42				
9									LENS, Cluster
	4713 494	1	D, P						
		1	Z		42				
10									GAUGE, Odometer
	4713 499	1	D, P						w/120 MPH
		1	Z		42				w/140 MPH

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth


BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DGO = All Automatics
DBB= All 5 Speed Manual

Cluster, Instrument Panel Figure 08A-205

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4713 500	1	Z		42				w/240 KPH



DODGE - PLYMOUTH - CHRYSLER NEON (PL)-

BODGE - TE
SERIES
 L=Low Line
 H=High Line
 S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manual
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Radios
Figure 08A-305



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
RBS=RADIO - AM/FM CASS, CD CHANGER CNTRL, USA, CANADA, EXPORT MARKET, EUROPEAN EQUIPMENT GROUP, (ARGENTINA, BARBADOS, BRAZIL, DOMINICAN REPUBLIC, PARAGUAY, PUERTO RICO, URAGUAY COUNTRY CODES)									
RBA=RADIO - AM/FM CASS, CHANGER CONTROLS, EXPORT MARKET, EUROPEAN, AUSTRALIA. MIDDLE EAST, TAIWAN EQUIPMENT GROUP, ISRAEL COUNTRY, NEW CALEDONIA COUNTRY CODE									
RBJ=RADIO - AM/FM CASS, CHANGER CONTROLS, EXPORT MARKET, JAPAN EQUIPMENT GROUP									
RBR=RADIO - AM/FM COMPACT DISC , USA, CANADA, EXPORT MARKET, SOUTH KOREA COUNTRY CODE									
RAS=RADIO - AM/FM CASSETTE, USA, CANADA, EXPORT MARKET, (ARGENTINA, BARBADOS, BRAZIL, CHILE, COSTRA RICA, EL SALVADOR, GUATEMALA, HONDROS, PUERTO RICA, ST. THOMAS/US VIRGIN ISLANDS COUNTRY CODES)									
RAL=RADIO - AM/FM, USA, CANADA, EXPORT MARKET									
RBL=RADIO - AM/FM/MW/LW/RDS CASS/CHGR CTRL, EXPORT MARKET, EUROPEAN GROUP									
1	4704 378AD	1							RADIO, AM/FM Cassette with CD Control, (RBS Sales Code)
2	4704 392AC	1							RADIO, AM/FM Cassette with CD Control, (RBA Sales Code)
3	4704 393AD	1	Z			42			RADIO, AM/FM Cassette with CD Control, (RBJ Sales Code)
4	4793 347AC	1							RADIO, AM/FM with CD and Equalizer, (RBR Sales Code)
5	4858 557AE	1	D, P						RADIO, AM/FM Cassette, (RAS Sales Code)
6	4858 561AE	1							RADIO, AM/FM Stereo, (RAL Sales Code)
7	5269 485	1							RADIO, (RBL Sales Code)
-8	4886 083AA-	1							KNOB, Radio Joystick
-9	4741 435	1							KNOB, Radio Volume Control
-10	4741 437	1							KNOB, Radio Equalizer

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Antenna - Speakers Figure 08A-310

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8230 0750	1							ANTENNA PACKAGE, Radio -
									Manual, w/o Mast
2	5269 591	1							BODY AND CABLE, Antenna
3	5269 217	1							ADAPTER, Antenna
-4									CABLE, Antenna Extension
	4793 091	1	Z		42				
	5269 216	1	D, P						
5	4685 574AC	1							MAST, Antenna, Black, Spiral
6									STRAP, Ground
	4794 048AA	1	D, P						Cylinderhead to Body
		1	Z		42				Cylinderhead to Body
	4793 411	1							Strut Bracket to Body
	4793 736	1							Hood Hinge
7	4372 399	1							COVER, Radio Opening
8									SPEAKER, Front Door
	4793 758	2							6.5 Round
	5269 404	2							6.5 Round, Premium
9									SPEAKER, Rear
	4793 759	2							6x9 Rear Shelf
	5269 364	2							6x9 Rear Shelf, Premium
10	5269 362	2							SPEAKER, Instrument Panel, 2.5 RD
-11	4665 910	1	Z		42				SEAL, Speaker, Front Door Speaker
-12	5291 178AB-	2							PLUG, Instrument Panel
13	0154 640	6							SCREW, Piercing, .164-15x1.25, Front Door Speaker
14	2860 332	1							PLUG, Anti-Rattle
15	4372 145	AR							CABLE, Antenna
16	6035 593	1							SCREW, .25-14x.75, Antenna Mounting
17	0154 629	2							SCREW, Hex Flange Head, .25-14x. 75, Radio Mounting
18	6032 723	4							SCREW, Self Tapping, M4.2x1. 69x19.05, Speaker,Mounting
-19	4274 258	AR							TAPE, Radio Connector, Foam
-20									CAPACITOR, Radio Noise Suppression
	4793 117	1	D, P						
		1	Z		42				
-21	5269 593	1							CAP, Antenna Body
-22	5269 219	1							PLUG, Antenna Hole

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Consoles Figure 08A-405



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CONSOLE, Floor
	MC55 TAZ	1	Z		42				Agate, w/Fog Lamps, Full Console
	MC55 TK5	1	Z		42				Camel Tan, w/ Fog Lamps, Full Console
	PH03 TAZ	1	D, P		42				Agate, w/(DSI-Dynamic Side-Impact Protection)(w/Access holes in rear as illustrated in drawing)
	PH03 TK5	1	D, P		42				Camel Tan, w/(DSI-Dynamic Side-Impact Protection)(w/Access holes in rear as illustrated in drawing)
	PL87 TAZ	1	D, P		42				Agate (w/o Access holes in rear as illustrated in drawing)
	PL87 TK5	1	D, P		42				Camel Tan (w/o Access holes in rear as illustrated in drawing)
	PL89 TAZ	1	D, P		42				Agate, Europe
	PL89 TK5	1	D, P		42				Camel Tan, Europe
	PL87 TAZ	1	D, P		22				Agate
	PL87 TK5	1	D, P		22				Camel Tan
2									ARMREST, Console
	PL15 TAZ	1	D, P		42				Agate
		1	D, P		22				Agate
		1	Z		42				Agate
	PL15 TK5	1	D, P		42				Camel Tan
		1	D, P		22				Camel Tan
		1	Z		42				Camel Tan
3	6032 723	2							SCREW, Self Tapping, M4.2x1.69x19.05
4									PLUG, Cover
	LB57 SK5	2							Camel Tan
	LB57 TAZ	2							Agate
5									HINGE, Armrest Pad
	4665 577	1	D, P		42				
		1	D, P		22				
		1	Z		42				
6									BUTTON, Armrest Latch
	4775 112AB	1	D, P		42				
		1	Z		42				
7									STRAP, Armrest Check
	4665 360	1	D, P		42				
		1	D, P		22				

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI


TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Consoles
Figure 08A-405

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	Z		42				
8	PH43 TAZ	2	D, P		42				PLUG, Console, Plastic Agate, Base Floor Console Side Attaching Cover
	PH43 TK5	2	D, P		42				Camel Tan, Base Floor Console Side Attaching Cover
9	6100 567	4	D, P		42				SCREW AND WASHER, Hex Head, M6x1x25
-10									BUMPER, Armrest Lid
	4665 361	2	D, P		42				
		2	Z		42				



DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year


September 15, 2005


Group – 009

Engine Mounting


GROUP 9 - Engine Mounting

Illustration Title	Group-Fig. No.
Engine Mounting	
Engine Mounting 2.0L DOHC (ECC)	Fig. 009-105
Engine Mounting 2.0L SOHC (ECB)	Fig. 009-110
Engine Mounting 1.8L (EBD)	Fig. 009-115



<div>009-100</div> <div>Engine Mounting</div> <div></div>			
--	--	--	--


Engine Mounting 2.0L DOHC (ECC)
Figure 009-105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: EC0=All 2.0l Engines. ECC=2.0L DOHC Engine. DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.									
1	4668 200	1							SUPPORT, Engine Mount
2	4668 169	1	D, P			ECC	DGC		BRACKET, Engine Mount
		1	D, P			ECC	DD4, DD5		
3	4668 257	1					DD4, DD5		SUPPORT, Engine Mount Manual
	4668 259	1					DGC		Automatic
4	4668 166	1	D, P				DD4, DD5		BRACKET, Engine Roll Dampener
	4668 184	1	Z				DD4, DD5		
5	4668 171	1	D, P				DD4, DD5		DAMPER, Engine Roll
6	4668 005	1	D, P						BRACKET, Engine Mount
		1	Z				DGC		
7	6503 836	2							SCREW AND WASHER, Hex Head, M12x1.75x105
8	4668 182	1					DGC		INSULATOR, Engine Mount Automatic
	4668 183	1					DD4, DD5		Manual
9	4668 151	1							DAMPER, Mass
10	4668 118AB	1					DGC		STRUT, Engine Roll
	4668 176AB	1					DD4, DD5		
11									BRACE, Transmission, (NOT REQUIRED)
12	6502 887	1	D, P						SCREW AND WASHER, Hex Head, M12x1.75x60
13	6503 297	2	Z				DD4, DD5		BOLT AND CONED WASHER, Hex Head, M12x1.25x30
14	6101 754	1							SCREW AND WASHER, Hex Head, M10x1.5x105
15	6101 503	3							SCREW AND WASHER, Hex Head, M10x1.5x25

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

Engine Mounting 2.0L DOHC (ECC)
Figure 009-105




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16	4668 167	2					DD4, DD5		ISOLATOR, Transmission Mount
17									SCREW AND WASHER, Hex Head, M12x1.75, (NOT REQUIRED)
18	6101 503	3							SCREW AND WASHER, Hex Head, M10x1.5x25
19	4762 342	1				EC0 ECC	DG0 DBB		SCREW, Hex Head
20	6101 760	1					DD4, DD5		SCREW AND WASHER, Hex Head, M10x1.5x80
21	6101 448	2							NUT AND WASHER, Hex Nut-Coned Washer, M10 x 1.5
22	6101 752	3					DD4, DD5		SCREW AND WASHER, Hex Head, M10x1.5x28
23	6101 755	1					DGC DGC		SCREW AND WASHER, Hex Head, M10x1.5x53
24	6101 670	2							SCREW AND WASHER, Hex Head, M10x1.50x35
25	6503 703	3	D, P			ECB ECC	DGC DGC		BOLT, Hex Head, M10x1.50x100
-26	6101 671	1							SCREW AND WASHER, M10x1. 50x45.00, Crossmember
-27	6101 448	2							NUT AND WASHER, Hex Nut-Coned Washer, M10 x 1.5
-28	4668 270AB-	1							COLLAR, Structural, Oil Pan To Transmission

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Engine Mounting 2.0L SOHC (ECB)
Figure 009-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:

Sales Codes:

ECB=2.0L SOHC Engine.

DGC=Automatic Trans.

DD4=Manual Perf. Trans

DD5=Manual Trans


DBB=All Manual Transmissions

1	4668 200	1							SUPPORT, Engine Mount
2									BRACKET, Engine Mount
	4668 170	1	D, P			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
3									SUPPORT, Engine Mount
	4668 257	1					DD4, DD5		
	4668 259	1					DGC		
4									BRACKET, Engine Roll Dampener
	4668 166	1	D, P				DD4, DD5		
	4668 184	1	Z				DD4, DD5		
5	4668 171	1	D, P				DD4, DD5		DAMPER, Engine Roll
6									BRACKET, Engine Mount
	4668 005	1	D, P						
		1	Z				DGC		
7	6503 836	2							SCREW AND WASHER, Hex Head, M12x1.75x105
8									INSULATOR, Engine Mount
	4668 182	1					DGC		Automatic
	4668 183	1					DD4, DD5		Manual
9	4668 151	1							DAMPER, Mass
10									STRUT, Engine Roll
	4668 118AB	1					DGC		
	4668 176AB	1					DD4, DD5		
11									BRACE, Transmission, (NOT REQUIRED)
12	6502 887	1	D, P						SCREW AND WASHER, Hex Head, M12x1.75x60

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual


Engine Mounting 2.0L SOHC (ECB)
Figure 009-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
13	6503 297	2	Z				DD4, DD5		BOLT AND CONED WASHER, Hex Head, M12x1.25x30
14	6101 754	1							SCREW AND WASHER, Hex Head, M10x1.5x105
15	6101 503	2	D, P						SCREW AND WASHER, Hex Head, M10x1.5x25
16	4668 167	2					DD4, DD5		ISOLATOR, Transmission Mount
17									SCREW AND WASHER, Hex Head, M12x1.75, (NOT REQUIRED)
18	6101 503	3							SCREW AND WASHER, Hex Head, M10x1.5x25
19	4762 343	1	D, P			ECB, ECC			SCREW, Hex Head
20	6101 760	1					DD4, DD5		SCREW AND WASHER, Hex Head, M10x1.5x80
21	6101 448	2							NUT AND WASHER, Hex Nut-Coned Washer, M10 x 1.5
22									SCREW AND WASHER, Hex Head, M10x1.5x28
	6101 752	3					DD4, DD5		
23	6101 755	1					DGC		SCREW AND WASHER, Hex Head, M10x1.5x53
24	6101 670	2							SCREW AND WASHER, Hex Head, M10x1.50x35
25	6503 703	3	D, P			ECB	DGC		BOLT, Hex Head, M10x1.50x100
-26	4668 270AB-	1							COLLAR, Structural, Oil Pan To Transmission

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				ENGINE		TRANSMISSION		
SERIES	LINE	BODY		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB		EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
H=High Line	D=Dodge			EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
S=Special	D=Chrysler					DG0 = All Automatics		
	P=Plymouth					DBB= All 5 Speed Manual		

Engine Mounting 1.8L (EBD) Figure 009-115



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: EBD=1.8L Engine. DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.									
1	4668 200	1							SUPPORT, Engine Mount
2	4668 170	1	D, P			EBD	DD4		BRACKET, Engine Mount
		1	Z			EBD	DD4		
3	4668 257	1					DD4,		SUPPORT, Engine Mount
							DD5		
4	4668 166	1	D, P				DD4,		BRACKET, Engine Roll Dampener
							DD5		
	4668 184	1	Z				DD4,		
							DD5		
5									DAMPER, Engine Roll
	4668 171	1	D, P				DD4,		
							DD5		
	4668 175	1	Z				DD4,		
							DD5		
6									BRACKET, Engine Mount
	4668 159	1	Z				DD4,		
							DD5		
	4668 005	1	D, P						
		1	Z				DGC		
7	6503 836	2							SCREW AND WASHER, Hex Head, M12x1.75x105
8									INSULATOR, Engine Mount
	4668 182	1					DGC		
	4668 183	1					DD4,		
							DD5		
9	4668 151	1							DAMPER, Mass
10									STRUT, Engine Roll
	4668 118AB	1					DGC		
	4668 176AB	1					DD4,		
							DD5		
11									BRACE, Transmission, (NOT REQUIRED)
12	6502 887	1	D, P						SCREW AND WASHER, Hex Head, M12x1.75x60
13	6503 297	2	Z				DD4,		BOLT AND CONED WASHER, Hex Head, M12x1.25x30
							DD5		
14	6101 754	1							SCREW AND WASHER, Hex Head, M10x1.5x105
15									SCREW AND WASHER, Hex Head, M10x1.5x25

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special


LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

Engine Mounting 1.8L (EBD)
Figure 009-115



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6101 503	2	D, P						
		1	Z						
16	4668 167	2					DD4, DD5		ISOLATOR, Transmission Mount
17									SCREW AND WASHER, Hex Head, M12x1.75, (NOT REQUIRED)
18	4762 342	1	Z			EBD	DBB		SCREW, Hex Head
19	6101 760	1					DD4, DD5		SCREW AND WASHER, Hex Head, M10x1.5x80
20	6101 448	2							NUT AND WASHER, Hex Nut-Coned Washer, M10 x 1.5
21									SCREW AND WASHER, Hex Head, M10x1.5x28
	6101 752	3					DD4, DD5		
		2					DGC		
22	6101 755	1					DGC		SCREW AND WASHER, Hex Head, M10x1.5x53
23	6101 670	2							SCREW AND WASHER, Hex Head, M10x1.50x35
24									BOLT, Hex Head, M10x1.50x100
	6503 703	3	D, P			EBD	DD4		
		3	Z			EBD	DD4		
-25	4668 270AB-	1							COLLAR, Structural, Oil Pan To Transmission


DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY			ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB			ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth					DG0 = All Automatics			
						DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 1.8L

Engine 1.8L Four Cylinder




1	2	3	4	5	6	7	8	9	10	11	12
Model Year	Model Year	Model Year	Model Year	Model Year	Model Year	Model Year	Model Year	Model Year	Model Year	Model Year	Model Year
1	2	3	4	5	6	7	8	9	10	11	12

Group – 1.8L

Engine 1.8L Four Cylinder


1.8L-900
Crankcase Ventilation




1.8L-100
Engine Identification

X	X	XXXX	XXXX	XXXXXXXX
Model Year	Manufacturing Plant	Component Code/Usage	Month/Day	Serial Code
Last digit of model year	Satellite S Trenton T Toluca K	Engine		Last 8 Digits of VIN


1.8L-200
Cylinder Head




1.8L-300
Cylinder Block




1.8L-400
Crankshaft, Piston and Drive Plate




1.8L-500
Camshafts & Valve




1.8L-600
Timing Belt and Cover



1.8L-700
Engine Oiling



1.8L-800
Manifolds




GROUP 1.8L - Engine 1.8L Four Cylinder

Illustration Title	Group-Fig. No.
Engine Identification	
I.D. Location 1.8L (EBD)	Fig. 1.8L-113
Cylinder Head	
Cylinder Head 1.8L (EBD)	Fig. 1.8L-213
Cylinder Block	
Cylinder Block 1.8L (EBD)	Fig. 1.8L-313
Crankshaft, Piston and Drive Plate	
Crankshaft, Piston and Driveplate 1.8L (EBD)	Fig. 1.8L-413
Camshafts & Valve	
Camshaft and Valves 1.8L (EBD)	Fig. 1.8L-513
Timing Belt and Cover	
Timing Belt and Cover 1.8L (EBD)	Fig. 1.8L-613
Engine Oiling	
Engine Oiling 1.8L (EBD)	Fig. 1.8L-713
Manifolds	
Manifolds 1.8L (EBD)	Fig. 1.8L-813
Crankcase Ventilation	
Crankcase Ventilation 1.8L (EBD)	Fig. 1.8L-913



I.D. Location 1.8L (EBD)
Figure 1.8L-113




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: EBD=1.8L Engine.

1									LABEL, Engine Identification, (NOT SERVICED) (Not Serviced)
---	--	--	--	--	--	--	--	--	---

DODGE - PLYMOUTH - CHRYSLER NEON (PL)					
SERIES	LINE	BODY	ENGINE	TRANSMISSION	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic	
	P=Plymouth			DG0 = All Automatics	
				DBB= All 5 Speed Manual	

Cylinder Head 1.8L (EBD) Figure 1.8L-213



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: DD4=Manual Perf. Trans. DD5=Manual Trans.									
-1	4798 966AB-	1	D, P			EBD	DD4		GASKET PACKAGE, Engine Upper
		1	Z			EBD	DD4		
2	4777 440	1	D, P			EBD	DD4		COVER, Cylinder Head
		1	Z			EBD	DD4		
3	4667 985	1	D, P			EBD	DD4		GASKET, Cylinder Cover
		1	Z			EBD	DD4		
4	4777 042	4	D, P			EBD	DD4		SEAL, Spark Plug Tube
		4	Z			EBD	DD4		
5	4648 604	4	D, P			EBD	DD4		TUBE, Spark Plug
		4	Z			EBD	DD4		
6	4777 536	1	D, P			EBD	DD4		CAP, Oil Filler
		1	Z			EBD	DD4		
7	4777 086	1	D, P			EBD	DD4		SEAL, Camshaft
		1	Z			EBD	DD4		
8	4667 993	1	D, P			EBD	DD4		HEAD, Cylinder
		1	Z			EBD	DD4		
9	4621 653	1	D, P			EBD	DD4		NIPPLE, Heater Return
		1	Z			EBD	DD4		
10	4777 072AB	1	D, P			EBD	DD4		GASKET, Cylinder Head
		1	Z			EBD	DD4		
11	4556 020	2	D, P			EBD	DD4		PLUG, Core, 1.25 Diameter
		2	Z			EBD	DD4		
12	4667 982	10	D, P			EBD	DD4		ISOLATOR, Cylinder Head Cover, Grommet And Bolt
		10	Z			EBD	DD4		
13	6503 561	4	D, P			EBD	DD4		BOLT, Cylinder Head
		4	Z			EBD	DD4		
14									BOLT, Cylinder Head

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special


LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

Cylinder Head 1.8L (EBD)
Figure 1.8L-213




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
15	6503 562	6	D, P			EBD	DD4		
		6	Z			EBD	DD4		
	4323 808	1	D, P			EBD	DD4		RESTRICTOR, Cylinder Head Oil
		1	Z			EBD	DD4		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Cylinder Block 1.8L (EBD)
Figure 1.8L-313



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: DD4=Manual Perf. Trans. DD5=Manual Trans.									
-1	4798 967AB-	1	D, P			EBD	DD4		GASKET PACKAGE, Engine Lower
		1	Z			EBD	DD4		
2	4897 021AA	1	D, P			EBD	DD4		BLOCK, Short
		1	Z			EBD	DD4		Consists: Bed Plate, Crank, Rods, Pistons, Rings, Oil Pan
									Consists: Bed Plate, Crank, Rods, Pistons, Rings, Oil Pan
3	4448 856	2	D, P			EBD	DD4		DOWEL, Block To Cylinder Head
		2	Z			EBD	DD4		
4	6035 743	1	D, P			EBD	DD4		PLUG, Timing Probe Hole
		1	Z			EBD	DD4		
5	4694 106	3	D, P			EBD	DD4		DOWEL, Engine Block To Bedplate
		3	Z			EBD	DD4		
6	6503 072	10	D, P			EBD	DD4		BOLT, Main Bearing Cap
		10	Z			EBD	DD4		
7	6503 074	10	D, P			EBD	DD4		BOLT, Main Bearing Cap
		10	Z			EBD	DD4		
8	6034 773	1	D, P			EBD	DD4		O RING, Bedplate To Engine Block
		1	Z			EBD	DD4		
9	6034 804	4	D, P			EBD	DD4		PLUG, Core, 1.39 Diameter
		4	Z			EBD	DD4		
10	5240 849	2	D, P			EBD	DD4		DOWEL, Block To Clutch Housing
		2	Z			EBD	DD4		
11	4667 904	1	D, P			EBD	DD4		SEAL, Rear Main Crankshaft
		1	Z			EBD	DD4		
12	4556 018	2	D, P			EBD	DD4		PLUG, Cylinder Block Oil Hole
		2	Z			EBD	DD4		
13	6503 096	1	D, P						O RING, Engine Block Heater
14	4671 029	1	D, P						CORD, Engine Block Heater
15	4557 686	1	D, P						HEATER, Engine Block

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY	ENGINE	TRANSMISSION				
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua				
H=High Line	D=Dodge			EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic				
S=Special	D=Chrysler			EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic				
	P=Plymouth				DG0 = All Automatics				
					DBB= All 5 Speed Manual				

Crankshaft, Piston and Driveplate 1.8L (EBD)
Figure 1.8L-413



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.									
1									BEARING PACKAGE, Connecting Rod, Standard
	4728 997	8 1	D, P Z			EBD EBD	DD4		
2									BEARING PACKAGE, Connecting Rod, .025mm Undersize
	4728 991	8 1	D, P Z			EBD EBD	DD4		
3									BEARING PACKAGE, Connecting Rod, .25mm Undersize
	4728 992	8 1	D, P Z			EBD EBD	DD4		
4									BEARING PACKAGE, Crankshaft Thrust, STD.
	4856 734	1 1	D, P Z			EBD EBD	DD4 DD4		
5									BEARING PACKAGE, Crankshaft Thrust, .016mm Undersize
	4856 736	1 1	D, P Z			EBD EBD	DD4 DD4		
6									BEARING PACKAGE, Crankshaft Thrust, .25mm Undersize
	4856 738	1 1	D, P Z			EBD EBD	DD4 DD4		
7									BEARING PACKAGE, Crankshaft Main, Standard Size
	4856 733	4 4	D, P Z			EBD EBD	DD4 DD4		
8									BEARING PACKAGE, Crankshaft, .016mm Undersize
	4856 735	4 4	D, P Z			EBD EBD	DD4 DD4		
9									BEARING PACKAGE, Crankshaft, .25 mm Undersize
	4856 737	4 4	D, P Z			EBD EBD	DD4 DD4		
10									CRANKSHAFT
	4667 754	1 1	D, P Z			EBD EBD	DD4 DD4		
11									SEAL, Front Main Crankshaft
	4667 198	1	D, P			EBD	DD4		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Crankshaft, Piston and Driveplate 1.8L (EBD)
Figure 1.8L-413




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	Z			EBD	DD4		
12	6031 923	3					DD4, DD5		DOWEL, .250 x 1.05
13	6503 465	8					DD4, DD5 DGC		BOLT, Drive Plate and Flywheel
14	6501 099	4	D, P				DD4, DD5 DGC		BOLT, Hex Head, M10x1.50 x 13.20
15	6035 473	1	D, P			EBD	DD4		KEY, Crankshaft Sprocket
16	4796 384AB	1	Z			EBD	DD4 DGC		CONVERTER PACKAGE, Torque PLATE, Drive Plate
17	4567 143	1					DD4, DD5 DGC		
18		1							PISTON RING SET, COMPLETE ENGINE, STD.
	4897 018AA	1	D, P			EBD	DD4		
19		1	Z			EBD	DD4		PISTON PIN AND ROD
	4897 019AA	4	D, P			EBD	DD4		
		4	Z			EBD	DD4		
20	6503 116	8	D, P			EBD	DD4		BOLT, Connecting Rod
		8	Z			EBD	DD4		
21	4667 904	1	D, P			EBD	DD4		SEAL, Rear Main Crankshaft
		1	Z			EBD	DD4		
22	4471 933	1					DD4, DD5 DGC		PLATE, Drive Plate Backing
		1							

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				ENGINE	TRANSMISSION
SERIES	LINE	BODY		ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
H=High Line	D=Dodge			EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
S=Special	D=Chrysler				DG0 = All Automatics
	P=Plymouth				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Camshaft and Valves 1.8L (EBD) Figure 1.8L-513



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: DD4=Manual Perf. Trans. DD5=Manual Trans.									
1	4648 613	8	D, P			EBD	DD4		VALVE, Exhaust, Standard
		8	Z			EBD	DD4		
2	4648 615	8	D, P			EBD	DD4		VALVE, Intake, Standard
		8	Z			EBD	DD4		
3	4667 370	4	D, P			EBD	DD4		SPACER, Rocker Shaft
		4	Z			EBD	DD4		
4	4667 256	2	D, P			EBD	DD4		RETAINER, Valve Rocker Shaft
		2	Z			EBD	DD4		
5	4667 257	3	D, P			EBD	DD4		RETAINER, Valve Rocker Shaft
		3	Z			EBD	DD4		
6	4667 259	5	D, P			EBD	DD4		RETAINER, Valve Rocker Shaft
		5	Z			EBD	DD4		
7	4777 128	1	D, P			EBD	DD4		CAMSHAFT
		1	Z			EBD	DD4		
8	4777 086	1	D, P			EBD	DD4		SEAL, Camshaft
		1	Z			EBD	DD4		
9	4648 701	8	D, P			EBD	DD4		ROCKER ARM, Intake
		8	Z			EBD	DD4		
10	4648 702	4	D, P			EBD	DD4		ROCKER ARM, Exhaust
		4	Z			EBD	DD4		
11	4648 693	1	D, P			EBD	DD4		SHAFT, Rocker Arm
		1	Z			EBD	DD4		
12	4648 691	1	D, P			EBD	DD4		SHAFT, Rocker Arm
		1	Z			EBD	DD4		
13	4777 050	32	D, P			EBD	DD4		LOCK, Valve Spring Retainer
		32	Z			EBD	DD4		
14	4648 682	16	D, P			EBD	DD4		RETAINER, Valve Spring

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special


LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DGO = All Automatics
DBB= All 5 Speed Manual

Camshaft and Valves 1.8L (EBD)
Figure 1.8L-513




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		16	Z			EBD	DD4		
15	4777 535	16	D, P			EBD	DD4		SPRING, Valve
		16	Z			EBD	DD4		
16	4648 619	16	D, P			EBD	DD4		SEAL, Valve Guide
		16	Z			EBD	DD4		
17	4648 635	AR				EBD, ECB			GUIDE, Intake/Exhaust Valve, 7mm Oversize
18									SCREW, Hex Flange Head, M8x1. 25x40
	6505 429AA	5	D, P			EBD	DD4		
		5	Z			EBD	DD4		
19	6100 997	1	D, P			EBD	DD4		PIN, Dowel
		1	Z			EBD	DD4		
20	5269 547	1	D, P			EBD	DD4		CAM MAGNET, Target
		1	Z			EBD	DD4		
21	4777 068	1	D, P			EBD	DD4		SEAL, Camshaft Sensor
		1	Z			EBD	DD4		
22									BOLT, Hex Flange Head, M6x1. 00x40
	6503 688	1	D, P			EBD	DD4		
		1	Z			EBD	DD4		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Timing Belt and Cover 1.8L (EBD)
Figure 1.8L-613




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									COVER, Timing Belt
	4667 339	1	D, P			EBD	DD4		
		1	Z			EBD	DD4		
2									SEAL, Timing Belt Cover
	4667 340	1	D, P			EBD	DD4		
		1	Z			EBD	DD4		
3									BOLT, Hex Flange Head, M6x1.0x20
	6502 926	6	D, P			EBD	DD4		
		6	Z			EBD	DD4		
4									BOLT, Hex Flange Head, M12x1.75x87.50
	6503 553	1	D, P			EBD	DD4		
		1	Z			EBD	DD4		
5									DAMPER, Crankshaft
	4667 765	1	D, P			EBD	DD4		
		1	Z			EBD	DD4		
6									KEY, Crankshaft Sprocket
	6035 473	1	D, P			EBD	DD4		
		1	Z			EBD	DD4		
7									GEAR, Crankshaft
	4667 604	1	D, P			EBD	DD4		
		1	Z			EBD	DD4		
8									PIN, Dowel
	6100 997	1	D, P			EBD	DD4		
		1	Z			EBD	DD4		
9									BOLT, Hex Head, M12x1.50x52
	6501 405	1	D, P			EBD	DD4		
		1	Z			EBD	DD4		
10									SCREW AND WASHER, Hex Head, M8x1.25x60
	6101 722	1	D, P			EBD	DD4		
		1	Z			EBD	DD4		
11									COVER, Timing Belt
	4667 338	1	D, P			EBD	DD4		
		1	Z			EBD	DD4		
12									TENSIONER, Belt
	4777 395AC	1	Z			ECB	DD5		
		1	Z			EBD	DD4		
		1	D, P			EBD	DD4		
13									SEAL, Timing Belt Cover
	4667 341	1	D, P			EBD	DD4		
		1	Z			EBD	DD4		
14									BELT, Timing

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY			ENGINE			TRANSMISSION
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB			ECB=2.0L 4 Cyl., 16V SMPI			DD5 = 5 Speed Manua
H=High Line	D=Dodge					EJD=1.6L 4 Cyl16V SOHC			DGC = 3 Speed Automatic
S=Special	D=Chrysler					EBD=1.8L 4 Cyl16V SEFI			DGL = 4 Speed Automatic
	P=Plymouth								DG0 = All Automatics
									DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Timing Belt and Cover 1.8L (EBD)
Figure 1.8L-613



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
15	4667 606	1	D, P			EBD	DD4		SCREW AND WASHER, Hex Head, M6x1x30, (NOT SERVICED) (Not Serviced)
		1	Z			EBD	DD4		
16	4667 602	1	D, P			EBD	DD4		GEAR, Camshaft
		1	Z			EBD	DD4		
17	4667 554	1	D, P			EBD	DD4		PLUG, Timing Belt Cover
		1	Z			EBD	DD4		
18	6503 438	1	D, P			EBD	DD4		WASHER, Flared, 13x35.00x4.70
		1	Z			EBD	DD4		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				TRANSMISSION	
SERIES	LINE	BODY	ENGINE	DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DGC = 3 Speed Automatic	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGL = 4 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DG0 = All Automatics	
	P=Plymouth			DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Engine Oiling 1.8L (EBD) Figure 1.8L-713

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: DD4=Manual Perf. Trans. DD5=Manual Trans.									
1	4667 884	1	D, P			EBD	DD4		PUMP, Engine Oil
		1	Z			EBD	DD4		
2	6504 018	1	D, P			EBD	DD4		PLUG, Oil Drain
		1	Z			EBD	DD4		
3	4777 300AB	1	D, P			EBD	DD4		PAN, Engine Oil
		1	Z			EBD	DD4		
4									SCREW AND WASHER, Hex Head, M6x1x25
	6101 451	13	Z			EBD	DD4		
		13	D, P			EBD	DD4		
5	4667 352	1	D, P			EBD	DD4		TUBE, Engine Oil Indicator
		1	Z			EBD	DD4		
6	4777 284	1	D, P			EBD	DD4		INDICATOR, Engine Oil Level
		1	Z			EBD	DD4		
7									GASKET, Oil Pan
	4556 666	1	D, P			EBD	DD4		
		1	Z			EBD	DD4		
8	6505 388AA	5	D, P			EBD	DD4		SCREW, Flange Head, M6x1x18
		5	Z			EBD	DD4		
9	4777 252	1	D, P			EBD	DD4		TUBE, Oil Pickup
		1	Z			EBD	DD4		
10	6032 920	1	D, P			EBD	DD4		SEAL, Oil Pick Up Tube
		1	Z			EBD	DD4		
11									SCREW AND WASHER, Hex Head, M8x1.25x25
	6500 070	1	D, P			EBD	DD4		
		1	Z			EBD	DD4		
12	4105 409	1	D, P			EBD	DD4		FILTER, Engine Oil
		1	Z			EBD	DD4		
13	4667 386	1	D, P			EBD	DD4		ADAPTER, Oil Filter
		1	Z			EBD	DD4		
14									CONNECTOR, Oil Filter Adapter

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth


BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI


TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DGO = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Engine Oiling 1.8L (EBD)
Figure 1.8L-713



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
15	4667 301	1	D, P			EBD	DD4		O RING, Oil Filter Adapter
		1	Z			EBD	DD4		
16	4777 425	1	D, P			EBD	DD4		COVER, Oil Pump Back
		1	Z			EBD	DD4		
17	4556 669	1	D, P			EBD	DD4		ROTOR SET, Oil Pump
		1	Z			EBD	DD4		
18	4761 538	1	D, P			EBD	DD4		CAP, Oil Pressure Relief Valve
		1	Z			EBD	DD4		
19	0618 621	1	D, P			EBD	DD4		GASKET, Oil Pump Relief Valve
		1	Z			EBD	DD4		
20	4777 062	1	D, P			EBD	DD4		SPRING, Oil Pressure Relief Valve
		1	Z			EBD	DD4		
21	1737 744	1	D, P			EBD	DD4		PLUNGER, Oil Pressure Relief Valve
		1	Z			EBD	DD4		
22	2843 208	1	D, P			EBD	DD4		BOLT, Hex Head, M8x1.25x37.50
		1	Z			EBD	DD4		
23	6503 257	1	D, P			EBD	DD4		BOLT, Hex Flange Head, M6x1.0x40
		1	Z			EBD	DD4		
24	6503 256	2	D, P			EBD	DD4		O RING, Front Cover Oil Inlet
		2	Z			EBD	DD4		
25	4483 444AB	1	D, P			EBD	DD4		BOLT, Hex Head
		1	Z			EBD	DD4		
	6100 296	4	D, P			EBD	DD4		
		4	Z			EBD	DD4		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Manifolds 1.8L (EBD)
Figure 1.8L-813



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: DD4=Manual Perf. Trans. DD5=Manual Trans.									
1	4777 895AA	4	D, P			EBD	DD4		GASKET, Intake Manifold
		4	Z			EBD	DD4		
2									BOLT, Hex Flange Head, M8x1.25x30
	6503 131	8	D, P			EBD	DD4		
		8	Z			EBD	DD4		
3									BOLT, Hex Head Locking, M6x1.00x25
	6504 020	10	D, P			EBD	DD4		
		10	Z			EBD	DD4		
4	6503 244	1				EBD	DD4		STUD
5	4556 730	1	D, P			EBD	DD4		MANIFOLD, Exhaust
	4777 353	1	Z			EBD	DD4		
-6	4667 492	1	Z			EBD	DD4		GASKET, Exhaust Manifold
7	4856 614	1	D, P			EBD	DD4		MANIFOLD PACKAGE, Intake
		1	Z			EBD	DD4		
8	6500 274	2							LOCK NUT, M6x1.0x6
9	4777 355	1	Z			ECB	DD5		SHIELD, Exhaust Manifold Upper
	4777 433	1	Z			ECB	DD5		Lower
10									CONNECTOR, Brake Booster Vacuum
	4324 173	1	D, P			EBD	DD4		
		1	Z			EBD	DD4		
-11									CONNECTOR, Manifold Vacuum
	4026 117	1	D, P			EBD	DD4		
		1	Z			EBD	DD4		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special


LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

Crankcase Ventilation 1.8L (EBD)
Figure 1.8L-913




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: DD4=Manual Perf. Trans. DD5=Manual Trans.

1	4667 990	1	D, P			ECB	DD4, DD5		HOSE, Polution Control Valve
2	4777 240	1	D, P			ECC	DGC		VALVE, PCV
		1	D, P			ECC	DD4, DD5		
3	0153 455	1				EBD			CLAMP, Hose, .620
4	4667 760	1	D, P			ECB	DD4, DD5		HOSE, Polution Control Valve
5	4667 845	1							RESTRICTOR, PCV








DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY		ENGINE		TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua			
H=High Line	D=Dodge			EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic			
S=Special	D=Chrysler			EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic			
	P=Plymouth					DG0 = All Automatics			
						DBB= All 5 Speed Manual			

Group – 2.0L
Engine 2.0L Four Cylinder



Group – 2.0L
Engine 2.0L Four Cylinder

2.0L-900 Crankcase Ventilation			
-----------------------------------	--	--	--


2.0L-100 Engine Identification	2.0L-200 Cylinder Head	2.0L-300 Cylinder Block	2.0L-400 Crankshaft, Piston, and Drive Plate										
<table border="1"><tr><td>X Model Year</td><td>X Manufacturing Plant</td><td>XXXX Component Code/Usage</td><td>XXXX Month/Day</td><td>XXXXXXXX Serial Code</td></tr><tr><td>Last digit of model year</td><td>Satellite S Trenton T Tokyo K</td><td>Engine 3.3L - 3.8L Usage Pass Car PC Truck T</td><td></td><td>Last 8 Digits of VIN</td></tr></table>	X Model Year	X Manufacturing Plant	XXXX Component Code/Usage	XXXX Month/Day	XXXXXXXX Serial Code	Last digit of model year	Satellite S Trenton T Tokyo K	Engine 3.3L - 3.8L Usage Pass Car PC Truck T		Last 8 Digits of VIN			
X Model Year	X Manufacturing Plant	XXXX Component Code/Usage	XXXX Month/Day	XXXXXXXX Serial Code									
Last digit of model year	Satellite S Trenton T Tokyo K	Engine 3.3L - 3.8L Usage Pass Car PC Truck T		Last 8 Digits of VIN									
2.0L-500 Camshafts and Valves	2.0L-600 Timing Belt and Cover	2.0L-700 Engine Oiling	2.0L-800 Manifolds										
													

GROUP 2.0L - Engine 2.0L Four Cylinder

Illustration Title	Group-Fig. No.
Engine Identification	
I. D. Location 2.0L SOHC (ECB)	Fig. 2.0L-111
I. D. Location 2.0L DOHC (ECC)	Fig. 2.0L-112
Cylinder Head	
Cylinder Head 2.0L SOHC (ECB)	Fig. 2.0L-211
Cylinder Head 2.0L DOHC (ECC)	Fig. 2.0L-212
Cylinder Block	
Cylinder Block 2.0L SOHC (ECB)	Fig. 2.0L-311
Cylinder Block 2.0L DOHC (ECC)	Fig. 2.0L-312
Crankshaft, Piston, and Drive Plate	
Crankshaft, Piston, Driveplate 2.0L SOHC (ECB)	Fig. 2.0L-411
Crankshaft, Piston, Driveplate 2.0L DOHC (ECC)	Fig. 2.0L-412
Camshafts and Valves	
Camshaft, and Valves 2.0L SOHC (ECB)	Fig. 2.0L-511
Camshaft and Valves 2.0L DOHC (ECC)	Fig. 2.0L-512
Timing Belt and Cover	
Timing Belt and Cover 2.0L SOHC (ECB)	Fig. 2.0L-611
Timing Belt and Cover 2.0L DOHC (ECC)	Fig. 2.0L-612
Engine Oiling	
Engine Oiling 2.0L SOHC (ECB)	Fig. 2.0L-711
Engine Oiling 2.0L DOHC (ECC)	Fig. 2.0L-712
Manifolds	
Manifolds 2.0L SOHC (ECB)	Fig. 2.0L-811
Manifolds 2.0L DOHC (ECC)	Fig. 2.0L-812
Crankcase Ventilation	
Crankcase Ventilation 2.0L SOHC (ECB)	Fig. 2.0L-911
Crankcase Ventilation 2.0L DOHC (ECC)	Fig. 2.0L-912



I. D. Location 2.0L SOHC (ECB)
Figure 2.0L-111




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:
Sales Codes:
ECB=2.0L 4Cyl. SOHC 16V
1 LABEL, Engine Identification, (NOT SERVICED) (Not Serviced)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				ENGINE		TRANSMISSION	
SERIES	LINE	BODY		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB		EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic	
H=High Line	D=Dodge			EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic	
S=Special	D=Chrysler					DG0 = All Automatics	
	P=Plymouth					DBB= All 5 Speed Manual	

I. D. Location 2.0L DOHC (ECC)
Figure 2.0L-112

[illegible]

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
 DD5 = 5 Speed Manua
 DGC = 3 Speed Automatic
 DGL = 4 Speed Automatic
 DG0 = All Automatics
 DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Cylinder Head 2.0L SOHC (ECB)
Figure 2.0L-211



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.									
-1	4798 966AB-	1	D, P			ECB	DGC		GASKET PACKAGE, Engine Upper
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
2	4777 248	1	D, P			ECB	DGC		COVER, Cylinder Head
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
3	4667 985	1	Z			ECB	DGC		GASKET, Cylinder Cover
		1	D, P			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
4	4777 042	4	D, P			ECB	DGC		SEAL, Spark Plug Tube
		4	Z			ECB	DGC		
		4	D, P			ECB	DD4, DD5		
5	4648 604	4	Z			ECB	DGC		TUBE, Spark Plug
		4	D, P			ECB	DD4, DD5		
		4	D, P			ECB	DGC		
6	4777 536	1	D, P			ECB	DGC		CAP, Oil Filler
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
7	4777 086	1	Z			ECB	DGC		SEAL, Camshaft
		1	D, P			ECB	DD4, DD5		
		1	D, P			ECB	DGC		
8	4667 993	1	Z			ECB	DGC		HEAD, Cylinder
		1	D, P			ECB	DD4, DD5		
		1	D, P			ECB	DGC		
9									NIPPLE, Heater Return

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special


LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DGO = All Automatics
DBB= All 5 Speed Manual

Cylinder Head 2.0L SOHC (ECB) Figure 2.0L-211



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4621 653	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
10									GASKET, Cylinder Head
	4777 072AB	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
11									PLUG, Core, 1.25 Diameter
	4556 020	2	D, P			ECB	DGC		
		2	Z			ECB	DGC		
		2	D, P			ECB	DD4, DD5		
12									ISOLATOR, Cylinder Head Cover, Grommet And Bolt
	4667 982	10	D, P			ECB	DGC		
		10	Z			ECB	DGC		
		10	D, P			ECB	DD4, DD5		
13									BOLT, Cylinder Head
	6503 561	4	D, P			ECB	DGC		
		4	Z			ECB	DGC		
		4	D, P			ECB	DD4, DD5		
14									BOLT, Cylinder Head
	6503 562	6	D, P			ECB	DGC		
		6	Z			ECB	DGC		
		6	D, P			ECB	DD4, DD5		
15									RESTRICTOR, Cylinder Head Oil
	4323 808	1	D, P			ECB	DD4, DD5		
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

Cylinder Head 2.0L DOHC (ECC) Figure 2.0L-212

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.									
-1	4762 866	1	D, P			ECC	DGC		GASKET PACKAGE, Engine
		1	D, P			ECC	DD4, DD5		
2	4667 945AB	1	D, P			ECC	DGC		COVER, Cylinder Head
		1	D, P			ECC	DD4, DD5		
3	4667 421	1	D, P			ECC	DGC		GASKET, Valve Cover
		1	D, P			ECC	DD4, DD5		
4	4667 232	4	D, P			ECC	DGC		GASKET, Spark Plug Well
		4	D, P			ECC	DD4, DD5		
5	6503 256	1	D, P			ECC	DGC		BOLT, Hex Flange Head, M6x1.0x40
		1	D, P			ECC	DD4, DD5		
6	4777 536	1	D, P			ECC	DGC		CAP, Oil Filler
		1	D, P			ECC	DD4, DD5		
7	4777 086	2	D, P			ECC	DGC		SEAL, Camshaft
		2	D, P			ECC	DD4, DD5		
8	4777 541	1	D, P			ECC	DGC		HEAD, Cylinder
		1	D, P			ECC	DD4, DD5		
9	4667 420	8	D, P			ECC	DGC		SPACER, Valve Cover Bolt
		8	D, P			ECC	DD4, DD5		
10	4694 324	1	D, P			ECC	DGC		GASKET, Cylinder Head
		1	D, P			ECC	DD4, DD5		
11									PLUG, Core, 1.25 Diameter

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth


BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DGO = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Cylinder Head 2.0L DOHC (ECC)
Figure 2.0L-212

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4556 020	2	D, P			ECC	DGC		
		2	D, P			ECC	DD4, DD5		
-12	0444 668	1	D, P			ECC	DGC		PLUG, Core
		1	D, P			ECC	DD4, DD5		
13	6503 559	4	D, P			ECC	DGC		BOLT, Cylinder Head M11x1.50x110.00
		4	D, P			ECC	DD4, DD5		M11x1.50x110.00
14	6503 560	6	D, P			ECC	DGC		BOLT, Cylinder Head M11x1.50x156.00
		6	D, P			ECC	DD4, DD5		M11x1.50x156.00
15	4323 808	1	D, P			ECC	DGC		RESTRICTOR, Cylinder Head Oil
		1	D, P			ECC	DD4, DD5		
16									BOLT, Hex Flange Head, M6x1. 00x35
	6100 918	18	D, P			ECC	DGC		
		18	D, P			ECC	DD4, DD5		
17									SCREW, Hex Flange Head, M8x1. 25x40
	6505 429AA	6	D, P			ECC	DGC		
		6	D, P			ECC	DD4, DD5		
18	4667 731	1	D, P			ECC	DGC		PLUG, Camshaft
		1	D, P			ECC	DD4, DD5		
19	0444 668	1	D, P			ECC	DGC		PLUG, Core
		1	D, P			ECC	DD4, DD5		
20	6503 155	8	D, P			ECC	DGC		WASHER, Flat, 10.0x22.0x2.05
		8	D, P			ECC	DD4, DD5		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth


BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI


TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Cylinder Block 2.0L SOHC (ECB) Figure 2.0L-311



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans. DG0=All Automatic Trans. NAE=California Emissions.									
-1	4798 967AB-	1	D, P			ECB	DGC		GASKET PACKAGE, Engine Lower
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
2	4864 260	1	D, P			ECB	DGC		BLOCK, Short
									Contains Block, Bed Plate, Crank, Rods, Pistons, Rings, Oil Pump, Oil Pan
		1	Z			ECB	DGC		Contains Block, Bed Plate, Crank, Rods, Pistons, Rings, Oil Pump, Oil Pan
		1	D, P			ECB	DD4, DD5		Contains Block, Bed Plate, Crank, Rods, Pistons, Rings, Oil Pump, Oil Pan
3	4448 856	2	D, P			ECB	DGC		DOWEL, Block To Cylinder Head
		2	Z			ECB	DGC		
		2	D, P			ECB	DD4, DD5		
4	6035 743	1	D, P			ECB	DGC		PLUG, Timing Probe Hole
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
5	4694 106	3	D, P			ECB	DGC		DOWEL, Engine Block To Bedplate
		3	Z			ECB	DGC		
		3	D, P			ECB	DD4, DD5		
6	6503 072	10	D, P			ECB	DGC		BOLT, Main Bearing Cap
		10	Z			ECB	DGC		
		10	D, P			ECB	DD4, DD5		
7	6503 074	10	D, P			ECB	DGC		BOLT, Main Bearing Cap
		10	Z			ECB	DGC		
		10	D, P			ECB	DD4, DD5		
8									O RING, Bedplate To Engine Block

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special


LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

Cylinder Block 2.0L SOHC (ECB) Figure 2.0L-311



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6034 773	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
9									PLUG, Core, 1.39 Diameter
	6034 804	4	D, P			ECB	DGC		
		4	Z			ECB	DGC		
		4	D, P			ECB	DD4, DD5		
10									DOWEL, Block To Clutch Housing
	5240 849	2	D, P			ECB	DGC		
		2	Z			ECB	DGC		
		2	D, P			ECB	DD4, DD5		
11									SEAL, Rear Main Crankshaft
	4667 904	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
12									PLUG, Cylinder Block Oil Hole
	4556 018	2	D, P			ECB	DGC		
		2	Z			ECB	DGC		
		2	D, P			ECB	DD4, DD5		
13	6503 096	1	D, P						O RING, Engine Block Heater
14	4671 029	1	D, P						CORD, Engine Block Heater
15	4557 686	1	D, P						HEATER, Engine Block

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special


LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

Cylinder Block 2.0L DOHC (ECC)
Figure 2.0L-312




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.									
-1	4798 967AB-	1	D, P			ECC	DGC		GASKET PACKAGE, Engine Lower
		1	D, P			ECC	DD4, DD5		
2	4864 262	1	D, P			ECC	DGC		BLOCK, Short Contains Block, Bed Plate, Crank, Rods, Pistons, Rings, Oil Pump, Oil Pan
		1	D, P			ECC	DD4, DD5		Contains Block, Bed Plate, Crank, Rods, Pistons, Rings, Oil Pump, Oil Pan
3	4448 856	2	D, P			ECC	DGC		DOWEL, Block To Cylinder Head
		2	D, P			ECC	DD4, DD5		
4	6034 804	4	D, P			ECC	DGC		PLUG, Core, 1.39 Diameter
		4	D, P			ECC	DD4, DD5		
5	0154 577	1	D, P			ECC	DGC		PLUG, Pipe
		1	D, P			ECC	DD4, DD5		
6	4694 106	3	D, P			ECC	DGC		DOWEL, Engine Block To Bedplate
		3	D, P			ECC	DD4, DD5		
7	6503 072	10	D, P			ECC	DGC		BOLT, Main Bearing Cap
		10	D, P			ECC	DD4, DD5		
8	6503 074	10	D, P			ECC	DGC		BOLT, Main Bearing Cap
		10	D, P			ECC	DD4, DD5		
9	6034 773	1	D, P			ECC	DGC		O RING, Bedplate To Engine Block
		1	D, P			ECC	DD4, DD5		
10	6034 804	4	D, P			ECC	DGC		PLUG, Core, 1.39 Diameter

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Cylinder Block 2.0L DOHC (ECC)
Figure 2.0L-312



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		4	D, P			ECC	DD4, DD5		
11	5240 849	2	D, P			ECC	DGC		DOWEL, Block To Clutch Housing
		2	D, P			ECC	DD4, DD5		
12	4667 904	1	D, P			ECC	DGC		SEAL, Rear Main Crankshaft
		1	D, P			ECC	DD4, DD5		
13	6503 096	1	D, P						O RING, Engine Block Heater
14	4671 029	1	D, P						CORD, Engine Block Heater
15	4557 686	1	D, P						HEATER, Engine Block
16	4556 018	2	D, P			ECC	DGC		PLUG, Cylinder Block Oil Hole
		2	D, P			ECC	DD4, DD5		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			


Crankshaft, Piston, Driveplate 2.0L SOHC (ECB)
Figure 2.0L-411



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.									
1									BEARING PACKAGE, Connecting Rod, Standard
	4728 997	1	D, P			ECB			
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		8	Z			ECB	DD5		
2									BEARING PACKAGE, Connecting Rod, .025mm Undersize
	4728 991	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		2	D, P			ECB	DD4, DD5		
3									BEARING PACKAGE, Connecting Rod, .25mm Undersize
	4728 992	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		2	D, P			ECB	DD4, DD5		
4									BEARING PACKAGE, Crankshaft Thrust, STD.
	4856 734	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
5									BEARING PACKAGE, Crankshaft Thrust, .016mm Undersize
	4856 736	1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
6									BEARING PACKAGE, Crankshaft Thrust, .25mm Undersize
	4856 738	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
7									BEARING PACKAGE, Crankshaft Main, Standard Size
	4856 733	4	D, P			ECB	DGC		
		4	Z			ECB	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

Crankshaft, Piston, Driveplate 2.0L SOHC (ECB)
Figure 2.0L-411




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
8	4856 735	4	D, P			ECB	DD4, DD5		BEARING PACKAGE, Crankshaft, .016mm Undersize
		4	D, P			ECB	DGC		
		4	Z			ECB	DGC		
		4	D, P			ECB	DD4, DD5		
9	4856 737	4	D, P			ECB	DGC		BEARING PACKAGE, Crankshaft, .25 mm Undersize
		4	Z			ECB	DGC		
		4	D, P			ECB	DD4, DD5		
		1	D, P			ECB	DGC		
10	4667 754	1	D, P			ECB	DGC		CRANKSHAFT
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	Z			ECB	DD5		
11	4667 198	1	D, P			ECB	DGC		SEAL, Front Main Crankshaft
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	Z			ECB	DD5		
12	6503 465	8					DGC		BOLT, Drive Plate and Flywheel
		8					DD4, DD5		
		8					DGC		
		4	D, P				DD4, DD5		
13	6501 099	4	D, P				DGC		BOLT, Hex Head, M10x1.50 x 13.20
		4	D, P				DD4, DD5		
		4					DGC		
		1	D, P				DD4, DD5		
14	6035 473	1	D, P			ECB	DGC		KEY, Crankshaft Sprocket
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	Z			ECB	DD5		
15	4796 384AB	1					DGC		CONVERTER PACKAGE, Torque

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				ENGINE		TRANSMISSION	
SERIES	LINE	BODY		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB		EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic	
H=High Line	D=Dodge			EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic	
S=Special	D=Chrysler					DG0 = All Automatics	
	P=Plymouth					DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Crankshaft, Piston, Driveplate 2.0L SOHC (ECB)
Figure 2.0L-411



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16	6031 923	3					DD4, DD5		DOWEL, .250 x 1.05
17	4567 143	1					DD4, DD5		PLATE, Drive Plate
18		1					DGC		PISTON RING SET, COMPLETE ENGINE, STD.
	4741 401	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1	D, P			ECC	DD4, DD5		
19									PISTON PIN AND ROD
	4773 975	1	D, P			ECB	DD4, DD5		
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		4	Z			ECB	DD5		BOLT, Connecting Rod
20	6503 116	2	D, P			ECB	DGC		
		2	Z			ECB	DGC		
		2	D, P			ECB	DD4, DD5		
		8	Z			ECB	DD5		SEAL, Rear Main Crankshaft
21	4667 904	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
22	4471 933	1					DD4, DD5		PLATE, Drive Plate Backing
		1					DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

Crankshaft, Piston, Driveplate 2.0L DOHC (ECC)
Figure 2.0L-412




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: DGC=Automatic Trans. DD4= Manual Perf. Trans. DD5=Manual Trans.									
1									BEARING PACKAGE, Connecting Rod, Standard
	4728 997	8	D, P			ECC	DGC		
		8	D, P			ECC	DD4, DD5		
2									BEARING PACKAGE, Connecting Rod, .025mm Undersize
	4728 991	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
3									BEARING PACKAGE, Connecting Rod, .25mm Undersize
	4728 992	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
4									BEARING PACKAGE, Crankshaft Thrust, STD.
	4856 734	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
5									BEARING PACKAGE, Crankshaft Thrust, .016mm Undersize
	4856 736	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
6									BEARING PACKAGE, Crankshaft Thrust, .25mm Undersize
	4856 738	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
7									BEARING PACKAGE, Crankshaft Main, Standard Size
	4856 733	4	D, P			ECC	DGC		
		4	D, P			ECC	DD4, DD5		
8									BEARING PACKAGE, Crankshaft, .016mm Undersize
	4856 735	4	D, P			ECC	DGC		
		4	D, P			ECC	DD4, DD5		
9									BEARING PACKAGE, Crankshaft, .25 mm Undersize

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Crankshaft, Piston, Driveplate 2.0L DOHC (ECC)
Figure 2.0L-412



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4856 737	4	D, P			ECC	DGC		CRANKSHAFT
		4	D, P			ECC	DD4, DD5		
10	4667 754	1	D, P			ECC	DGC		PLATE, Drive Plate Backing
		1	D, P			ECC	DD4, DD5		
11	4471 933	1					DD4, DD5		DOWEL, .250 x 1.05
		1					DGC		
12	6031 923	3					DD4, DD5		BOLT, Drive Plate and Flywheel
13	6503 465	8					DD4, DD5		
14	6501 099	4	D, P				DD4, DD5		CONVERTER PACKAGE, Torque PLATE, Drive Plate
15	4796 384AB	1					DGC		
16	4567 143	1					DD4, DD5		PISTON RING SET, COMPLETE ENGINE, STD.
		1					DGC		
17	4741 401	4	D, P			ECC	DGC		PISTON PIN AND ROD
		4	D, P			ECC	DD4, DD5		
18	4797 613	4	D, P			ECC	DGC		BOLT, Connecting Rod
		4	D, P			ECC	DD4, DD5		
19	6503 116	8	D, P			ECC	DGC		SEAL, Rear Main Crankshaft
		8	D, P			ECC	DD4, DD5		
20	4667 904	1	D, P			ECC	DGC		SEAL, Front Main Crankshaft
		1	D, P			ECC	DD4, DD5		
21	4667 198	1	D, P			ECC	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY			ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB			ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth					DGO = All Automatics			
						DBB= All 5 Speed Manual			

Crankshaft, Piston, Driveplate 2.0L DOHC (ECC)
Figure 2.0L-412




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	D, P			ECC	DD4, DD5		
22	6035 473	1	D, P			ECC	DGC		KEY, Crankshaft Sprocket
		1	D, P			ECC	DD4, DD5		
-23	4593 040	1					DD4, DD5		FLYWHEEL, Mexico Built
-24	6503 464	8					DD4, DD5		BOLT, Flywheel, Mexico Built

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				TRANSMISSION	
SERIES	LINE	BODY	ENGINE	DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DGC = 3 Speed Automatic	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGL = 4 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DG0 = All Automatics	
	P=Plymouth			DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Camshaft, and Valves 2.0L SOHC (ECB) Figure 2.0L-511



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans. NAB=Leaded Fuel									
1	4648 613	8	D, P			ECB	DGC		VALVE, Exhaust, Standard
		8	Z			ECB	DGC		
		8	Z			ECB	DD5		
		8	D, P			ECB	DD4, DD5		
	4777 150	8	D, P			ECB	DGC		Leaded
		8	D, P			ECB	DD4, DD5		Leaded
-2	4667 439	8	D, P			ECB	DGC		VALVE, Exhaust, .15mm O/S
		8	Z			ECB	DGC		
		8	D, P			ECB	DD4, DD5		
3	4648 615	8	D, P			ECB	DGC		VALVE, Intake, Standard
		8	Z			ECB	DGC		
		8	Z			ECB	DD5		
		8	D, P			ECB	DD4, DD5		
	4777 148	8	D, P			ECB	DGC		Leaded
		8	D, P			ECB	DD4, DD5		Leaded
-4	4667 189	8	D, P			ECB	DD4, DD5		VALVE, Intake, .15MM O/S
		8	D, P			ECB	DGC		
		8	Z			ECB	DGC		
5	4667 370	4	Z			ECB	DGC		SPACER, Rocker Shaft
		4	D, P			ECB	DD4, DD5		
		4	D, P			ECB	DGC		
		4	Z			ECB	DD5		
6	4667 256	2	D, P			ECB	DGC		RETAINER, Valve Rocker Shaft
		2	Z			ECB	DGC		
		2	D, P			ECB	DD4, DD5		
		2	Z			ECB	DD5		
7									RETAINER, Valve Rocker Shaft

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DGO = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Camshaft, and Valves 2.0L SOHC (ECB)
Figure 2.0L-511




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4667 257	3	D, P			ECB	DGC		
		3	Z			ECB	DGC		
		3	D, P			ECB	DD4, DD5		
		3	Z			ECB	DD5		
8	4667 259	5	D, P			ECB	DGC		RETAINER, Valve Rocker Shaft
		5	Z			ECB	DGC		
		5	Z			ECB	DD5		
		5	D, P			ECB	DD4, DD5		
9	4777 128	1	D, P			ECB	DGC		CAMSHAFT
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	Z			ECB	DD5		
10	4777 086	1	D, P			ECB	DGC		SEAL, Camshaft
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	Z			ECB	DD5		
11	4648 701	8	D, P			ECB	DGC		ROCKER ARM, Intake
		8	Z			ECB	DGC		
		8	D, P			ECB	DD4, DD5		
		8	Z			ECB	DD5		
12	4648 702	4	D, P			ECB	DGC		ROCKER ARM, Exhaust
		4	Z			ECB	DGC		
		4	D, P			ECB	DD4, DD5		
		4	Z			ECB	DD5		
13	4648 693	1	D, P			ECB	DGC		SHAFT, Rocker Arm
		1	Z			ECB	DGC		
		1	Z			ECB	DD5		
		1	D, P			ECB	DD4, DD5		
14									SHAFT, Rocker Arm

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Camshaft, and Valves 2.0L SOHC (ECB) Figure 2.0L-511



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4648 691	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	Z			ECB	DD5		
15	4777 050	32	D, P			ECB	DGC		LOCK, Valve Spring Retainer
		32	Z			ECB	DGC		
		32	D, P			ECB	DD4, DD5		
		32	Z			ECB	DD5		
16	4648 682	16	D, P			ECB	DGC		RETAINER, Valve Spring
		16	Z			ECB	DGC		
		16	D, P			ECB	DD4, DD5		
		16	Z			ECB	DD5		
17	4777 535	16	D, P			ECB	DGC		SPRING, Valve
		16	Z			ECB	DGC		
		16	D, P			ECB	DD4, DD5		
		16	Z			ECB	DD5		
18	4648 619	16	D, P			ECB	DGC		SEAL, Valve Guide
		16	Z			ECB	DGC		
		16	D, P			ECB	DD4, DD5		
		16	Z			ECB	DD5		
19	4648 635	AR				EBD, ECB			GUIDE, Intake/Exhaust Valve, 7mm Oversize
20									SCREW, Hex Flange Head, M8x1.25x40
	6505 429AA	5	D, P			ECB	DGC		
		5	Z			ECB	DD5		
		5	Z			ECB	DGC		
		5	D, P			ECB	DD4, DD5		
21	6100 997	1	D, P			ECB	DGC		PIN, Dowel
		1	Z			ECB	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DGO = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Camshaft, and Valves 2.0L SOHC (ECB)
Figure 2.0L-511



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
22	5269 547	1	D, P			ECB	DD4,		CAM MAGNET, Target
		1	Z			ECB	DD5		
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4,		
23	4777 068	1	Z			ECB	DD5		SEAL, Camshaft Sensor
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4,		
		1	Z			ECB	DD5		
24	6503 688	1	Z			ECB	DD5		BOLT, Hex Flange Head, M6x1.00x40
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4,		
		1	Z			ECB	DD5		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

Camshaft and Valves 2.0L DOHC (ECC) Figure 2.0L-512



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.									
1	4667 972	8 8	D, P D, P			ECC ECC	DGC DD4, DD5		VALVE, Exhaust, Standard
2	4667 969	8 8	D, P D, P			ECC ECC	DGC DD4, DD5		VALVE, Intake, Standard
3	4777 631AA	1 1	D, P D, P			ECC ECC	DGC DD4, DD5		CAMSHAFT, Intake
4	4777 632AA	1 1	D, P D, P			ECC ECC	DGC DD4, DD5		CAMSHAFT, Exhaust
5	4777 086	2 2	D, P D, P			ECC ECC	DGC DD4, DD5		SEAL, Camshaft
6	4667 731	1 1	D, P D, P			ECC ECC	DGC DD4, DD5		PLUG, Camshaft
7	4777 050	32 32	D, P D, P			ECC ECC	DGC DD4, DD5		LOCK, Valve Spring Retainer
8	4648 682	16 16	D, P D, P			ECC ECC	DGC DD4, DD5		RETAINER, Valve Spring
9	4777 555	16 16	D, P D, P			ECC ECC	DGC DD4, DD5		SPRING, Valve
10	4648 619	16 16	D, P D, P			ECC ECC	DGC DD4, DD5		SEAL, Valve Guide
11	4667 411	AR				ECC			GUIDE, Intake/Exhaust Valve, 7mm Oversize

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DGO = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Camshaft and Valves 2.0L DOHC (ECC)
Figure 2.0L-512




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
12									ROCKER ARM, Valve Roller
	4667 139	16	D, P			ECC	DGC		
		16	D, P			ECC	DD4, DD5		
13									ADJUSTER, Valve Lash
	4667 140	16	D, P			ECC	DGC		
		16	D, P			ECC	DD4, DD5		
14									PIN, Dowel
	6100 997	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
15									CAM MAGNET, Target
	5269 547	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
16									SEAL, Camshaft Sensor
	4777 068	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
17									BOLT, Hex Flange Head, M6x1. 00x40
	6503 688	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		

Timing Belt and Cover 2.0L SOHC (ECB)
Figure 2.0L-611

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4667 339	1	D, P			ECB	DGC		COVER, Timing Belt
		1	Z			ECB	DGC		Inner
		1	D, P			ECB	DD4, DD5		Inner
		1	Z			ECB	DD5		Inner
2	4667 340	1	D, P			ECB	DGC		SEAL, Timing Belt Cover
		1	Z			ECB	DGC		
		1	Z			ECB	DD5		
		1	D, P			ECB	DD4, DD5		
3	6502 926	6	Z			ECB	DGC		BOLT, Hex Flange Head, M6x1.0x20
		6	D, P			ECB	DGC		
		6	D, P			ECB	DD4, DD5		
		6	Z			ECB	DD5		
4	6503 553	1	D, P			ECB	DGC		BOLT, Hex Flange Head, M12x1. 75x87.50
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	Z			ECB	DD5		
5	4667 765	1	D, P			ECB	DGC		DAMPER, Crankshaft
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	Z			ECB	DD5		
6	6035 473	1	D, P			ECB	DGC		KEY, Crankshaft Sprocket
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	Z			ECB	DD5		
7	4667 604	1	D, P			ECB	DGC		GEAR, Crankshaft
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
							DD5		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			



Timing Belt and Cover 2.0L SOHC (ECB)
Figure 2.0L-611

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
8	6100 997	1	Z			ECB	DD5		PIN, Dowel
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
9	6501 405	1	Z			ECB	DD5		BOLT, Hex Head, M12x1.50x52
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
10	6503 181	2	D, P			ECB	DGC		SCREW AND WASHER, Hex Head, M8x1.25x60
		2	Z			ECB	DGC		
		2	D, P			ECB	DD4, DD5		
		2	Z			ECB	DD5		
11	4667 338	1	D, P			ECB	DGC		COVER, Timing Belt
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	Z			ECB	DD5		
12	4777 395AC	1	D, P			ECB	DGC		TENSIONER, Belt
		1	Z			ECB	DGC		
		1	Z			ECB	DD5		
		1	D, P			ECB	DD4, DD5		
13	4667 341	1	D, P			ECB	DGC		SEAL, Timing Belt Cover
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	Z			ECB	DD5		
14	4667 606	1	D, P			ECB	DGC		BELT, Timing
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Timing Belt and Cover 2.0L SOHC (ECB)
Figure 2.0L-611


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	Z			ECB	DD5		
15									SCREW AND WASHER, Hex Head, M6x1x30, (NOT REQUIRED)
16	4667 602	1	D, P			ECB	DGC		GEAR, Camshaft
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	Z			ECB	DD5		
17	4667 554	1	D, P			ECB	DGC		PLUG, Timing Belt Cover
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	Z			ECB	DD5		
18	6503 438	1	D, P			ECB	DGC		WASHER, Flared, 13x35.00x4.70
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	Z			ECB	DD5		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Timing Belt and Cover 2.0L DOHC (ECC)
Figure 2.0L-612




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.									
1	4667 435	1	D, P			ECC	DGC		COVER, Timing Belt
		1	D, P			ECC	DD4, DD5		
2	4667 610	1	D, P			ECC	DGC		COVER, Timing Belt Inspection
		1	D, P			ECC	DD4, DD5		
3	6502 926	7	D, P			ECC	DGC		BOLT, Hex Flange Head, M6x1.0x20
		7	D, P			ECC	DD4, DD5		
4	4667 436AB	1	D, P			ECC	DGC		COVER, Timing Belt
		1	D, P			ECC	DD4, DD5		
5	4667 611	1	D, P			ECC	DGC		BELT, Timing
		1	D, P			ECC	DD4, DD5		
6	4667 609	2	D, P			ECC	DGC		GEAR, Camshaft
		2	D, P			ECC	DD4, DD5		
7	6501 405	2	D, P			ECC	DGC		BOLT, Hex Head, M12x1.50x52
		2	D, P			ECC	DD4, DD5		
8	6503 438	2	D, P			ECC	DGC		WASHER, Flared, 13x35.00x4.70
		2	D, P			ECC	DD4, DD5		
9	4667 660	1	D, P			ECC	DGC		PUMP, Water
		1	D, P			ECC	DD4, DD5		
10	4667 765	1	D, P			ECC	DGC		DAMPER, Crankshaft
		1	D, P			ECC	DD4, DD5		
11									BOLT, Hex Flange Head, M12x1.75x87.50

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY			ENGINE			TRANSMISSION
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB			ECB=2.0L 4 Cyl., 16V SMPI			DD5 = 5 Speed Manua
H=High Line	D=Dodge					EJD=1.6L 4 Cyl16V SOHC			DGC = 3 Speed Automatic
S=Special	D=Chrysler					EBD=1.8L 4 Cyl16V SEFI			DGL = 4 Speed Automatic
	P=Plymouth								DG0 = All Automatics
									DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Timing Belt and Cover 2.0L DOHC (ECC) Figure 2.0L-612

[illegible]

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manual
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Timing Belt and Cover 2.0L DOHC (ECC)
Figure 2.0L-612



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


4777	393	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				ENGINE		TRANSMISSION		
SERIES	LINE	BODY		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB		EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
H=High Line	D=Dodge			EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
S=Special	D=Chrysler					DG0 = All Automatics		
	P=Plymouth					DBB= All 5 Speed Manual		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Engine Oiling 2.0L SOHC (ECB)
Figure 2.0L-711



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.									
1	4667 884	1	D, P			ECB	DGC		PUMP, Engine Oil
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4,		
2	6504 018	1	Z			ECB	DD5		PLUG, Oil Drain
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4,		
		1	Z			ECB	DD5		
3	4777 300AB	1	D, P			ECB	DGC		PAN, Engine Oil
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4,		
		1	Z			ECB	DD5		
4	6101 451	13	D, P			ECB	DGC		SCREW AND WASHER, Hex Head, M6x1x25
		13	Z			ECB	DGC		
		13	D, P			ECB	DD4,		
		13	Z			ECB	DD5		
5	4667 352	1	D, P			ECB	DGC		TUBE, Engine Oil Indicator
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4,		
		1	Z			ECB	DD5		
6	4777 284	1	D, P			ECB	DGC		INDICATOR, Engine Oil Level
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4,		
		1	Z			ECB	DD5		
7	4556 666	1	D, P			ECB	DGC		GASKET, Oil Pan
		1	Z			ECB	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				ENGINE		TRANSMISSION	
SERIES	LINE	BODY		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB		EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic	
H=High Line	D=Dodge			EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic	
S=Special	D=Chrysler					DGO = All Automatics	
	P=Plymouth					DBB= All 5 Speed Manual	

Engine Oiling 2.0L SOHC (ECB) Figure 2.0L-711



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
8	6505 388AA	1	D, P			ECB	DD4,		SCREW, Flange Head, M6x1x18
		1	Z			ECB	DD5		
		5	D, P			ECB	DGC		
		5	Z			ECB	DGC		
		5	D, P			ECB	DD4,		
		5	Z			ECB	DD5		
9	4777 252	1	D, P			ECB	DGC		TUBE, Oil Pickup
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4,		
		1	Z			ECB	DD5		
10	6032 920	1	D, P			ECB	DGC		SEAL, Oil Pick Up Tube
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4,		
		1	Z			ECB	DD5		
11	6500 070	1	D, P			ECB	DGC		SCREW AND WASHER, Hex Head, M8x1.25x25
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4,		
		1	Z			ECB	DD5		
12	4105 409	1	D, P			ECB	DGC		FILTER, Engine Oil
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4,		
		1	Z			ECB	DD5		
13	4667 386	1	D, P			ECB	DGC		ADAPTER, Oil Filter
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4,		
14	4667 301	1	Z			ECB	DD5		CONNECTOR, Oil Filter Adapter
		1	D, P			ECB	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Engine Oiling 2.0L SOHC (ECB)
Figure 2.0L-711



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	Z			ECB	DD5		
15	4777 425	1	D, P			ECB	DGC		O RING, Oil Filter Adapter
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	Z			ECB	DD5		
16	4556 669	1	D, P			ECB	DGC		COVER, Oil Pump Back
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	Z			ECB	DD5		
17	4761 538	1	D, P			ECB	DGC		ROTOR SET, Oil Pump
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	Z			ECB	DD5		
18	0618 621	1	D, P			ECB	DGC		CAP, Oil Pressure Relief Valve
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	Z			ECB	DD5		
19	4777 062	1	D, P			ECB	DGC		GASKET, Oil Pump Relief Valve
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	Z			ECB	DD5		
20	1737 744	1	D, P			ECB	DGC		SPRING, Oil Pressure Relief Valve
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	Z			ECB	DD5		
21	2843 208	1	D, P			ECB	DGC		PLUNGER, Oil Pressure Relief Valve
		1	Z			ECB	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

Figure 2.0L-711



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
22	6503 257	1	D, P			ECB	DD4, DD5		BOLT, Hex Head, M8x1.25x37.50
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
23	6503 256	1	Z			ECB	DD5		BOLT, Hex Flange Head, M6x1.0x40
		2	D, P			ECB	DGC		
		2	Z			ECB	DGC		
		2	D, P			ECB	DD4, DD5		
		2	Z			ECB	DD5		
24	4483 444AB	1	D, P			ECB	DGC		O RING, Front Cover Oil Inlet
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
25	6100 296	1	Z			ECB	DD5		BOLT, Hex Head
		4	D, P			ECB	DGC		
		4	Z			ECB	DGC		
		4	D, P			ECB	DD4, DD5		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Engine Oiling 2.0L DOHC (ECC)
Figure 2.0L-712



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.									
1	4667 884	1	D, P			ECC	DGC		PUMP, Engine Oil
		1	D, P			ECC	DD4, DD5		
2	6504 018	1	D, P			ECC	DGC		PLUG, Oil Drain
		1	D, P			ECC	DD4, DD5		
3	4777 300AB	1	D, P			ECC	DGC		PAN, Engine Oil
		1	D, P			ECC	DD4, DD5		
4	6101 451	13	D, P			ECC	DGC		SCREW AND WASHER, Hex Head, M6x1x25
		13	D, P			ECC	DD4, DD5		
5	4667 352	1	D, P			ECC	DGC		TUBE, Engine Oil Indicator
		1	D, P			ECC	DD4, DD5		
6	4777 284	1	D, P			ECC	DGC		INDICATOR, Engine Oil Level
		1	D, P			ECC	DD4, DD5		
7	4556 666	1	D, P			ECC	DGC		GASKET, Oil Pan
		1	D, P			ECC	DD4, DD5		
8	6505 388AA	5	D, P			ECC	DGC		SCREW, Flange Head, M6x1x18
		5	D, P			ECC	DD4, DD5		
9	4777 252	1	D, P			ECC	DGC		TUBE, Oil Pickup
		1	D, P			ECC	DD4, DD5		
10	6032 920	1	D, P			ECC	DGC		SEAL, Oil Pick Up Tube
		1	D, P			ECC	DD4, DD5		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				ENGINE		TRANSMISSION	
SERIES	LINE	BODY		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB		EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic	
H=High Line	D=Dodge			EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic	
S=Special	D=Chrysler					DG0 = All Automatics	
	P=Plymouth					DBB= All 5 Speed Manual	

Engine Oiling 2.0L DOHC (ECC)
Figure 2.0L-712




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11									SCREW AND WASHER, Hex Head, M8x1.25x25
	6500 070	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
12									FILTER, Engine Oil
	4105 409	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
13									ADAPTER, Oil Filter
	4667 386	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
14									CONNECTOR, Oil Filter Adapter
	4667 301	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
15									O RING, Oil Filter Adapter
	4777 425	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
16									COVER, Oil Pump Back
	4556 669	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
17									ROTOR SET, Oil Pump
	4761 538	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
18									CAP, Oil Pressure Relief Valve
	0618 621	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
19									GASKET, Oil Pump Relief Valve
	4777 062	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
20									SPRING, Oil Pressure Relief Valve
	1737 744	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
21									PLUNGER, Oil Pressure Relief Valve

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY			ENGINE			TRANSMISSION
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB			ECB=2.0L 4 Cyl., 16V SMPI			DD5 = 5 Speed Manua
H=High Line	D=Dodge					EJD=1.6L 4 Cyl16V SOHC			DGC = 3 Speed Automatic
S=Special	D=Chrysler					EBD=1.8L 4 Cyl16V SEFI			DGL = 4 Speed Automatic
	P=Plymouth								DG0 = All Automatics
									DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Engine Oiling 2.0L DOHC (ECC)
Figure 2.0L-712




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	2843 208	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
22	6503 257	1	D, P			ECC	DGC		BOLT, Hex Head, M8x1.25x37.50
		1	D, P			ECC	DD4, DD5		
23	6503 256	1	D, P			ECC	DGC		BOLT, Hex Flange Head, M6x1.0x40
		1	D, P			ECC	DD4, DD5		
24	4483 444AB	1	D, P			ECC	DGC		O RING, Front Cover Oil Inlet
		1	D, P			ECC	DD4, DD5		
25	6100 296	4	D, P			ECC	DGC		BOLT, Hex Head
		4	D, P			ECC	DD4, DD5		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				ENGINE		TRANSMISSION	
SERIES	LINE	BODY		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB		EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic	
H=High Line	D=Dodge			EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic	
S=Special	D=Chrysler					DG0 = All Automatics	
	P=Plymouth					DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Manifolds 2.0L SOHC (ECB)
Figure 2.0L-811



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:Sales Codes

[ECB] = 2.0L 4 Cylinder SOHC 16V

[DD4] = 5 Speed Performance Transmission

[DD5] = 5 Speed Manual Transmission

[DGC] =Three Speed Automatic Transmission

[NAA] = Federal Emission

[NAB] = California Emission

[NAE] = Leaded Fuel

[[NHM] = Speed Control

[RHD] = Right Hand Drive

1									GASKET, Intake Manifold
	4777 895AA	4	D, P			ECB	DGC		
		4	Z			ECB	DGC		
		4	D, P			ECB	DD4,		
		4	Z			ECB	DD5		
2									BOLT, Hex Flange Head, M8x1.25x30
	6503 131	8	D, P			ECB	DGC		
		8	Z			ECB	DGC		
		8	D, P			ECB	DD4,		
		8	Z			ECB	DD5		
3									BOLT, Hex Head Locking, M6x1.00x25
	6504 020	10	D, P			ECB	DGC		
		10	Z			ECB	DGC		
		10	D, P			ECB	DD4,		
		10	Z			ECB	DD5		
4									STUD
	6503 244	1				ECB	DGC		
		1				ECB	DD4,		
							DD5		
5									MANIFOLD, Exhaust
	4556 730	1	D, P			ECB	DGC		NAA
		1	D, P			ECB	DD4,		NAA, NAE
							DD5		
	4777 353	1	Z			ECB	DGC		RHD
		1	Z			ECB	DD5		RHD
	4777 636AA	1	D, P			ECB	DGC		NAE
		1	D, P			ECB	DGC		NAB

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DGO = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

**Manifolds 2.0L SOHC (ECB)
Figure 2.0L-811**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	D, P			ECB	DD4, DD5		NAB
-6	4667 492	1	D, P			ECB	DGC		GASKET, Exhaust Manifold
		1	Z			ECB	DGC		Transitory Low Emission Vehicle
		1	D, P			ECB	DD4, DD5		Transitory Low Emission Vehicle
		1	Z			ECB	DD5		Transitory Low Emission Vehicle
7	4856 614AB	1	Z			ECB	DD5		MANIFOLD PACKAGE, Intake
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
8	6500 274	2							LOCK NUT, M6x1.0x6
9	4777 355	1	Z			ECB	DD5		SHIELD, Exhaust Manifold
		1	Z			ECB	DGC		
10	4777 433	1	Z			ECB	DD5		SHIELD, Exhaust Manifold
		1	Z			ECB	DGC		
11									CONNECTOR, Brake Booster Vacuum
	4669 462	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	Z			ECB	DD5		
-12									PLUG, Cylinder Block Oil Hole
	6500 362	1	D, P			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
-13									CONNECTOR, Manifold Vacuum
	4026 117	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	Z			ECB	DD5		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special


LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

Manifolds 2.0L DOHC (ECC)
Figure 2.0L-812



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.									
1	4667 539	1	D, P			ECC	DGC		GASKET, Intake Manifold
		1	D, P			ECC	DD4, DD5		Intake Manifold To Cylinder Head
2	4667 817	1	D, P			ECC	DGC		GASKET, Intake Manifold
		1	D, P			ECC	DD4, DD5		Upper To Lower
3	4667 722	1	D, P			ECC	DGC		GASKET, Exhaust Manifold
		1	D, P			ECC	DD4, DD5		
4	4667 792	1	D, P			ECC	DGC		ELBOW, Water Heater, Intake
		1	D, P			ECC	DD4, DD5		Manifold
5	4777 039	1	D, P			ECC	DGC		MANIFOLD, Intake
		1	D, P			ECC	DD4, DD5		Lower
-6	6504 171	8	D, P			ECC	DGC		SCREW, Hex Flange Head, M8x1.
		8	D, P			ECC	DD4, DD5		25x32
									Intake Manifold Attaching
7	4777 289	1	D, P			ECC	DGC		MANIFOLD, Intake
		1	D, P			ECC	DD4, DD5		Upper
8	6101 232	7	D, P			ECC	DGC		BOLT, Hex Flange Head, M8x1.
		7	D, P			ECC	DD4, DD5		25x25
									Intake Manifold
-9	6504 170	2	D, P			ECC	DGC		STUD, M8x1.25x44.80
		2	D, P			ECC	DD4, DD5		Intake Manifold Attaching
-10	6500 363	2	D, P			ECC	DGC		NUT, Hex Flange Lock, M8x1.25
									Intake Manifold Attaching

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special


LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual


Manifolds 2.0L DOHC (ECC)
Figure 2.0L-812



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11	4667 714	2	D, P			ECC	DD4, DD5		Intake Manifold Attaching
		1	D, P			ECC	DGC		MANIFOLD, Exhaust
		1	D, P			ECC	DD4, DD5		
-12	6503 334	6	D, P			ECC	DGC		BOLT, Hex Flange Head, M8x1.25x28
		6	D, P			ECC	DD4, DD5		Exhaust Manifold Attaching
13	6504 170	2	D, P			ECC	DGC		STUD, M8x1.25x44.80
		2	D, P			ECC	DD4, DD5		Exhaust Manifold Attaching
14	6500 363	2	D, P			ECC	DGC		NUT, Hex Flange Lock, M8x1.25
		2	D, P			ECC	DD4, DD5		Exhaust Manifold Attaching
15	4667 494	1	D, P			ECC	DGC		SHIELD, Exhaust Manifold
		1	D, P			ECC	DD4, DD5		Upper
16	4667 495	1	D, P			ECC	DGC		SHIELD, Exhaust Manifold
		1	D, P			ECC	DD4, DD5		Lower
17	6101 813	4	D, P			ECC	DGC		SCREW, Hex Flange Head, M8x1.25x11
		4	D, P			ECC	DD4, DD5		Heat Shield Attaching


DODGE - PLYMOUTH - CHRYSLER NEON (PL)
SERIES L=Low Line H=High Line S=Special
LINE Z=Chrysler, RHD D=Dodge D=Chrysler P=Plymouth
BODY 41=4 Door, 104WB
ENGINE ECB=2.0L 4 Cyl., 16V SMPI EJD=1.6L 4 Cyl16V SOHC EBD=1.8L 4 Cyl16V SEFI
TRANSMISSION DD5 = 5 Speed Manua DGC = 3 Speed Automatic DGL = 4 Speed Automatic DG0 = All Automatics DBB= All 5 Speed Manual

Crankcase Ventilation 2.0L SOHC (ECB) Figure 2.0L-911



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.									
1	4667 990	1	D, P			ECB	DGC		HOSE, Polution Control Valve
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4,		
							DD5		
2	4777 240	1	D, P			ECB	DGC		VALVE, PCV
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4,		
							DD5		
3	0153 455	2	D, P			ECB	DGC		CLAMP, Hose, .620
		2	Z			ECB	DGC		
		2	D, P			ECB	DD4,		
							DD5		
4	4667 760	1	D, P			ECB	DGC		HOSE, Polution Control Valve
		1	Z			ECB	DGC		
		1	D, P			ECB	DD4,		
							DD5		
5	4667 845	1							RESTRICTOR, PCV

Crankcase Ventilation 2.0L DOHC (ECC)
Figure 2.0L-912



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4667 572	1				ECC			HOSE, Make Up Air
2	4777 240	1	D, P			ECC	DGC		VALVE, PCV
		1	D, P			ECC	DD4, DD5		
3	6502 017	4	D, P			ECC	DGC		CLAMP, Heater Hose
		4	D, P			ECC	DD4, DD5		
4	4667 577	1	D, P			ECC	DGC		HOSE, Polution Control Valve
		1	D, P			ECC	DD4, DD5		PCV to Intake Plenum
	4667 576	1	D, P			ECC	DGC		Connector to PCV
		1	D, P			ECC	DD4, DD5		Connector to PCV
5	4667 845	1							RESTRICTOR, PCV


DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		



Group – 011

Exhaust


GROUP 11 - Exhaust

Illustration Title	Group-Fig. No.
Exhaust System	
Exhaust System PL	Fig. 011-105
Heat Shields	
Exhaust Shields PL	Fig. 011-201



011-100 Exhaust System	011-200 Heat Shields		
			

Exhaust System PL Figure 011-105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: EBD=1.8L Engine. ECB=2.0L SOHC Engine. ECC=2.0L DOHC Engine. DGC=Automatic Trans. DBB=Manual Trans. NAA=Federal Emissions. NAE=California Emissions. ABJ=Japan Market.									
1									NUT, Hex Flange Lock, M8 Phosphate
	6100 517	4				ECB			
		2				EBD, ECB, ECC			
2	4864 207	2				EBD, ECB, ECC			SEAL PACKAGE, Exhaust Ring With Springs
3	4546 608	1	Z		42	EBD, ECB			CONVERTER, Catalytic Right Hand Drive Exclude Japan (-ABJ)
	4546 980AB	1	D, P			ECB	DG0		Low Emission Vehicle NBV
	4546 994	1	Z		42	EBD, ECB			Right Hand Drive Japan (ABJ)
	5278 476	1	D, P			ECC			NAA, NAE
		1	D, P			ECB	DG0		NAA
		1	D, P			ECB	DBB		NAA, NAE
4	5217 003	2				EBD, ECB, ECC			BOLT, Hex Flange Head, M8x1. 25x74.5
5	4301 985	1	Z		42	EBD, ECB			FLANGE, Exhaust Pipe
		1	D, P			ECC			
		1	D, P			ECB	DG0		
		1	D, P			ECB	DBB		
		1	D, P			EBD			
6	4546 937	1							PIPE, Exhaust Extension
-7	4546 992AB-	1	D, P						RESONATOR, Exhaust
8									CLAMP, Exhaust, (NOT REQUIRED)
9	4546 951	1				EBD, ECB			MUFFLER, Exhaust
		1	D, P			ECC			Europe
	4546 964	1	D, P			ECC			Domestic
10	4495 951	3							INSULATOR, Exhaust
11	6101 467	1				ECC			NUT, Hex Flange, M8x1.25
		4				ECB			

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special


LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

Exhaust System PL
Figure 011-105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
2						EBD, ECB, ECC			
12	6503 767	4	D, P			ECB	DGC		BOLT, Hex Head, M8x1.25x35
		4	D, P			ECB	DD4, DD5		
13	4616 671	1	D, P			ECB			GASKET, Manifold To Exhaust Pipe


DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY			ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB			ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth					DG0 = All Automatics			
						DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Exhaust Shields PL
Figure 011-201

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5278 028AB	1							SHIELD, Heat
-2	4495 876	1							SHIELD, Fuel Tank
3	6034 716	2							SCREW AND WASHER, Hex Flange Head, .25-14x.875



DODGE - PLYMOUTH - CHRYSLER NEON (PL)					
SERIES	LINE	BODY	ENGINE	TRANSMISSION	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic	
	P=Plymouth			DG0 = All Automatics	
				DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year


September 15, 2005

Group – 013

Frames and Bumpers


GROUP 13 - Frames and Bumpers

Illustration Title	Group-Fig. No.
Frames	
Frame, Front	Fig. 013-105
Frame, Rear	Fig. 013-135
Front Bumper and Fascia	
Fascia, Front	Fig. 013-205
Rear Bumper and Fascia	
Fascia, Rear	Fig. 013-305



013-100 Frames	013-200 Front Bumper and Fascia	013-300 Rear Bumper and Fascia	

Frame, Front Figure 013-105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4783 044	1							CROSSMEMBER, Rear Floor
2									CROSSMEMBER, Front Seat Retention, Serviced in Floor Pan Assembly, (NOT SERVICED) (Not Serviced)
3	4655 514	1							REINFORCEMENT, Engine Mount
4	5256 926	1							RAIL, Front Right
-5	4783 004	2							RETAINER, Suspension Crossmember
6	4655 565	1							REINFORCEMENT, Front Side Rail Impact
7									REINFORCEMENT, Front Side Rail Right
	4783 022AB	1							
	5256 925	1							Left
8	4655 066	1							RAIL, Front Side Rail Rear, Right
9	4655 067	1							RAIL, Front Left
-10	4783 455	1							PLATE, Front Side Rail to Floor
11									RETAINER, Front Suspension
	4655 748	1							Right
	4655 749	1							Left
12									EXTENSION, Front Side Rail
	4783 452AB	1							Right
	4783 453AB	1							Left
13									BRACE, Front Side Rail to Cowl
	4655 070	1							Right
	4655 071	1							Left
14									BRACKET, Engine Mount
	4655 083	1							Lower, Left
	4655 515	1							Upper, Left
15	4655 095	1							COVER, Front Side Rail Access
16									BRACKET, Suspension
									Crossmember
	4655 072	1							Right
	4655 073	1							Left
17	4655 833	2							BRACKET, Side Rail to Cowl
18	5256 686	1							REINFORCEMENT, Side Rail, Right
19	5256 687	1							REINFORCEMENT, Side Rail Tie
									Down, Left
-20	5256 905	1							BRACKET, Side Rail Crossmember
21									CROSSMEMBER, Front Suspension
	4656 116	1			D, P				Automatic Transaxle
	4656 117	1			D, P				Manual


DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Frame, Front
 Figure 013-105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4656 134	1	Z		42				Automatic Transaxle
	4656 135	1	Z		42				Manual Transmission
-22	4655 820	1							TAPPING PLATE, Front Suspension, Rear Attaching
23	4655 763	1							REINFORCEMENT, Front Side Rail to Dash
-24	6503 855	2							SCREW AND WASHER, Hex Head, M12x1.75x40, Crossmember to Side Rail
-25	4783 004	2							RETAINER, Suspension Crossmember, Crossmember to Side Rail
-26	6101 760	1							SCREW AND WASHER, Hex Head, M10x1.5x80, Damper to Crossmember

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DGO = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Frame, Rear
 Figure 013-135


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4783 044	1							CROSSMEMBER, Rear Floor
2									CROSSMEMBER, Front Seat Retention, Serviced in Floor Pan Assembly, (NOT SERVICED) (Not Serviced)
3	4655 016	2							REINFORCEMENT, Bumper
4	4882 820	1							RAIL PACKAGE, Floor Pan Side Right
	4882 821	1							Left
-5	4655 307	2							T PLATE, Rear Rail Rear Suspension Sway Bar
6	4655 828	1							BRACKET, Exhaust Hanger Front Right
	4655 829	1							Front Left
7	4655 831	1							BRACKET, Exhaust Hanger
8	4655 672	2							CROSSMEMBER, Rear Suspension
9	4655 361AB	1							CROSSMEMBER, Rear Floor
10	4655 822	1							PLATE, Towing
11	4655 002	1							EXTENSION, Body Side Sill Right
	4655 003	1							Left

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fascia, Front
Figure 013-205



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5288 003	1							REINFORCEMENT, Fascia
2	5263 818	2							BRACKET, Fascia
3	6500 898	6							RIVET, M4.95x25
4	4741 654	1	D, P	L					FASCIA, Front, With Absorber Paint as Required
		1	D, P	H					Paint as Required
		1	Z	L	42				Paint as Required
		1	Z	H	42				Paint as Required
	4741 655	1		L					Competition Pkg.
		1		H					w/ Fog Lamps
	PE34 RR4	1	D, P	L					Red, Grained
		1	D, P	H					Red, Grained
	PE34 RW7	1	D, P	L					White Grained
		1	D, P	H					White Grained
		1	D, P	L					Black, Grained
		1	D, P	H					Black, Grained
-5	5263 904	1							ABSORBER, Front Energy
6	6034 944	1							RIVET, Blind, .187x.54
7									BRACKET AND PIN, Front Bumper Fascia Slide
	5263 820	1							Right
	5263 821	1							Left
8	6035 204	4							SCREW, Tapping, .19-16x.75
9	5263 812	1							AIR DAM
10									SCREW, Hex Head, M8x1.25x30, (NOT SERVICED) (Not Serviced)
11									BRACKET, License Plate Attaching Parts
	HV39 PD7AB	1	D, P						
	HV56 PD7AB	1							
12									BOLT, M8x1.25x30, (NOT SERVICED) (Not Serviced)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fascia, Rear
Figure 013-305

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5263 830	1							REINFORCEMENT, Fascia
-2	6100 051	4							NUT AND WASHER, Hex Nut-Coned Washer, M8 x 1.25, Reinforcement to Rail
3									FASCIA, Rear
	4741 656	1	D, P	H					
		1	D, P	L					
	4741 657	1	D, P	L					EUROPE
		1	Z	L	42				
		1	Z	H	42				
	PE35 RR4	1	D, P	H					Red, Grained
	4741 657	1	D, P	H					EUROPE
	PE35 RW7	1	D, P	H					White, Grained
		1	D, P	L					White, Grained
	PE35 RR4	1	D, P	L					Red, Grained
	PE35 RX8	1	D, P	H					Black, Grained
		1	D, P	L					Black, Grained
-4	5263 929	1	D, P						ABSORBER, Rear Energy
-5	6503 768	2							PIN, Rear Fascia Foam
6									BRACKET, Fascia
	5263 822	1							Right
	5263 823	1							Left
7	6035 204	6							SCREW, Tapping, .19-16x.75
8	6030 441	2							PIN, Retainer
9	6034 701	6							SCREW, .250-14x.875
10									NUT, .250-14, (NOT SERVICED) (Not Serviced)
11	3420 1358	2							NUT AND WASHER, Hex Nut-Sealing Washer, M6 x 1.00
12	5263 642	1							LICENSE PLATE KIT


DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




Group – 014









Fuel



Group – 014

Fuel

014-900 Air Intake System	014-1000 Speed Control	014-1100 Accelerator Pedal	
			

014-100 Tank, Fuel	014-200 Fuel Tank Filler Tube	014-300 Fuel Lines	014-400 Fuel Rail
			
014-500 Fuel Pump and Sending Unit	014-600 Throttle Body	014-700 Throttle Controls	014-800 Air Cleaner
			


GROUP 14 - Fuel

Illustration Title	Group-Fig. No.
Tank, Fuel	
Fuel Tank PL	Fig. 014-101
Fuel Tank Filler Tube	
Fuel Filler Tube PL	Fig. 014-201
Fuel Lines	
Fuel Lines PL	Fig. 014-301
Fuel Rail	
Fuel Rail PL	Fig. 014-401
Fuel Pump and Sending Unit	
Fuel Pump and Sending Unit PL	Fig. 014-501
Throttle Body	
Throttle Body PL	Fig. 014-601
Throttle Controls	
Throttle Controls PL	Fig. 014-701
Air Cleaner	
Air Cleaner PL	Fig. 014-801
Air Intake System	
Air Intake PL	Fig. 014-901
Speed Control	
Speed Control PL	Fig. 014-1001
Accelerator Pedal	
Accelerator Pedal PL	Fig. 014-1101



Fuel Tank PL
Figure 014-101

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									TANK, Fuel
	5278 035AB	1							Partial
	5278 089AB	1							Complete
2									STRAP, Fuel Tank
	4495 991	1							Left
	4495 992	1							Right
3	6502 863	1							SCREW AND WASHER, Hex Head, M8x1.25x35
-4									CAP, Fuel Tank Drain, (NOT REQUIRED)



DODGE - PLYMOUTH - CHRYSLER NEON (PL)-

DODGE - PL
SERIES
 L=Low Line
 H=High Line
 S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fuel Filler Tube PL
Figure 014-201


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: NAB=Leaded Fuel. ABD=Middle East Equipment.									
1	5278 007	1							TUBE, Fuel Filler NAB
	5278 223AB	1							w/Out NAB
2	J536 0058	1							VALVE, Fuel Tank Rollover Safety
3	4669 141	1	D, P						HOSE, Fuel
-4	4546 670	2	D, P						CLIP, Vapor Hose
		2	Z			42			
5	4682 674AB	1							CAP, Fuel Filler
6	4546 944	1							TUBE, Vapor, .25x.25
7	4495 653	1							HOSE, Fuel Filler
8	6502 091	1							CLAMP, Hose
9	5256 943AB	1							HOUSING, Fuel Filler
10									SCREW, (NOT SERVICED) (Not Serviced)
-11	6032 147	1				ECB			CLAMP, Vent Tube
-12	4696 849	1	D, P						LABEL, Unleaded Fuel Only, Canada
-13	4669 474	1							GROMMET, Vapor Harness
14	4682 676	1							TETHER, Fuel Filler Cap

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Fuel Lines PL
Figure 014-301



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: EBD=1.8L Engine. ECB=2.0L SOHC Engine. ECC=2.0L DOHC Engine. DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.									
1	4546 678	1	Z		42				TUBE, Fuel Supply Right Hand Drive
	4546 646	1	D, P						
2	4546 923	1	D, P			EBD, ECB			TUBE, Fuel Supply Single Overhead Cam
	4546 954	1	D, P			ECC			Dual Overhead Cam
	4546 965	1	Z		42	EBD, ECB			Right Hand Drive
3	4443 176	1							HOSE, Fuel, .31 I.D. 50 Foot Roll
4									CLIP, Tube
	4495 632	4	D, P						
		4	Z		42				
	4495 636	6	D, P						
	4546 674	1	Z		42				Front Rail
	4495 636	5	Z		42				
	4546 681	2	Z		42				Dash Export
5	4495 504	1	D, P						TUBE, Fuel Vapor
-6									CLAMP, Hose, 5/16" Stainless Steel, (NOT REQUIRED)
-7									ACCUMULATOR, Fuel, (NOT REQUIRED)
-8	4546 695	1							TUBE, Fuel Supply

DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

Fuel Rail PL Figure 014-401



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: EBD=1.8L Engine. ECB=2.0L SOHC Engine. ECC=2.0L DOHC Engine. DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.									
1									RAIL, Fuel
	4773 166	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4,		
							DD5		
	4798 399	1	D, P			ECB	DGC		
		1	Z		42	ECB	DGC		
		1	D, P			ECB	DD4,		
							DD5		
2									BOLT AND CONED WASHER, M8x1.25x18
	6101 506	2	D, P			EBD	DD4		
		2	Z		42	EBD	DD4		
		2	Z		42	ECB	DGC		
		2	D, P			ECB	DD4,		
							DD5		
		2	D, P			ECB	DGC		
		2	D, P			ECC	DGC		
		2	D, P			ECC	DD4,		
							DD5		
3									CLIP, Fuel Injector
	4418 257	4	Z		42	ECB	DGC		
		4	D, P			ECB	DGC		
		4	D, P			ECC	DGC		
		4	D, P			ECC	DD4,		
							DD5		
		4	D, P			EBD	DD4		
		4	Z		42	EBD	DD4		
		4	D, P			ECB	DD4,		
							DD5		
4									O RING KIT, Fuel Injector
	4897 125AA	4	D, P			ECB	DGC		
		4	Z		42	ECB	DGC		
		4	D, P			ECB	DD4,		
							DD5		
		4	Z		42	EBD	DD4		
		4	D, P			ECC	DGC		
		4	D, P			ECC	DD4,		
							DD5		
5									INJECTOR, Fuel
	4669 772	4	Z		42	ECB	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DGO = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fuel Rail PL
Figure 014-401



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		4	D, P			EBD	DD4		
		4	Z		42	EBD	DD4		
		4	D, P			ECB	DD4, DD5		
	4669 938	4	D, P			ECC	DGC		
	4669 772	4	D, P			ECB	DGC		
	4669 938	4	D, P			ECC	DD4, DD5		
6	4762 643	1	D, P			EBD	DD4		RETAINER PACKAGE, Quick Connect

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-

BODGE - TE
SERIES
 L=Low Line
 H=High Line
 S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI


TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Fuel Pump and Sending Unit PL
Figure 014-501

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4897 417AA	1							MODULE KIT, Fuel Pump/Level Unit
2	4897 419AA	1							FILTER KIT, Fuel
3	4897 418AA	1							LEVEL UNIT KIT, Fuel
4	4546 692	1							SEAL, Fuel Pump and Level Unit
5	4546 610	1							FILTER, Fuel Pressure Regulator
6	5200 5389	1							NUT, Fuel Pump Module
-7	5278 081AB-	1							STRAP, Ground, Up to 2-27-98



DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

Throttle Body PL
Figure 014-601



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: EBD=1.8L Engine. ECB=2.0L SOHC Engine. ECC=2.0L DOHC Engine. DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans. NAA=Federal Emissions. NAE=California/or High Altitude. NAB= Leaded Fuel.


1									THROTTLE BODY
	4669 801	1	D, P			ECB	DGC		
		1	Z		42	ECB	DGC		
	4669 709	1	D, P			ECC	DGC		
	4669 800	1	D, P			ECC	DD4,		
							DD5		
	4669 803	1	Z		42	EBD	DD4		
		1	D, P			ECB	DD4,		
							DD5		
		1	D, P			EBD	DD4		
2									SCREW AND WASHER, Hex Head, M8x1.25x60
	6503 181	2	D, P			EBD	DD4		
		2	Z		42	EBD	DD4		
		2	Z		42	ECB	DGC		
		2	D, P			ECB	DD4,		
							DD5		
		2	D, P			ECB	DGC		
		2	D, P			ECC	DGC		
		2	D, P			ECC	DD4,		
							DD5		
3									MOTOR, A.I.S.
	4874 432	1	D, P			EBD	DD4		
		1	Z		42	EBD	DD4		
		1	D, P			ECB	DGC		
		1	Z		42	ECB	DGC		
		1	D, P			ECC	DGC		
		1	D, P			ECC	DD4,		
							DD5		
		1	D, P			ECB	DD4,		
							DD5		
-4									GASKET, Throttle Body
	4667 360	1	D, P			EBD	DD4		
		1	Z		42	EBD	DD4		
		1	Z		42	ECB	DGC		
		1	D, P			ECB	DGC		
	4667 623	1	D, P			ECC	DGC		
	4667 360	1	D, P			ECB	DD4,		
							DD5		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

Throttle Body PL

Figure 014-601

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-5	4667 623	1	D, P			ECC	DD4, DD5		SENSOR KIT, Throttle Position
	4874 430	1	D, P			EBD	DD4		
		1	Z		42	EBD	DD4		
		1	Z		42	ECB	DGC		
		1	D, P			ECB	DGC		
	4874 433	1	D, P			ECC	DD4, DD5		
	4874 430	1	D, P			ECB	DD4, DD5		



DODGE - PLYMOUTH - CHRYSLER NEON (PL)-

DODGE - PL
SERIES
 L=Low Line
 H=High Line
 S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Throttle Controls PL
Figure 014-701

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: EBD=1.8L Engine. ECB=2.0L SOHC Engine. ECC=2.0L DOHC Engine. DGC=Automatic Trans. DD4=Manual Perf. Trans.
DD5=Manual Trans.


1	4658 444	1							CLIP, Latch
2	4669 266	1				EBD, ECB			BRACKET, Throttle Control Cable
3	4287 736	1	D, P						RETAINER, Throttle Cable
4	4669 498AB	1					DD4, DD5		BRACKET, Cable
	4669 863AB	1					DGC		
5	4669 706	1	D, P				DGC		CABLE, Throttle Control
	4891 152AA	1	D, P			ECC	DD4,		
	4669 698	1	D, P			EBD, ECB	DD5		
	4669 445	1	Z		42		DD4,		
	4669 446	1	Z		42		DD5		
6	5277 818	1					DGC		CABLE, Throttle Valve
7	5277 816AB	1					DGC		LEVER, Throttle Control
8	5214 416	1	D, P						GROMMET, Throttle Control Cable
9	4306 150	1	D, P						ISOLATOR, Throttle Cable
10	5212 384	1					DGC		NUT, Transmission Lever Bolt, M6x1.00
11									BOLT, Hex Head, M8x25, (NOT REQUIRED)
-12	5277 817	1					DGC		BRACKET, Cable
-13	4669 492	1							SHIELD, Throttle Control
-14									SCREW AND WASHER, Hex Head, M6x1x16
	6501 755	1					DD4, DD5		
		1					DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Air Cleaner PL Figure 014-801



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: EBD=1.8L Engine. ECB=2.0L SOHC Engine. ECC=2.0L DOHC Engine. DGC= Automatic Trans. DD4=Manual Perf Trans. DD5=Manual Trans.									
1	4669 885	1							SHELL, Air Cleaner
2	5277 576	2							LATCH, Air Cleaner
3	4213 583	1							FILTER, Air
4									HOSE, Air Cleaner to T/Body
	4669 795AC	1				EBD			
	4669 795	1				ECB			
	4669 796	1				ECC			
5									BRACKET, Air Cleaner
	4669 664	1	D, P			EBD	DD4		
		1	Z		42	EBD	DD4		
		1	Z		42	ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	D, P			ECB	DGC		
		1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
6									GROMMET, Air Cleaner Bracket
	4669 665	2	D, P			EBD	DD4		
		2	Z		42	EBD	DD4		
		2	Z		42	ECB	DGC		
		2	D, P			ECB	DD4, DD5		
		2	D, P			ECB	DGC		
		2	D, P			ECC	DGC		
		2	D, P			ECC	DD4, DD5		
7									BOLT AND WASHER, Hex Head, M8x1.25x20
	6101 799	2	D, P			EBD	DD4		
		2	Z		42	EBD	DD4		
		2	D, P			ECB	DGC		
		2	Z		42	ECB	DGC		
		2	D, P			ECB	DD4, DD5		
		2	D, P			ECC	DGC		
		2	D, P			ECC	DD4, DD5		
8									CLAMP, Air Cleaner to T/Body
	6504 142	2				ECB			

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special


LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DGO = All Automatics
DBB= All 5 Speed Manual

Air Cleaner PL
Figure 014-801




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2				ECC			
9	4669 419	1							COVER, Air Cleaner
-10	4669 666	2	D, P			EBD	DD4		SLEEVE, Grommet
		2	Z		42	EBD	DD4		
		2	Z		42	ECB	DGC		
		2	D, P			ECB	DGC		
		2	D, P			ECC	DGC		
		2	D, P			ECC	DD4,		
		2	D, P			ECB	DD4,		
							DD5		
-11									BUMPER, Air Cleaner Mounting
	4669 688	1	D, P			EBD	DD4		Bracket
		1	Z		42	EBD	DD4		
		1	Z		42	ECB	DGC		
		1	D, P			ECB	DD4,		
							DD5		
		1	D, P			ECB	DGC		
		1	D, P			ECC	DGC		
		1	D, P			ECC	DD4,		
							DD5		
-12									CLIP, Transducer
	4669 764	1				EBD			
		1				ECB			
		1				ECC			
-13									HOSE, Air Make-up
	4777 157	1				ECB			
		1				EBD			

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

Air Intake PL
Figure 014-901



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


NOTE: EBD=1.8L Engine. ECB=2.0L SOHC Engine. ECC=2.0L DOHC Engine.

1	4891 150AA	1				ECB			DUCT, Fresh Air
	4669 207	1	D, P			ECC			
	4669 674	1				EBD			
2	4669 484	1							SHIELD, Throttle Body
3	6503 823	1							WINGNUT, M6-1.00
4	6504 241	1				EBD, ECB			STUD

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

Speed Control PL
Figure 014-1001



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


NOTE: EBD=1.8L Engine. ECB=2.0L SOHC Engine. ECC=2.0L DOHC Engine. DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.

1									CABLE, Speed Control
	4669 792	1					DGC		
	4669 793	1					DD4, DD5		
2									CLIP, Cable
	6025 867	1					DD4, DD5		
		1					DGC		
3	4669 582AC	1							HARNESS, Vacuum Speed Control
4									TEE, Hose, .25x.25x.25, (NOT REQUIRED)
5	6502 493	1							NUT, Hex Flange Serration, M6x1
6	4874 874	1							RESERVOIR PACKAGE, Speed Control
7									SERVO, Speed Control
	4669 979	1					DD4, DD5 DGC		
		1							
8	6030 441	2							PIN, Retainer
9	4669 585	1							BRACKET, Speed Control Servo
10									SCREW, (NOT SERVICED) (Not Serviced)
-11	3780 508	2							HOSE, Vacuum, 1/8" I.D. 50 Foot Roll
-12	4104 272	1							TUBE, Roll Stock, .25 I.D.
-13	6100 840	2							NUT, Spring

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

Accelerator Pedal PL
Figure 014-1101

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PEDAL AND BRACKET, Accelerator
	4669 794	1	D, P						
	4669 982	1	Z		42				
2	6500 274	2							LOCK NUT, M6x1.0x6
-3	4201 048	1	D, P						SEAL, Accelerator Shaft Bracket



DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 017

Rear Suspension


GROUP 17 - Rear Suspension

Illustration Title

Group-Fig. No.


Rear Suspension

Suspension, Rear Fig. 017-105



<div>017-100</div> <div>Rear Suspension</div> <div></div>			
---	--	--	--

Suspension, Rear
Figure 017-105




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Code SDC= Firm Feel Suspension, Used Standard on H,S Series, Optional on L Series Neon.									
NOTE: Touring Suspension, Also Known as Firm Feel Suspension (SDC).									
NOTE: Sales Code ZAR Thru ZNV= Spring Group Types, Found on Individual Vehical Sales Code Listing.									
NOTE: Sales Code SDF= European Homologation Suspension									
NOTE: Sales Code SDK= Competition Suspension									
NOTE: Sales Code SDE= Sport Suspension									
1	4656 069	2	D, P						STRUT, Rear Suspension
	4656 070	2	D, P						with(SDC)
	4656 071	2							with(SDE)
	4656 196	2	D, P						with(SDF)
2	4626 210	4							with(SDK)
3	4626 184	2							WASHER, Strut
4	4626 201	2							BUMPER, Suspension Jounce
5	4626 757	2							SHIELD, Shock Absorber Dust
6	4656 282	1							ISOLATOR, Spring Seat
	4656 284	1							SPRING, Rear Coil
	4656 281	1							w/(SDC,SDE,SDF, SDK) (ZAS, ZNS) Tag #282
	4656 283	1							w/(SDC,SDE,SDF, SDK) (ZAU, ZNU) Tag # 248
	4656 335	1							w/(SDC,SDE,SDF, SDK) (ZAR, ZNR) Tag #281
7	4626 182	2							w/(SDC,SDE,SDF, SDK) (ZAT, ZNT) Tag #283
8	6501 094	2							w/(SDC,SDE,SDF, SDK) (ZAV, ZNV) Tag# 335
9	6502 964	8							MOUNT, Strut
									NUT, Hex Lock, M14 x 2.00
									NUT AND WASHER, Hex Nut-Coned
									Washer, M8 x 1.25
10	6503 542	4							NUT AND RETAINER, Hex Flange
									Locking, M14 x 2.00
11	4626 185	2							ARM, Lateral
	4626 188	2							(Non-Adjusting)
12	6503 203	2							SCREW, Hex Head, M12x1.75x230.50
13	6502 796	2							SCREW, Hex Head, M12x1.75x242
14	6503 253	6							WASHER, Flat, 12mm ID
15	4626 771	2							CAM, Alignment
16	6502 526	4							NUT, Hex Locking, M12x1.75
17	4626 196	8							BUSHING, Tension Strut
18	4626 309	4							RETAINER, Tension Strut

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DGO = All Automatics					
				DBB= All 5 Speed Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Suspension, Rear
Figure 017-105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
19									BRACKET, Tension Strut
	4626 262	1							Right
	4626 263	1							Left
20	6502 936	4							SCREW AND WASHER, Hex Head Pilot Point, M12x1.75x45
21	6502 765	4							BOLT, Hex Head, Clevis Bracket
22	4773 957	4							BOLT PACKAGE, Camber Adjustment
23	4626 193	2							KNUCKLE, Rear
24	4626 763	1							BAR, Rear Sway
25	4626 767	2							CUSHION, Sway Eliminator
26									BRACKET, Stabilizer Bar Link
	4626 768	1							Rear Sway Bar Right
	4626 769	1							Rear Sway Bar Left
27	4626 766	2							LINK, Sway Eliminator
28	6502 803	4							BOLT AND WASHER, Hex Head, M10x1.50x55
29	6502 696	2							NUT, Hex Flange Lock, M10x1.5
30									BRACKET, Stabilizer Bar Link
	4626 764	1							Rear Sway Bar Link Right
	4626 765	1							Rear Sway Bar Link Left
31									SCREW, with Washer M10x1.50x50. 00 (Not Serviced), (NOT SERVICED) (Not Serviced)
32	4626 189	2							STRUT, Rear Suspension, Brake Tensioner
33	6505 233AA	4							NUT, M12x1.75

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				ENGINE		TRANSMISSION	
SERIES	LINE	BODY		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB		EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic	
H=High Line	D=Dodge			EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic	
S=Special	D=Chrysler					DG0 = All Automatics	
	P=Plymouth					DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 019

Steering

GROUP 19 - Steering

Illustration Title

Group-Fig. No.

Steering Wheel

Wheel, Steering Fig. 019-105

Steering Column

Column, Steering, Upper and Lower Fig. 019-205

Steering Gear

Gear, Rack and Pinion Fig. 019-305

Steering Linkage


Tie Rod Ends Fig. 019-410







Power Steering Pump

Pump, Assembly and Mounting Fig. 019-505


Power Steering Hoses

Hoses, Power Steering Fig. 019-705



019-100 Steering Wheel	019-200 Steering Column	019-300 Steering Gear	019-400 Steering Linkage
			
019-500 Power Steering Pump	019-700 Power Steering Hoses		
			

Wheel, Steering
Figure 019-105




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Code DBB= All Manual Trans.									
Note: Sales Code DGO= All Auto. Trans.									
-1	4664 197	1							DAMPER, Steering Wheel
2									AIR BAG, Driver
	QG75 LAZAC	1							Agate
	QG75 SKBAC	1							Dark Camel
3									WHEEL, Steering
	JF56 SKB	1							Dark Camel Tan with out Leather Wrapped
	JF56 TAZ	1							Agate with out Leather Wrapped
	JF82 SKB	1							Dark Camel Tan with Leather Wrapped
	JF82 TAZ	1							Agate with Leather Wrapped
4							DGO DBB		NUT, Hex Flange Lock
	6505 248AA	1							
5									CAP, Steering Wheel
	HY38 DX9	1							Flat Black, Right
	HY39 DX9	1							Flat Black, Left
-6									SWITCH, Speed Control
	PW68 DX9	1							Flat Black (On/Off)
	PW69 DX9	1							Flat Black (Set/Resume)
7	6505 301AA	2							SCREW, M6X1.00X12.00
8									CLOCKSPRING
	4793 483AB	1							with out Speed Control (Three Circuit)
	4793 485AB	1							with Speed Control (Five Circuit)
9	6034 779	4							SCREW, Pan Head, .164-32x.50
10									COVER, Steering Wheel Back
	QM01 SKB	1							Dark Camel Tan
	QM01 TAZ	1							Agate
-11	4783 054	1							LABEL, Airbag, Warning English
-12									LABEL, Air Bag Warning
	4664 164	1	D, P						
		1	Z						

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DGO = All Automatics					
				DBB= All 5 Speed Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Column, Steering, Upper and Lower Figure 019-205



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Coupling Assembly Lower See Rack and Pinion Note: Sales Code= ABB European Market Requirements Note: Sales Code= ABU United Kingdom Market Requirements Note: Sales Code= DBB All Manual Trans. Note: Sales Code= DG0 All Auto. Trans.									
1	4690 494AB	1	D, P				DBB		COLUMN, steering, non tilt
	4690 495AB	1	D, P				DG0		
-2	4690 591AA-	1					DBB		COLUMN, Steering, Tilt
	4690 592AA-	1					DG0		with(ABB,ABU)
	4690 492AB-	1					DBB		with(ABB,ABU)
	4690 493AB-	1					DG0		
-3	4470 934	1	D, P				DG0		COUPLING, Steering, Upper
									Steering
-4	5291 069	1	Z						LINER, Steering Column Cover
	5291 172	1	D, P						with Tilt
-5	4147 362	1					DG0		BEARING, Steering Column Shaft
		1					DBB		
6	LG15 TAZ	1					DBB		SHROUD, Lock Housing
	LG15 TKB	1					DBB		Upper and Lower Agate
	LG14 TAZ	1					DG0		Upper and Lower Dark Camel Tan
	LG14 TKB	1					DG0		Upper and Lower Agate
7	4793 150	1							Upper and Lower Dark Camel Tan
-8	4793 313	1							SWITCH, Multifunction
9	6503 395	2							SWITCH, Intermittent Wiper
									SCREW AND WASHER, Self
									Tapping, M4x.7x14
10	6503 182	4							NUT AND WASHER, Hex Lock Nut-
									Coned Teeth Washer, M8 x 1.25
11	6502 413	1							BOLT, Special Head Locking, M8x1.
									25x42.50
12	6034 206	1							PIN, Hair, .250 Dia x.766x.059
13	6034 978	4							SCREW, Hex Flange Head Tapping,
									.19-16x1.00, Cover
14	4664 181	1							SEAL, Dash Cover To Coupling
-15									BUTTON, Gearshift Knob, Ignition
									Key Remote w/Manual Trans.
									(Service in Column), (NOT
									SERVICED) (Not Serviced)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Column, Steering, Upper and Lower Figure 019-205



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-16									SHROUD, Lock Housing, Upper (Service in Item 6), (NOT SERVICED) (Not Serviced)
-17									LEVER, Tilt (Service in Column), (NOT SERVICED) (Not Serviced)
-18									CABLE PACKAGE, Ignition, Auto TransAxle Shifter Ignition Inter-Lock (See Group 21), (NOT SERVICED) (Not Serviced)
19	4664 123 4664 157	1 1	D, P Z						COVER, Steering Column
-20	4690 327	1					DG0 DBB		O RING, Tilt Handle Damper
21	6035 434	3							SCREW AND WASHER, Pan Head, Shroud Mounting
22	5274 442	1							SHIELD, Steering Coupling
-23	4690 023	2 2					DG0 DBB		SCREW, Pan Head, .25-20x.62

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear, Rack and Pinion
Figure 019-305

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Code: SBA= Standard Power Steering
Note: Sales Code SBB= Firm Feel Power Steering
Note: Sales Code DBB= All Manual Trans.
Note: Sales Code ECB= 2.0L 4 Cyl. SOHC 16 Valve

1									GEAR, Power Steering with (SBB)
	4626 971AC	1	D, P						
	4626 867AC	1	Z						
	4626 890AD	1	D, P						with(SBA)
2	4762 861AA	1	D, P						END PACKAGE, Tie Rod
3									JAM NUT, Outer Tie Rod Package Consist of 1 Nut and 1 Collar
	5015 316AA	1	Z						
		1	D, P						Package Consist of 1 Nut and 1 Collar
4	4626 648	1							BRACKET, Steering Gear
5	3643 471	1							BUSHING, Steering Gear
6	4664 174	1	D, P						COUPLING, Steering, Lower Gear to Column
-7	4664 211	1	Z						COUPLING, Power Steering Pump
8	6503 985	1							PIN, Spring, M8.4x30x1.60
9	6501 866	4							BOLT AND WASHER, Rack and Pinion Mounting, M10x1.50x50.00
10	6503 046	2							NUT, Hex Lock, M12 x 1.25
11	4626 650	1							BRACKET, Steering Gear, Lower
12	5274 442	1							SHIELD, Steering Coupling


DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Tie Rod Ends
Figure 019-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Sales Code: ECB= 2.0L 4 Cyl. SOHC 16 Valve									
1	5015 316AA	1	Z						JAM NUT, Outer Tie Rod Package Consist of 1 Nut and 1 Collar
		1	D, P						Package Consist of 1 Nut and 1 Collar
2	4762 861AA	1	D, P						END PACKAGE, Tie Rod
3	6503 046	2							NUT, Hex Lock, M12 x 1.25



DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Pump, Assembly and Mounting

Figure 019-505

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PUMP, Power Steering
	4626 834	1	Z						
	4626 897	1	D, P						
2	4668 172	1							BRACKET, Power Steering Pump
3	6101 524	2							BOLT AND WASHER, Hex Head, M10x1.5x30
4	6101 462	3							SCREW AND WASHER, Hex Head, M8x1.25x30
5	4612 242	1							PULLEY, Power Steering Pump
6	4612 133	1							BRACKET, Power Steering Pump



DODGE - PLYMOUTH - CHRYSLER NEON (PL)-

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Hoses, Power Steering Figure 019-705



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Code

[ECB]=2.0L 4 Cyl. SOHC 16 Valve

[ECC]=2.0L 4 Cyl. DOHC 16 Valve

[EBD]=1.8L 4 Cyl. SOHC 16 Valve

[DGC]=3 Sp. Auto Trans.

[ACR]=COMPETITION GROUP

1	4626 753	1	D, P			ECC			RESERVOIR, Power Steering Pump
	4626 846	1	D, P			ECB			Dual Overhead Cam Rear Exhaust
	4626 849	1	Z						Single Overhead Cam
	4656 463AA	1	D, P			EBD			
2	4798 280	1	Z						CAP, Power Steering Reservoir
	4695 775	1	D, P			EBD			Black
3	6504 174	3	D, P			EBD,			SCREW, Hex Flange Head, M8x1.
						ECB			25x23, Single Overhead Cam
-4	6035 017	3	Z						SCREW, Hex Flange Head, .25-
									14x1.00, Reservoir Mounts
-5	6504 175	2	D, P			ECC			NUT AND WASHER, Hex, M8x1.25,
									Reservoir Mount Dual Overhead
									Cam Rear Exhaust
6	4626 755	1	D, P			ECC			HOSE, Power Steering Pressure
	4626 889	1	Z						Dual Overhead Cam Rear Exhaust
	4656 087	1	D, P			ECB			Single Overhead Cam, with [ACR]
	5274 432	1	D, P			EBD,			Single Overhead Cam
						ECB			
-7	4626 848	1	Z						BRACKET, Power Steering
	4626 882	1	Z						Mount Reservoir Assembly
8	4626 690	1	D, P			ECB			BOLT, Banjo
	4626 888	1	Z						Power Steering Hose
	4626 690	1	D, P			ECC			Power Steering Hose
		1	D, P			EBD,			Power Steering Hose
						ECB			
9									O RING, Power Steering Banjo
									Fitting
	4361 097	1	Z						
		1	D, P			ECC			
		1	D, P			EBD,			
						ECB			

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES

L=Low Line

H=High Line

S=Special

LINE

Z=Chrysler, RHD

D=Dodge

D=Chrysler

P=Plymouth

BODY

41=4 Door, 104WB

ENGINE

ECB=2.0L 4 Cyl., 16V SMPI

EJD=1.6L 4 Cyl16V SOHC

EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION

DD5 = 5 Speed Manua

DGC = 3 Speed Automatic

DGL = 4 Speed Automatic


DG0 = All Automatics

DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Hoses, Power Steering Figure 019-705



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	D, P			ECB			
10	4626 754	1	D, P			ECC			HOSE, Power Steering Pressure Dual Overhead cam Rear Exhaust
	4626 832	1	D, P			EBD, ECB			Single Overhead Cam
-11	4626 878	1	Z						HOSE, Pump Supply
12	4626 891	1	Z						HOSE, Power Steering Return
	4626 896	1	D, P						
13	6503 270	2							SCREW, Hex Head, M8x1.25x30, Bracket Mounting
14	5269 625	1	D, P						SWITCH, Power Steering
15	5274 438	1	D, P			EBD, ECB, ECC			BRACKET, Power Steering Hose
16									CLAMP, Supply Hose, 26 mm Diameter
	6503 422	4	D, P						
		2	Z						
-17	4626 880	1	Z						INSERT, Rubber Grommet
18									O RING, Power Steering Hose
	4626 691	1	D, P			EBD, ECB			with 4 Tabs 17.475 ID 1.60 Thick
		1	D, P			ECB			with 4 Tabs 17.475 ID 1.60 Thick
		1	D, P			ECC			with 4 Tabs 17.475 ID 1.60 Thick
19									HOSE, Power Steering Return
	4626 686	1	D, P						
	4626 921	1	Z						
20									O RING, Power Steering Hose
	5205 254	1	D, P			EBD, ECB			
		1	D, P			ECC			
-21	4626 998AB-	1							CLIP, Power Steering Tube
22	4626 694	1	D, P			ECB			CLIP, Power Steering Tube
23									CLAMP, Hose
	6034 853	1	Z						
		1	D, P						

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI


TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DGO = All Automatics
DBB= All 5 Speed Manual









AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 31TH


Automatic Transaxle 3 Speed



31TH-100 Transaxle Assembly	31TH-200 Case and Extension	31TH-300 Oil Pump	31TH-400 Gear Train
			
31TH-500 Bands, Reverse and Kickdown	31TH-600 Governor	31TH-700 Valve Body	31TH-800 Differential
			

Group – 31TH

Automatic Transaxle 3 Speed


31TH-1200 Gearshift Controls			
			

GROUP 31TH - Automatic Transaxle 3 Speed

Illustration Title	Group-Fig. No.
Transaxle Assembly	
Transaxle Assembly, (DGC)	Fig. 31TH-120
Case and Extension	
Transaxle Mounting and Misc. Parts ,(DGC)	Fig. 31TH-203
Case, Extension and Retainer, (DGC)	Fig. 31TH-215
Oil Pump	
Pump, Oil With Reaction Shaft. (DGC)	Fig. 31TH-320
Gear Train	
Clutch, Rear And Input Shaft Automatic Transaxle, (DGC)	Fig. 31TH-415
Shaft, Transfer Automatic Transaxle, (DGC)	Fig. 31TH-425
Clutch, Front Automatic Transaxle, (DGC)	Fig. 31TH-435
Gears, Front Annulus And Sun Automatic Transaxle, (DGC)	Fig. 31TH-445
Shaft, Output, Rear Carrier, Reverse Drum, And Overruning Clutch Automatic Transaxle,(DGC)	Fig. 31TH-460
Bands, Reverse and Kickdown	
Bands, Reverse and Kickdown, (DGC)	Fig. 31TH-520
Governor	
Governor Automatic Transaxle, (DGC)	Fig. 31TH-620
Valve Body	
Valve Body, (DGC)	Fig. 31TH-715
Servos, Accumulator Piston and Springs, (DGC)	Fig. 31TH-725
Parking Sprag, (DGC)	Fig. 31TH-740
Differential	
Differential, (DGC)	Fig. 31TH-820
Gearshift Controls	
Controls, Gearshift, Floor Shaft, (DGC)	Fig. 31TH-1201



Transaxle Assembly, (DGC)
Figure 31TH-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: SALES CODES: DGC = 3 Spd Auto Trans 31TH

ECB = 2.0L 4 CYL SOHC

ECC = 2.0L 4 CYL DOHC


1									TRANSAXLE PACKAGE, WITH TORQUE CONVERTER
	4883 102AC	1				ECC	DGC		Production No. 4659960
	4883 104AC	1	D, P			ECB	DGC		Production No. 4659870
		1	Z			ECB	DGC		Production No. 4659870
	4883 103AC	1	D, P			ECB	DGC		Production # [04659962]
-2	4796 384AB-	1					DGC		CONVERTER PACKAGE, Torque

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE				TRANSMISSION
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI				DD5 = 5 Speed Manua
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC				DGC = 3 Speed Automatic
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI				DGL = 4 Speed Automatic
	P=Plymouth								DG0 = All Automatics
									DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

**Transaxle Mounting and Misc. Parts ,(DGC)
Figure 31TH-203**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DGC = 3 Spd Auto Trans 31TH									
ECB = 2.0L 4 Cyl - SOHC									
ECC = 2.0L 4 Cyl - DOHC									
1	4670 323	1					DGC		LEVER, Manual Control
2	4567 147	1					DGC		COVER, Transaxle Converter
3	6501 755	1					DGC		SCREW AND WASHER, Hex Head, M6x1x16
4	6503 244	1				ECB	DGC		STUD
5	6501 742	3				ECC	DGC		SCREW, Hex Head, M12x1.75x50
		2				ECB	DGC		
6	4670 198	1					DGC		INDICATOR, Transmission Fluid Level
7	6101 752	2					DGC		SCREW AND WASHER, Hex Head, M10x1.5x28
8	4668 542AA	1					DGC		TUBE, Transmission Oil Filler
9	6030 608	1					DGC		SEAL, Oil Filler Tube
10	2408 143	1				ECC	DGC		WASHER, Switch
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
11	3747 361	1				ECC	DGC		SWITCH, Neutral, Safety, Back Up
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
12	6030 035	7	D, P			ECB	DGC		PLUG, Pressure Check
		7	Z			ECB	DGC		Europe
		7				ECC	DGC		
		7	D, P			ECB	DGC		
13	4531 202	2	D, P			ECB	DGC		CONNECTOR, Oil Cooler Hose
		2	Z			ECB	DGC		Europe
		2				ECC	DGC		
		2	D, P			ECB	DGC		
14	5240 849	2	D, P			ECB	DGC		DOWEL, Block To Clutch Housing
		2	Z			ECB	DGC		
15	4670 196	1					DGC		COVER, Transaxle Converter
16	4668 270AB	1					DGC		COLLAR, Structural, Oil Pan To Transmission
17	4668 118AB	1					DGC		STRUT, Engine Roll

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Transaxle Mounting and Misc. Parts ,(DGC)
Figure 31TH-203




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
18	6500 158	2					DGC		SCREW AND WASHER, Hex Head, M10x1.5x25

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY			ENGINE			TRANSMISSION
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB			ECB=2.0L 4 Cyl., 16V SMPI			DD5 = 5 Speed Manua
H=High Line	D=Dodge					EJD=1.6L 4 Cyl16V SOHC			DGC = 3 Speed Automatic
S=Special	D=Chrysler					EBD=1.8L 4 Cyl16V SEFI			DGL = 4 Speed Automatic
	P=Plymouth								DG0 = All Automatics
									DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case, Extension and Retainer, (DGC)
Figure 31TH-215



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DGC = 3 Spd Auto Trans 31TH									
EBD = 1.8L 4 Cyl - SOHC									
ECB = 2.0L 4 CYL SOHC									
ECC = 2.0L 4 CYL DOHC									
-1									GASKET AND SEAL PACKAGE, Transaxle
	4798 152AB-	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1	D, P			ECB	DGC		Europe
		1				ECC	DGC		
-2	4798 215AB-	1	D, P			ECB	DGC		OVERHAUL PACKAGE, Transaxle
		1	Z			ECB	DGC		
		1	D, P			ECB	DGC		Europe
		1				ECC	DGC		
3	6501 474	2	D, P			ECB	DGC		BOLT, Hex Head, M8x1.25x16
		4	Z			ECB	DGC		
		2	D, P			EBD	DD4		Europe
		12				ECC	DGC		
4									PAN, Transaxle Differential Oil
	4659 738	1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
5	4659 237	1	D, P			ECB	DGC		CUP, Differential Side Bearing
		1	Z			ECB	DGC		Europe
		1				ECC	DGC		
		1	D, P			ECB	DGC		
6	4659 257	AR				ECC	DGC		SPACER, Final Drive, 0.98mm
		AR	D, P			ECB	DGC		
		AR	D, P			ECB	DGC		Europe
		AR	Z			ECB	DGC		
-7	4659 258	1				ECC	DGC		SPACER, Final Drive, 1.02mm
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
-8	4659 259	AR	D, P			ECB	DGC		SPACER, Final Drive, 1.06mm
									Europe

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case, Extension and Retainer, (DGC)
Figure 31TH-215



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		AR	Z			ECB	DGC		
		AR				ECC	DGC		
		AR	D, P			ECB	DGC		
-9	4659 260	AR	D, P			ECB	DGC		SPACER, Final Drive, 1.10mm
		AR	D, P			ECB	DGC		Europe
		AR	Z			ECB	DGC		
		AR				ECC	DGC		
-10	4659 261	AR				ECC	DGC		SPACER, Final Drive, 1.14mm
		AR	D, P			ECB	DGC		
		AR	D, P			ECB	DGC		Europe
		AR	Z			ECB	DGC		
		AR				ECC	DGC		
-11	4659 262	AR				ECC	DGC		SPACER, Final Drive, 1.18mm
		AR	D, P			ECB	DGC		
		AR	D, P			ECB	DGC		Europe
		AR	Z			ECB	DGC		
		AR				ECC	DGC		
-12	4659 263	AR				ECC	DGC		SPACER, Final Drive, 1.22mm
		AR	D, P			ECB	DGC		
		AR	D, P			ECB	DGC		Europe
		AR	Z			ECB	DGC		
-13	4659 264	AR				ECC	DGC		SPACER, Final Drive, 1.26mm
		AR	D, P			ECB	DGC		
		AR	D, P			ECB	DGC		Europe
		AR	Z			ECB	DGC		
		AR				ECC	DGC		
-14	4659 265	AR				ECC	DGC		SPACER, Final Drive, 1.30mm
		AR	D, P			ECB	DGC		
		AR	D, P			ECB	DGC		Europe
		AR	Z			ECB	DGC		
		AR				ECC	DGC		
-15	4659 266	AR				ECC	DGC		SPACER, Final Drive, 1.34mm
		AR	D, P			ECB	DGC		
		AR	D, P			ECB	DGC		Europe
		AR	Z			ECB	DGC		
		AR				ECC	DGC		
-16	4659 267	AR				ECC	DGC		SPACER, Final Drive, 1.38mm
		AR	D, P			ECB	DGC		
		AR	D, P			ECB	DGC		Europe

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case, Extension and Retainer, (DGC)
Figure 31TH-215



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		AR	Z			ECB	DGC		
-17	4659 268	AR				ECC	DGC		SPACER, Final Drive, 1.42mm
		AR	D, P			ECB	DGC		Europe
		AR	D, P			ECB	DGC		
-18	4659 269	AR	Z			ECB	DGC		SPACER, Final Drive, 1.46mm
		AR	D, P			ECB	DGC		Europe
-19	4659 270	AR	Z			ECC	DGC		SPACER, Final Drive, 1.50mm
		AR	D, P			ECB	DGC		Europe
-20	4659 271	AR	D, P			ECB	DGC		SPACER, Final Drive, 1.54mm
		AR	Z			ECB	DGC		
		AR	D, P			ECC	DGC		
-21	4659 272	AR	D, P			ECB	DGC		SPACER, Final Drive, 1.58mm
		AR	Z			ECB	DGC		Europe
		AR	D, P			ECC	DGC		
-22	4659 273	AR	D, P			ECB	DGC		SPACER, Final Drive, 1.62mm
		AR	Z			ECB	DGC		
		AR	D, P			ECC	DGC		Europe
-23	4659 274	AR	D, P			ECB	DGC		SPACER, Final Drive, 1.66mm
		AR	Z			ECB	DGC		Europe
		AR	D, P			ECC	DGC		
-24	4659 275	AR	D, P			ECB	DGC		SPACER, Final Drive, 1.70mm
		AR	D, P			ECC	DGC		
		AR	D, P			ECB	DGC		Europe
		AR	Z			ECB	DGC		
-25									SPACER, Final Drive, 2.02mm

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case, Extension and Retainer, (DGC)
Figure 31TH-215



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4659 283	AR				ECC	DGC		
		AR	D, P			ECB	DGC		
		AR	D, P			ECB	DGC		Europe
		AR	Z			ECB	DGC		
-26									SPACER, Final Drive, 2.06mm
	4659 284	AR				ECC	DGC		
		AR	D, P			ECB	DGC		
		AR	D, P			ECB	DGC		Europe
		AR	Z			ECB	DGC		
27									DAM, Differential Extension Oil
	4659 290	1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		
28									RETAINER, Transmission Differential Bearing
	4659 736	1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
-29									SCREW, Flange Head, M8x1.25x33
	6500 511	4				ECC	DGC		
		4	D, P			ECB	DGC		
		4	D, P			ECB	DGC		Europe
		4	Z			ECB	DGC		
30									SEAL
	4412 522AB	1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
31									COVER, Transaxle Rear
	4659 342	1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
-32									BOLT, Hex Head, M8x1.25x16
	6501 474	2	D, P			ECB	DGC		
		2	Z			ECB	DGC		
		2				ECC	DGC		
		2	D, P			ECB	DGC		Europe
33									SEAL, Manual Lever Shaft
	3878 447	1	D, P			ECB	DGC		Europe

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case, Extension and Retainer, (DGC)
Figure 31TH-215



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		
34	4471 573	1	D, P			ECB	DGC		PAN, Transmission Oil Europe
		1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		
-35									MAGNET, Transmission
	4446 728	1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
36									BOLT, Hex Head, M8x1.25x16
	6501 474	2	D, P			ECB	DGC		
		2	Z			ECB	DGC		
		2				ECC	DGC		
		2	D, P			ECB	DGC		Europe
37	5013 040AA	1	D, P			ECB	DGC		CASE, Transmission
-38									DOWEL, M6x16
	6100 994	1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
39									BEARING CUP, Differential
	4567 022	1	D, P			ECB	DGC		Europe
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
40									RETAINER, Transmission Extension Oil
	4567 494	1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
		1				ECC	DGC		
41									EXTENSION PACKAGE, Transmission Rear
	4549 219	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
-42									SCREW, Flange Head, M8x1.25x33

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special


LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual


Case, Extension and Retainer, (DGC)
Figure 31TH-215



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6500 511	4	D, P			ECB	DGC		
		4	D, P			ECB	DGC		Europe
		4	Z			ECB	DGC		
		4				ECC	DGC		
43									SEAL
	4412 522AB	1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				TRANSMISSION	
SERIES	LINE	BODY	ENGINE	DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DGC = 3 Speed Automatic	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGL = 4 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DG0 = All Automatics	
	P=Plymouth			DBB= All 5 Speed Manual	

Pump, Oil With Reaction Shaft. (DGC)
Figure 31TH-320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DGC = 3 Spd Auto Trans 31TH									
ECB = 2.0L 4 CYL - SOHC									
ECC = 2.0L 4 CYL - DOHC									
1	4412 525	1	D, P			ECB	DGC		PUMP, Transmission Oil
		1	Z			ECB	DGC		Europe
		1				ECC	DGC		
		1	D, P			ECB	DGC		
2	4567 026	1	D, P			ECB	DGC		THRUST WASHER, Oil Pump
		1	Z			ECB	DGC		Europe
		1				ECC	DGC		
		1	D, P			ECB	DGC		
3	5212 305	2	D, P			ECB	DGC		SEAL, Pump Reaction Shaft
		2	Z			ECB	DGC		Europe
		2				ECC	DGC		
		2	D, P			ECB	DGC		
4	6500 211	6	Z			ECB	DGC		BOLT, Hex Head, M8x1.25x19
		6				ECC	DGC		
		6	D, P			ECB	DGC		
		6	D, P			ECB	DGC		Europe
5	4269 661	1	D, P			ECB	DGC		GASKET, Transmission Oil Pump
		1	Z			ECB	DGC		Europe
		1				ECC	DGC		
		1	D, P			ECB	DGC		
6									SCREW AND WASHER, Hex Flange
	6501 106	7	D, P			ECB	DGC		Head, M8x1.25x25
		7	Z			ECB	DGC		Europe
		7				ECC	DGC		
		7	D, P			ECB	DGC		
7	4659 945	1	D, P			ECB	DGC		SEAL, Oil Pump
		1	Z			ECB	DGC		Europe
		1				ECC	DGC		
		1	D, P			ECB	DGC		
8	2466 796	1	Z			ECB	DGC		BUSHING, Front Pump
		1	D, P			ECB	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Pump, Oil With Reaction Shaft. (DGC)
Figure 31TH-320




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	D, P			ECB	DGC		Europe
		1				ECC	DGC		
9	4412 475	1				ECC	DGC		SEAL, Impeller Hub, 57.25mm OD
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY			ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB			ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth					DG0 = All Automatics			
						DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Clutch, Rear And Input Shaft Automatic Transaxle, (DGC)
Figure 31TH-415




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DGC = 3 Spd Auto Trans 31TH ECB = 2.0L 4 Cyl - SOHC ECC = 2.0L 4 Cyl - DOHC									
1	4377 047	3	D, P			ECB	DGC		SEAL, Input Shaft Europe
		3	Z			ECB	DGC		
		3				ECC	DGC		
		3	D, P			ECB	DGC		
2	4348 397	1				ECC	DGC		INPUT SHAFT, Transaxle
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
3	4269 593	1				ECC	DGC		SEAL, Rear Clutch Retainer, 1.75 OD
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
4	5205 680	1	D, P			ECB	DGC		THRUST WASHER, Rear Clutch Europe
		1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		
5	4348 856	1				ECC	DGC		RETAINER, Transmission Rear Clutch
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
6	5205 691	1	Z			ECB	DGC		SNAP RING, Input Shaft
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		
7	5224 039	AR				ECC	DGC		THRUST WASHER, Output Shaft, 1. 98-2.03mm
		AR	D, P			ECB	DGC		
		AR	D, P			ECB	DGC		Europe
		AR	Z			ECB	DGC		
-8									THRUST WASHER, Output Shaft, 2. 16-2.21mm

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Clutch, Rear And Input Shaft Automatic Transaxle, (DGC)
Figure 31TH-415




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5224 040	AR				ECC	DGC		
		AR	D, P			ECB	DGC		
		AR	D, P			ECB	DGC		Europe
		AR	Z			ECB	DGC		
-9									THRUST WASHER, Output Shaft, 2. 34-2.39mm
	5224 041	AR				ECC	DGC		
		AR	D, P			ECB	DGC		
		AR	D, P			ECB	DGC		Europe
		AR	Z			ECB	DGC		
10	5212 373	1	D, P			ECB	DGC		SEAL, Rear Clutch Piston
		1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
11									PISTON, Clutch
	4207 202	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
-12									CHECK BALL, Dia-.187
	0147 483	1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
13									SEAL, Rear Clutch Piston
	5205 701	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
14									SPRING, Rear Clutch Piston
	4269 623	1	D, P			ECB	DGC		Europe
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
15									SPRING, Rear Clutch
	4207 265	1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
16									PLATE, Transmission Clutch Reaction

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Clutch, Rear And Input Shaft Automatic Transaxle, (DGC)
Figure 31TH-415



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4269 618	1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
17									PLATE, Transmission Clutch Reaction
	4659 378	3				ECC	DGC		
		3	D, P			ECB	DGC		Europe
		3	D, P			ECB	DGC		
		3	Z			ECB	DGC		
18									DISC, Clutch
	4659 191	4				ECC	DGC		
		4	D, P			ECB	DGC		Europe
		4	D, P			ECB	DGC		
		4	Z			ECB	DGC		
19									PLATE, Transmission Clutch Reaction
	4269 619	1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
20									SNAP RING
	1942 421	AR	D, P			ECB	DGC		.060-.062 Inch Thick
		AR	Z			ECB	DGC		.060-.062 Inch Thick
	4130 774	AR	D, P			ECB	DGC		.074-.076 Inch Thick
	1942 421	AR				ECC	DGC		.060-.062 Inch Thick
		AR	D, P			ECB	DGC		.060-.062 Inch Thick, Europe
	4130 774	AR				ECC	DGC		.074-.076 Inch Thick
		AR	Z			ECB	DGC		.074-.076 Inch Thick
	4130 775	AR	D, P			ECB	DGC		.087-.089 Inch Thick
		AR	Z			ECB	DGC		.087-.089 Inch Thick
	4269 670	AR	D, P			ECB	DGC		.048-.050 Inch Thick
		AR	D, P			ECB	DGC		.074-.076 Inch Thick, Europe
	4130 775	AR				ECC	DGC		.087-.089 Inch Thick
		AR	D, P			ECB	DGC		.087-.089 Inch Thick, Europe
	4269 670	AR				ECC	DGC		.048-.050 Inch Thick
		AR	Z			ECB	DGC		.048-.050 Inch Thick
		AR	D, P			ECB	DGC		.048-.050 Inch Thick, Europe

DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Shaft, Transfer Automatic Transaxle, (DGC) Figure 31TH-425

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; DGC = 3 Spd Auto Trans 31TH

ECB = 2.0L 4 Cyl - SOHC

ECC = 2.0L 4 Cyl - DOHC


1	4659 626	1	Z			ECB	DGC		SHAFT, Transfer Gear 21 Teeth, With 2.98 Ratio
		1	D, P			ECB	DGC		21 Teeth, With 2.98 Ratio, Europe
	4659 624	1				ECC	DGC		20 Teeth, With 3.19 Ratio
	4659 626	1	D, P			ECB	DGC		21 Teeth, With 2.98 Ratio
2									BEARING
	4567 025AB	1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		
3									BEARING CUP, Differential
	4567 022	1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		
4									O RING, Transfer Shaft Bearing Retainer, ATX
	6500 169	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1	D, P			ECC	DGC		Europe
5									RETAINER, Bearing
	4269 688	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1	D, P			ECC	DGC		Europe
6									SNAP RING
	5212 252	1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		
7									RETAINER, Transmission Governor Support
	5212 371	1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		
8									BEARING CUP, Differential
	4567 022	1				ECC	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




Shaft, Transfer Automatic Transaxle, (DGC)
 Figure 31TH-425

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
9	4567 025AB	1				ECC	DGC		BEARING
		1	D, P			ECB	DGC		
10		1	Z			ECB	DGC		
	4207 166	1	D, P			ECB	DGC		SPACER, Transfer Shaft, 0.94mm(.037")
		1	Z			ECB	DGC		
		1				ECC	DGC		
-11		1	D, P			ECB	DGC		Europe SPACER, Transfer Shaft, 0.99mm(.039")
	4207 167	1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		
-12		1	Z			ECB	DGC		
	4207 168	1				ECC	DGC		SPACER, Transfer Shaft, 1.04mm(.041")
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		
-13		1	Z			ECB	DGC		
	4207 169	1				ECC	DGC		SPACER, Transfer Shaft, 1.09mm(.043")
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		
-14		1	Z			ECB	DGC		
	4207 170	1				ECC	DGC		SPACER, Transfer Shaft, 1.14mm(.045")
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		
-15		1	Z			ECB	DGC		
	4207 171	1	D, P			ECB	DGC		SPACER, Transfer Shaft, 1.19mm(.047")
		1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe


DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Shaft, Transfer Automatic Transaxle, (DGC)
Figure 31TH-425



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-16									SPACER, Transfer Shaft, 1.24mm(.051")
	4207 172	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1				ECC	DGC		
-17		1	D, P			ECB	DGC		Europe
	4207 173	1	D, P			ECB	DGC		SPACER, Transfer Shaft, 1.29mm(.052")
		1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
-18									SPACER, Transfer Shaft, 1.34mm(.053")
	4207 174	1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
-19									SPACER, Transfer Shaft, 1.39mm(.055")
	4207 175	1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
-20									SPACER, Transfer Shaft, 1.84mm(.072")
	4207 176	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
-21									SPACER, Transfer Shaft, 2.29mm(.090")
	4207 177	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
22									GEAR PACKAGE, Output And Transfer Shaft
	4773 281	1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
23									WASHER, Output Shaft

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DGO = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Shaft, Transfer Automatic Transaxle, (DGC) Figure 31TH-425

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5222 010	1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
24									NUT, Hex, M20x1.5
	5222 009	1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		
25									STIRRUP, Retainer Nut
	4567 336	2	D, P			ECB	DGC		
		2	Z			ECB	DGC		
		2				ECC	DGC		
		2	D, P			ECB	DGC		Europe
26									STRAP, Retaining
	4659 134	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		2				ECC	DGC		
		1	D, P			ECB	DGC		Europe
27									BOLT, Hex Head, M8x1.25x10.00
	6503 355	4				ECC	DGC		
		4	D, P			ECB	DGC		
		4	Z			ECB	DGC		
		4	D, P			ECB	DGC		Europe

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth


BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI


TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DGO = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Clutch, Front Automatic Transaxle, (DGC) Figure 31TH-435



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DGC = 3 Spd Auto Trans 31TH ECB = 2.0L 4 Cyl - SOHC ECC = 2.0L 4 Cyl - DOHC									
1									RETAINER, Transmission Front Clutch
	4348 854	1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
2									SEAL, Front Clutch Piston
	4800 015AA	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
3									PISTON, Clutch
	4348 855	1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
4									SEAL, Front Piston Clutch
	4800 017AA	1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
5									PLATE, Transmission Clutch Reaction
	4659 379	4				ECC	DGC		
		4	D, P			ECB	DGC		Europe
		4	D, P			ECB	DGC		
		4	Z			ECB	DGC		
6									DISC, Direct Clutch
	4567 887	4	D, P			ECB	DGC		
		4	Z			ECB	DGC		
		4				ECC	DGC		
		4	D, P			ECB	DGC		Europe
7									PLATE, Transmission Clutch Reaction
	4348 888	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
8									SPRING, Front Clutch

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special


LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DGO = All Automatics
DBB= All 5 Speed Manual

Clutch, Front Automatic Transaxle, (DGC) Figure 31TH-435



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4207 227	1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
9									RETAINER, Differential
	5205 673	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
10									SNAP RING
	5205 674	1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
11									SNAP RING
	4659 652	1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		


SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gears, Front Annulus And Sun Automatic Transaxle, (DGC) Figure 31TH-445



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DGC = 3 Spd Auto Trans 31TH									
ECB = 2.0L 4 Cyl - SOHC									
ECC = 2.0L 4 Cyl - DOHC									
1	5222 022	1				ECC	DGC		SNAP RING
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
2	5222 493	1	D, P			ECB	DGC		THRUST WASHER, Annulus Gear
		1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
3	5224 079	2				ECC	DGC		SNAP RING
		2	D, P			ECB	DGC		Europe
		2	D, P			ECB	DGC		
		2	Z			ECB	DGC		
4	5224 070	1	D, P			ECB	DGC		SUPPORT, Annulus Gear
		1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
5	4269 620	1				ECC	DGC		GEAR, Front Annulus
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
6									THRUST WASHER, Planetary Carrier
	4659 163	2				ECC	DGC		
		2	D, P			ECB	DGC		
7									CARRIER, Planetary Pinion
	4659 141	1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
8									GEAR, Sun
	4567 133	1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
9									SPACER, Sun Gear

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special


LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

Gears, Front Annulus And Sun Automatic Transaxle, (DGC)
Figure 31TH-445



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5224 236	1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
10									PLATE, Transmission Module
	5205 737	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
11									SHELL, Sun Gear
	4207 195	1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1				ECC	DGC		
12									SNAP RING, Sun Gear Shell
	5205 739	1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			


Shaft, Output, Rear Carrier, Reverse Drum, And Overrunning Clutch Automatic Transaxle,(DGC)
 Figure 31TH-460

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DGC = 3 Spd Auto Trans 31TH									
ECB = 2.0L 4 Cyl - SOHC									
ECC = 2.0L 4 Cyl - DOHC									
1	4348 932	1	D, P			ECB	DGC		OUTPUT SHAFT, Rear Axle
		1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
-2	5205 691	1	D, P			ECB	DGC		SNAP RING, Input Shaft
		1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
3	5205 724	2				ECC	DGC		THRUST WASHER, Planetary Carrier
		2	D, P			ECB	DGC		Europe
		2	D, P			ECB	DGC		
		2	Z			ECB	DGC		
4	4659 414	1	D, P			ECB	DGC		CARRIER, Planetary Pinion
		1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
5	5222 047	1				ECC	DGC		GEAR, Rear Annulus
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
6	4659 545	1				ECC	DGC		DRUM, Automatic Transmission
		1	D, P			ECB	DGC		
-7	5222 137	1				ECC	DGC		FITTING, Reducer
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
8	4186 886	8	D, P			ECB	DGC		SRING AND ROLLER PACKAGE, Overrunning Clutch
		8	Z			ECB	DGC		
		8				ECC	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




Shaft, Output, Rear Carrier, Reverse Drum, And Overrunning Clutch Automatic Transaxle,(DGC)
 Figure 31TH-460

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		8	D, P			ECB	DGC		Europe
9						ECC	DGC		THRUST WASHER, Overrunning Clutch
	5205 772	1				ECB	DGC		Europe
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
10						ECB	DGC		BEARING CONE, Output Shaft
	4567 259	2	D, P			ECB	DGC		
		2	Z			ECB	DGC		
		2				ECC	DGC		
		2	D, P			ECB	DGC		Europe
11						ECB	DGC		BEARING CUP, Output Shaft
	4567 260	2	D, P			ECB	DGC		
		2	Z			ECB	DGC		
		2				ECC	DGC		
		2	D, P			ECB	DGC		Europe
12						ECB	DGC		SPACER, Output Shaft, 12.65mm
	4207 162	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1				ECC	DGC		
-13						ECB	DGC		Europe
	4207 164	1				ECC	DGC		SPACER, Output Shaft, 13.65mm
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
-14						ECC	DGC		SPACER, Output Shaft, 14.99mm
	5224 152	AR				ECB	DGC		Europe
		AR	D, P			ECB	DGC		
		AR	D, P			ECB	DGC		
		AR	Z			ECB	DGC		
15						ECB	DGC		GEAR PACKAGE, Output And Transfer Shaft
	4773 281	1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
16						ECB	DGC		WASHER, Output Shaft
	5222 010	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
17									NUT, Hex, M20x1.5

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Shaft, Output, Rear Carrier, Reverse Drum, And Overrunning Clutch Automatic Transaxle,(DGC)
Figure 31TH-460


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5222 009	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
18									STIRRUP, Retainer Nut
	4567 336	2	D, P			ECB	DGC		
		2	Z			ECB	DGC		
		2				ECC	DGC		
		2	D, P			ECB	DGC		Europe
19									STRAP, Retaining
	4659 134	2	D, P			ECB	DGC		
		2	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
		2				ECC	DGC		
20									BOLT, Hex Head, M8x1.25x10.00
	6503 355	4	D, P			ECB	DGC		
		4	Z			ECB	DGC		
		4				ECC	DGC		
		4	D, P			ECB	DGC		Europe

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				TRANSMISSION
SERIES	LINE	BODY	ENGINE	DD5 = 5 Speed Manua
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DGC = 3 Speed Automatic
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGL = 4 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DG0 = All Automatics
	P=Plymouth			DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Bands, Reverse and Kickdown, (DGC) Figure 31TH-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DGC = 3 Spd Auto Trans 31TH									
ECB = 2.0L 4 CYL - SOHC									
ECC = 2.0L 4 CYL - DOHC									
1	4412 466	1				ECC	DGC		SHAFT, Band Lever
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
2	5212 343	1	D, P			ECB	DGC		STRUT, Kickdown Band
		1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
3	4659 732	1	D, P			ECB	DGC		BAND, Kickdown
		1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
4	5212 206	1	D, P			ECB	DGC		NUT, Band Adjusting Screw Lock
		1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
5	5212 255	1				ECC	DGC		STUD, Double Ended, M12x1.75/ 9x67
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
6	4348 857	1	D, P			ECB	DGC		LEVER, Kickdown
		1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
7	4207 182	1				ECC	DGC		LEVER, Reverse Band
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
8									PLUG, Pipe, .250-18x.560, (NOT SERVICED) (Not Serviced)
9									STRUT, Reverse Band

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special


LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DGO = All Automatics
DBB= All 5 Speed Manual

Bands, Reverse and Kickdown, (DGC) Figure 31TH-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5224 264	1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
10									BAND, Reverse
	4531 138	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1				ECC	DGC		Europe
		1	D, P			ECB	DGC		
-11									SCREW, Reverse Band Adjusting, M8x1.25x42
	5224 140	1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
12									ANCHOR, Reverse Band
	5212 344	1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1				ECC	DGC		Europe
		1	D, P			ECB	DGC		
13									SHAFT, Band Lever
	5222 090	1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		


DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

**Governor Automatic Transaxle, (DGC)
Figure 31TH-620**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DGC = 3 Spd Auto Trans 31TH ECB = 2.0L 4 Cyl - SOHC ECC = 2.0L 4 Cyl - DOHC									
1	4207 183	1				ECC	DGC		VALVE, Governor
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
2	4567 447	1	D, P			ECB	DGC		SPRING, Governor Valve
		1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
3	4659 366	1				ECC	DGC		BODY, Governor
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
4	6500 209	1				ECC	DGC		SCREW, Hex Flange Head Locking, M5x.8x37
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
5	6500 208	2				ECC	DGC		SCREW, Shoulder Hex Flange Head, M5x.8x20
		2	D, P			ECB	DGC		Europe
		2	D, P			ECB	DGC		
		2	Z			ECB	DGC		
6	4269 641	1	D, P			ECB	DGC		VALVE, Governor
		1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
7									PIN, Gov. Weight Retaining, 3D Finishing Nail 1-1/4\" Lg., (NOT SERVICED) (Not Serviced)
8	6100 306	1				ECC	DGC		BOLT AND CONED WASHER, Hex Head, M8x35x20
		1	D, P			ECB	DGC		Europe

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DGO = All Automatics
DBB= All 5 Speed Manual

Governor Automatic Transaxle, (DGC)
Figure 31TH-620

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
9	5212 265	1	D, P			ECB	DGC		COUNTER WEIGHT, Governor
		1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
10	5205 839	1				ECC	DGC		Europe FILTER, Transmission Governor
		1	D, P			ECB	DGC		
		1				ECC	DGC		
		1				ECC	DGC		
11	4659 352	1	D, P			ECB	DGC		Europe SUPPORT, Governor
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
12	4269 594	3	D, P			ECB	DGC		SEAL, Governor Support
		3	Z			ECB	DGC		
		3				ECC	DGC		
		3	D, P			ECB	DGC		

Valve Body, (DGC) Figure 31TH-715



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DGC = 3 Spd Auto Trans 31TH									
ECB = 2.0L 4 CYL - SOHC									
ECC = 2.0L 4 CYL - DOHC									
1	6035 208	1	D, P			ECB	DGC		SNAP RING
		1	Z			ECB	DGC		Europe
		1				ECC	DGC		
		1	D, P			ECB	DGC		
2	2538 062	1				ECC	DGC		WASHER, Manual Valve Lever
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
3	2466 548	1				ECC	DGC		SEAL, Valve Lever Shift
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
-4	6500 207	1				ECC	DGC		SCREW, Special Head, M5x.8x42.40
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
5									LEVER, Manual Valve, Serviced In Valve Body, (NOT SERVICED)
									(Not Serviced)
6	4567 993AC	1				ECC	DGC		VALVE BODY, Complete
		1	D, P			ECB	DGC		
-7	6100 994	1	D, P			ECB	DGC		DOWEL, M6x16
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
		1				ECC	DGC		
8	4269 584	1				ECC	DGC		DETENT, Valve Body
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
-9	4329 873	1				ECC	DGC		VALVE, Transmission Regulator
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
10									SHAFT, Valve Body


DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Valve Body, (DGC) Figure 31TH-715



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5212 244	1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
-11									SCREW, Pan Head, M5 x 0.8 x 12.60
	6503 232	1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		
-12									SCREW AND WASHER, Pan Head, M5x.8x25
	6500 215	16				ECC	DGC		
		16	D, P			ECB	DGC		Europe
		16	Z			ECB	DGC		
13									SCREEN, Transmission Regulator Valve
	3878 313	1	D, P			ECB	DGC		Europe
		1				ECC	DGC		
		1	Z			ECB	DGC		
-14									BOLT, Hex Head, M8x30
	6100 155	7	D, P			ECB	DGC		Europe
		7	Z			ECB	DGC		
		7				ECC	DGC		
15									TUBE, Valve Body
	5222 020	2				ECC	DGC		
		2	D, P			ECB	DGC		
		2	D, P			ECB	DGC		Europe
		2	Z			ECB	DGC		
16									FILTER, Valve Body
	4269 649	1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		
-17									SCREW AND WASHER, Pan Head, M5x.8x25
	6500 216	2	D, P			ECB	DGC		Europe
		2	Z			ECB	DGC		
		2				ECC	DGC		
		2	D, P			ECB	DGC		
18									GASKET, Transmission Fluid Filter
	4269 671	1				ECC	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Valve Body, (DGC)
Figure 31TH-715



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
19	4799 954AA	1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		SOLENOID, Transmission Lock Up
		1	D, P			ECB	DGC		Europe
		1	Z			ECC	DGC		
20	6030 608	1	D, P			ECB	DGC		
		1					DGC		O RING, Filler Tube
21	4412 305	1	D, P			ECB	DGC		GASKET, Lock-up Solenoid
		1	Z			ECB	DGC		Europe
		1	D, P			ECB	DGC		
		1				ECC	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

Servos, Accumulator Piston and Springs, (DGC) Figure 31TH-725



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DGC = 3 Spd Auto Trans 31TH ECB = 2.0L 4 CYL - SOHC ECC = 2.0L 4 CYL - DOHC									
1	6031 765	1	D, P			ECB	DGC		SNAP RING
		1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
2	6031 545	1	Z			ECB	DGC		SEAL, Accumulator
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		
3	5224 344	1				ECC	DGC		GUIDE, Kickdown Servo
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
4	4659 331AB	1	D, P			ECB	DGC		SPRING, Kickdown Servo Piston
		1	Z			ECB	DGC		Europe
		1				ECC	DGC		
		1	D, P			ECB	DGC		
5	4058 943	1	D, P			ECB	DGC		ROD, Kickdown Servo Piston
		1	Z			ECB	DGC		Europe
		1				ECC	DGC		
		1	D, P			ECB	DGC		
6	4269 524	1				ECC	DGC		PISTON, Kickdown Servo
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
-7	6025 031	1	D, P			ECB	DGC		SNAP RING, 1.205 OD
		1	Z			ECB	DGC		Europe
		1				ECC	DGC		
		1	D, P			ECB	DGC		
-8	6031 410	1				ECC	DGC		O RING, Trans Kickdown Servo
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special


LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual


Servos, Accumulator Piston and Springs, (DGC)
Figure 31TH-725



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	Z			ECB	DGC		
9	3743 014	1	D, P			ECB	DGC		SEAL, Kickdown Servo
		1	Z			ECB	DGC		Large, Europe
		1				ECC	DGC		Large
		1				ECC	DGC		Large
10	3743 033	1	D, P			ECB	DGC		Large
		1				ECC	DGC		SEAL, Kickdown Servo
		1	D, P			ECB	DGC		Small
		1				ECB	DGC		Small
11	3743 010	1	D, P			ECB	DGC		Small, Europe
		1	Z			ECB	DGC		Small
		1				ECC	DGC		SEAL, Piston Accumulator
		1				ECC	DGC		Small
12	3743 013	1	D, P			ECB	DGC		Small
		1	D, P			ECB	DGC		Small,Europe
		1	Z			ECB	DGC		Small
		1				ECC	DGC		SEAL, Piston Accumulator
13	3743 650	1				ECC	DGC		Large
		1	D, P			ECB	DGC		Large
		1	D, P			ECB	DGC		Large,Europe
		1	Z			ECB	DGC		Large
14	4659 332AB	1	Z			ECB	DGC		PISTON, Accumulator
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
		1				ECB	DGC		
15	4205 857	1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
		1				ECC	DGC		PLATE PACKAGE, Accumulator
		1				ECC	DGC		
16	6031 545	1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		
17									SNAP RING

DODGE - PLYMOUTH - CHRYSLER NEON (PL)
SERIES L=Low Line H=High Line S=Special
LINE Z=Chrysler, RHD D=Dodge D=Chrysler P=Plymouth
BODY 41=4 Door, 104WB
ENGINE ECB=2.0L 4 Cyl., 16V SMPI EJD=1.6L 4 Cyl16V SOHC EBD=1.8L 4 Cyl16V SEFI
TRANSMISSION DD5 = 5 Speed Manua DGC = 3 Speed Automatic DGL = 4 Speed Automatic DG0 = All Automatics DBB= All 5 Speed Manual

Servos, Accumulator Piston and Springs, (DGC)
Figure 31TH-725




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5212 252	1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		
18									SNAP RING
	6031 909	1				ECC	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
	3681 434	1	D, P			ECB	DGC		SPRING, Reverse Servo Piston
		1	Z			ECB	DGC		Europe
		1				ECC	DGC		
		1	D, P			ECB	DGC		
	4269 707	1				ECC	DGC		PLUG, Reverse Servo
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
	4659 179	1				ECC	DGC		SPRING, Reverse Servo Piston
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
	4659 837	1				ECC	DGC		PISTON, Reverse Servo
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
	4269 736	1				ECC	DGC		SEAL, Reverse Servo Piston
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
	1638 461	1	D, P			ECB	DGC		SNAP RING
		1	Z			ECB	DGC		Europe
		1				ECC	DGC		
		1	D, P			ECB	DGC		
	4882 433	1	D, P			ECB	DGC		REVERSE SERVO PACKAGE
		1				ECC	DGC		Europe

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Servos, Accumulator Piston and Springs, (DGC)
Figure 31TH-725

[illegible]

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
 DD5 = 5 Speed Manua
 DGC = 3 Speed Automatic
 DGL = 4 Speed Automatic
 DG0 = All Automatics
 DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

**Parking Sprag, (DGC)
Figure 31TH-740**




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DGC = 3 Spd Auto Trans 31TH									
ECB = 2.0L 4 CYL - SOHC									
ECC= 2.0L 4 CYL - DOHC									
1	6035 256	1				ECC	DGC		SNAP RING, Rod
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
2	4431 530	1	D, P			ECB	DGC		ROD, Parking Sprag
		1	Z			ECB	DGC		Europe
		1				ECC	DGC		
		1	D, P			ECB	DGC		
3	6500 368	2	D, P			ECB	DGC		BOLT, Hex Flange Head, M8x1.25x23
		6	D, P			ECB	DGC		Europe
		6	Z			ECB	DGC		
		2				ECC	DGC		
4	5212 296	1				ECC	DGC		SUPPORT, Parking Sprag Rod
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
5	5212 010	1				ECC	DGC		SHAFT, Parking Sprag
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
6	5222 244	1				ECC	DGC		SPRING, Parking Sprag
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
7	5003 447AA	1				ECC	DGC		PAWL, Parking Sprag
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

Differential, (DGC) Figure 31TH-820



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DGC = 3 Spd Auto Trans 31TH									
ECB = 2.0L 4 CYL - SOHC									
ECC = 2.0L 4 EYL - DOHC									
1	4659 680	1	D, P			ECB	DGC		DIFFERENTIAL, Transaxle Europe
		1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
	4659 681	1				ECC	DGC		
2	4659 625	1				ECC	DGC		GEAR, Differential Drive
	4659 627	1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
		1	D, P			ECB	DGC		
3	4659 455	1				ECC	DGC		CASE, Transaxle
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		Europe
		1	Z			ECB	DGC		
4	4348 679	2	Z			ECB	DGC		PINION, Differential
		2				ECC	DGC		
		2	D, P			ECB	DGC		Europe
		2	D, P			ECB	DGC		
5	4412 521	2	D, P			ECB	DGC		WASHER, Thrust Europe
		2	D, P			ECB	DGC		
		2	Z			ECB	DGC		
6	4659 502	2	Z			ECB	DGC		GEAR, Differential Side
		2	D, P			ECB	DGC		Europe
		2	D, P			ECB	DGC		
		2				ECC	DGC		
7	4504 568	1	D, P			ECB	DD5		WASHER PACKAGE, Side Gear Thrust Europe
		1	Z			ECB	DD5		
		1	D, P			ECC	DD4		
		1	D, P			ECB	DD5		
8	6503 827	1	Z			ECB	DGC		PIN, Pinion Shaft
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special


LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DGO = All Automatics
DBB= All 5 Speed Manual

Differential, (DGC) Figure 31TH-820



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				ECC	DGC		
9	4659 142	1	Z			ECB	DGC		SHAFT, Pinion Gear
		1	D, P			ECB	DGC		Europe
		1	D, P			ECB	DGC		
		1				ECC	DGC		
10	4659 626	1	Z			ECB	DGC		SHAFT, Transfer Gear
		1	D, P			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		Europe
11	4659 624	1				ECC	DGC		BOLT, Hex Head, M10x1.00x25 Europe
	4659 626	1	D, P			ECB	DGC		
	6501 240	12	D, P			ECB	DGC		
	12	Z			ECB	DGC			
12		12				ECC	DGC		
		12	D, P			ECB	DGC		
		12				ECC	DGC		
		12				ECB	DGC		
	4659 237	1				ECC	DGC		CUP, Differential Side Bearing
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
13	4659 238	1	D, P			ECB	DGC		BEARING CONE, Differential
		1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		
14	4567 025AB	1	D, P			ECB	DGC		BEARING CONE, Differential
		1	D, P			ECB	DGC		
		1	Z			ECB	DGC		
		1				ECC	DGC		
15	4567 022	1	D, P			ECB	DGC		BEARING CUP, Differential
		1	Z			ECB	DGC		
		1				ECC	DGC		
		1	D, P			ECB	DGC		
		1				ECB	DGC		
		1	D, P			ECB	DGC		
		1	D, P			ECB	DGC		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Controls, Gearshift, Floor Shaft, (DGC)
Figure 31TH-1201

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DGC = 3 Spd Auto Trans 31TH									
1									KNOB, Gearshift
	4670 205	1	Z				DGC		
	4670 345	1	D, P				DGC		
	4670 347	1	D, P				DGC		Leather
2									SCREW, Set
	6504 104	1	Z				DGC		M6x1.0x11.20, Starter Inner Housing
		1	D, P				DGC		M6x1.0x11.20, Starter Inner Housing
3	4565 353	1	D, P				DGC		M6x1.0x11.20
4							DGC		INDICATOR, PRNDL
									SCREW, M5-.80x15, (NOT SERVICED) (Not Serviced)
5	4670 291	1					DGC		CABLE, Gearshift Control
-6	4670 147	1							CLIP, Shift Cable
-7	4670 042	1							PLATE, Transmission Shifter
8	6500 284	2							NUT, Hex, M6x1.00
9	4670 174	1	D, P				DGC		SHIFTER, Transmission
10	L000 0194	1					DGC		BULB, 194
11	4670 323	1					DGC		LEVER, Manual Control
12	6101 978	1					DGC		SCREW AND WASHER, Hex Head, M8-1.25x40
-13	5212 384	1					DGC		NUT, Transmission Lever Bolt, M6x1.00
14	4641 088	1					DGC		BRACKET, Transmission Control Cable
15	6101 462	2							SCREW AND WASHER, Hex Head, M8x1.25x30
16	4641 200	1	D, P				DGC		CABLE, Ignition Interlock
-17	4670 206	1	Z				DGC		CABLE, Ignition Interlock

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – T350

NVG Manual Transaxle 5 Speed

GROUP T350 - NVG Manual Transaxle 5 Speed





Illustration Title	Group-Fig. No.
Transaxle Assembly	
Transaxle Assemblies, and Mounting A578 (DD4, DD5)	Fig. T350-110
Case and Extension	
Case, Transaxle and Related Parts A578 (DD4,DD5)	Fig. T350-210
Gear Train	
Gear Train A578 (DD4, DD5)	Fig. T350-410
Differential	
Differential A578 (DD4, DD5)	Fig. T350-810
Fork and Rails	
Fork and Rail A578 (DD4, DD5)	Fig. T350-910
Gearshift Controls	
Controls, Gearshift A578 (DD4, DD5)	Fig. T350-1210

T350-100 Transaxle Assembly	T350-200 Case and Extension	T350-400 Gear Train	T350-800 Differential
T350-900 Fork and Rails	T350-1200 Gearshift Controls		


Transaxle Assemblies, and Mounting A578 (DD4, DD5)
Figure T350-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DD4 = 5 Spd Manual Trans A578 W/Perf G/S									
DD5 = 5 Spd Manual Trans A578									
ECB = 2.0L 4 CYL - SOHC									
ECC = 2.0L 4 CYL - DOHC									
1									TRANSAXLE
	4897 743AA	1	Z			EBD	DD4		
	4773 388	1	D, P			ECB	DD5		
	4798 294	1	D, P			ECC	DD4		Sport, W/2.0L Engine, DOHC, Rear Exhaust, 3.94 Overall Gear Ratio, Tranwsaxle Prod. No. 4670664
2									COVER, Transaxle Converter
	4670 196	1	D, P				DD4, DD5		
	4567 147	1					DD4, DD5		Case, Upper
	4670 197AB	1	Z				DD4, DD5		
3	6501 742	3					DD4, DD5		SCREW, Hex Head, M12x1.75x50
4									BOOT, Clutch Release Lever
	4670 019	1	D, P				DD4, DD5		
	4670 071	1	Z			ECB	DD5		
5	4608 404	1							CLIP, Transaxle
6	6503 244	1				ECB	DD4, DD5		STUD
-7									STUD, M12x1.75/M10x1.25x94.5
	4761 085	2	Z			ECB	DD5		
		1	Z			EBD	DD4		
8									BRACE, Transmission, (NOT REQUIRED)
9	6101 503	3					DD4, DD5		SCREW AND WASHER, Hex Head, M10x1.5x25
-10									BRACKET, Engine Roll Dampener
	4668 166	1	D, P				DD4, DD5		
	4668 184	1	Z				DD4, DD5		
11	4668 176AB	1					DD4, DD5		STRUT, Engine Roll

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

Case, Transaxle and Related Parts A578 (DD4,DD5)
Figure T350-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DD4 = 5 Spd Manual Trans A578 W/Perf G/S DD5 = 5 Spd Manual Trans A578 ECC = 2.0L 4 CYL - DOHC									
1	5003 473AA	1					DD4		HOUSING, Clutch
	4874 130	1	Z			EBD	DD4		
		1	Z			ECB	DD5		
	5003 473AA	1	D, P			ECB	DD5		
2	4761 074	1					DD4		CASE, Transmission
		1	D, P			ECB	DD5		
		1	Z			ECB	DD5		
3	4761 081	1	D, P			ECB	DD5		PLATE, Transaxle Case Rear
		1	Z			ECB	DD5		
		1					DD4		
4	4761 107	1					DD4		SEAL, Axle Drive Shaft
		1	D, P			ECB	DD5		
		2	Z			ECB	DD5		
5	4567 022	1					DD4		BEARING CUP, Differential
		1	D, P			ECB	DD5		
		1	Z			ECB	DD5		
6	4761 090	1					DD4		BEARING, Input Shaft
		1	Z			ECB	DD5		
		1	D, P			ECB	DD5		
7	4761 101	1	D, P			ECB	DD5		SCREW, Drain
		1	Z			ECB	DD5		
		1					DD4		
8	4761 100	1					DD4		WASHER, Drain Plug
		1	D, P			ECB	DD5		
		1	Z			ECB	DD5		
9	4670 240	1	D, P			ECB	DD5		PIVOT, Clutch Release Lever
		1	Z			ECB	DD5		
		1					DD4		
10	4761 099	2	Z			ECB	DD5		PIN, Locating
		2							

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special


LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DGO = All Automatics
DBB= All 5 Speed Manual

Case, Transaxle and Related Parts A578 (DD4,DD5)
Figure T350-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11	4761 093	2	D, P			ECB	DD5		BEARING PACKAGE, Output Shaft
		1	Z			ECB	DD5		
		1	D, P			ECB	DD5		
12	4761 096	1	D, P			ECB	DD5		SNAP RING
		1	Z			ECB	DD5		
		1					DD4		
13	4761 094	1	D, P			ECB	DD5		DETENT, Valve Body
		1	Z			ECB	DD5		
		1					DD4		
14	4761 095	1					DD4		SPRING, Select Detent
		1	D, P			ECB	DD5		
		1	Z			ECB	DD5		
15	4761 097	1					DD4		RETAINER, Transmission Output Shaft Bearing
		1	Z			ECB	DD5		
		1	D, P			ECB	DD5		
16	4761 098	2							BOLT, Output Shaft Bearing
17	4740 899	1					DD4		BUSHING, Shift Rail
									15 Millimeters I/D, 12 Millimeters
		1	Z			ECB	DD5		Long
									15 Millimeters I/D, 12 Millimeters
									Long
	4761 076	1	Z			ECB	DD5		15 Millimeters I/D, 10 Millimeters
									Long
	4740 899	1	D, P			ECB	DD5		15 Millimeters I/D, 12 Millimeters
									Long
	4761 076	1	D, P			ECC	DD4		15 Millimeters I/D, 10 Millimeters
									Long
	4762 605	3							14 Millimeters I/D, 10 Millimeters
									Long
	4761 076	1	D, P			ECB	DD5		15 Millimeters I/D, 10 Millimeters
									Long
18	4761 078	1	D, P			ECB	DD5		MAGNET, Transmission
		1	Z			ECB	DD5		
		1					DD4		
19		1							TROUGH, Lubrication

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case, Transaxle and Related Parts A578 (DD4,DD5)
Figure T350-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4761 087	1	Z			ECB	DD5		
		1					DD4		
20	6100 299	15	D, P			ECB	DD5		BOLT AND CONED WASHER, Hex Head, M8x45x17
21	2124 715	1					DD4		VENT, Cap, Jiggle
		1	D, P			ECB	DD5		
		1	Z			ECB	DD5		
22	4761 077	1	D, P			ECB	DD5		SEAL, Shift Lever
		2	Z			ECB	DD5		
		1					DD4		
23	4348 325	1	Z			ECB	DD5		PLUG, Oil Fill
		1					DD4		
		1	D, P			ECB	DD5		
24	5014 727AA	2							BEARING, Input Shaft
25	4761 080	2							SNAP RING
26	4864 775	1					DD4		SWITCH, Back Up Lamp
		1	Z			ECB	DD5		
		1	D, P			ECB	DD5		
27	4761 082	10							BOLT, Case Plate
28									RETAINER, Shaft
	4762 606	1	Z			ECB	DD5		
		1					DD4		
		1	D, P			ECB	DD5		
29	4762 602	1					DD4		BUSHING, Crossover Shaft
									15 Millimeters I/D, 20 Millimeters Long
		1	Z			ECB	DD5		
		1	D, P			ECB	DD5		
30	4761 076	1					DD4		BUSHING, Shift Rail
									15 Millimeters I/D, 25 Millimeters Long
		1	D, P			ECB	DD5		
		1	Z			ECB	DD5		
31	4740 899	1					DD4		BUSHING, Shift Rail
									15 Millimeters I/D, 12 Millimeters Long
		1	Z			ECB	DD5		15 Millimeters I/D, 12 Millimeters Long

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Case, Transaxle and Related Parts A578 (DD4,DD5) Figure T350-210

[illegible]

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-

SERIES	LINE	BODY
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB
H=High Line	D=Dodge	
S=Special	D=Chrysler	
	P=Plymouth	


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
 DD5 = 5 Speed Manua
 DGC = 3 Speed Automatic
 DGL = 4 Speed Automatic
 DG0 = All Automatics
 DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Gear Train A578 (DD4, DD5)
Figure T350-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DD4 - 5 Spd Manual Trans A578 W/Perf G/S									
DD5 - 5 Spd Manual Trans A578									
ECB = 2.0L 4 CYL - SOHC									
ECC = 2.0L 4 CYL - DOHC									
1									INPUT SHAFT PACKAGE, Transaxle
	4886 484AA	1	D, P			ECB	DD5		
		1	Z			ECB	DD5		
		1					DD4		
2	4762 612	2							NEEDLE BEARING
3									GEAR, Third
	4761 132	1					DD4		
		1	Z			ECB	DD5		
		1	D, P			ECB	DD5		
4	4874 135	2							STOP RING, Synchronizer
5									SYNCHRONIZER, Third and Fourth
	4761 133	1	D, P			ECB	DD5		
		1					DD4		
6									RING, Synchronizer Hub, White
	4761 134	1	D, P			ECB	DD5		
		1					DD4		
-7									RING, Synchronizer Hub, Blue
	4761 135	1	D, P			ECB	DD5		
		1					DD4		
-8									RING, Synchronizer Hub, Yellow
	4761 136	1	D, P			ECB	DD5		
		1					DD4		
9									SYNCHRONIZER, Fifth
	4874 136	1					DD4		
		1	D, P			ECB	DD5		
		1	Z			ECB	DD5		
10									GEAR, Fifth
	4761 141	1	D, P			ECB	DD5		
		1					DD4		
		1	Z			ECB	DD5		
11									GEAR, Fourth
	4761 139	1	Z			ECB	DD5		
		1					DD4		
		1	D, P			ECB	DD5		
12									RING, 4th Gear
	4761 138	1	Z			ECB	DD5		
		1					DD4		
		1	D, P			ECB	DD5		
13									PIN, Mainshaft

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

Gear Train A578 (DD4, DD5)
Figure T350-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4761 140	1					DD4		
		1	D, P			ECB	DD5		
		1	Z			ECB	DD5		
14	4761 137	2							WASHER, Fourth Gear
		2	Z			ECB	DD5		
		2	D, P			ECB	DD5		
15									NEEDLE BEARING
	4761 119	1	Z			ECB	DD5		
		1	D, P			ECB	DD4		
16									BEARING CUP, Reverse Brake
	4761 120	1	Z			ECB	DD5		
		1	D, P			ECB	DD4		
17									NEEDLE BEARING
	4761 119	1	Z			ECB	DD5		
		1	D, P			ECB	DD4		
18									BEARING CONE, Reverse Brake
	4761 121	1	Z			ECB	DD5		
		1	D, P			ECB	DD4		
19									SPACER, Reverse Brake
	4761 118	1	Z			ECB	DD5		
		1	D, P			ECB	DD4		
20									OUTPUT SHAFT, Transaxle Includes First & Second Gears
	4761 109	1					DD4		
	5013 108AA	1	D, P			ECB	DD5		
		1	Z			ECB	DD5		
21									GEAR, Reverse Idler
	4886 482AA	1	D, P			ECB	DD5		
		1	Z			ECB	DD5		
		1					DD4		
22									SPACER, Reverse Idler
	4761 127	1	Z			ECB	DD5		
		1					DD4		
		1	D, P			ECB	DD5		
23									IDLER SHAFT, Transmission
	4761 126	1					DD4		
		1	Z			ECB	DD5		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Gear Train A578 (DD4, DD5)
Figure T350-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	D, P			ECB	DD5		
24	6100 299	15							BOLT AND CONED WASHER, Hex Head, M8x45x17
25									BALL, Pivot, (NOT SERVICED) (Not Serviced)
26	4863 720	3							KEY, Synchronizer
27	4761 113	3							SPRING, Synchronizer
-28	5003 747AA-	1	D, P			ECB	DD5		RETAINER
-29	4761 117	1	D, P			ECB	DD5		SLEEVE, Oil Restrictor

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				TRANSMISSION	
SERIES	LINE	BODY	ENGINE	DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DGC = 3 Speed Automatic	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGL = 4 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DG0 = All Automatics	
	P=Plymouth			DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Differential A578 (DD4, DD5)
Figure T350-810




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; DD4 - 5 Spd Manual Trans A578 W/Perf G/S DD5 = 5 Spd Manual Trans A578 EBD = 1.8L 4 Cyl - SOHC ECB = 2.0L 4 Cyl - SOHC									
1									DIFFERENTIAL, Transaxle
	4856 349	1					DD4		
	4856 348	1	D, P			ECB	DD5		
2									GEAR, Differential Ring
	4761 104	1	Z			ECB	DD5		
	4761 103	1					DD4		
	4761 104	1	D, P			ECB	DD5		
3									CASE, Differential
	4761 102	1	Z			ECB	DD5		
		1					DD4		
		1	D, P			ECB	DD5		
4	4348 679	2							PINION, Differential
5	4137 024	2							WASHER, Pinion Thrust
6									GEAR, Differential Side
	4659 502	2					DD4		
		2	D, P			ECB	DD5		
		2	Z			ECB	DD5		
7									WASHER PACKAGE, Side Gear Thrust
	4504 568	1	Z			ECB	DD5		
		1					DD4		
		1	D, P			ECB	DD5		
8									SHAFT, Pinion Gear
	4659 142	1					DD4		
		1	Z			ECB	DD5		
		1	D, P			ECB	DD5		
9									PIN, Pinion Shaft
	6503 827	1					DD4		
		1	D, P			ECB	DD5		
		1	Z			ECB	DD5		
10									BOLT, Differential Ring Gear
	4761 105	12							
		2	Z			ECB	DD5		
		2	D, P			ECB	DD5		
11									BEARING CUP, Differential
	4567 022	1					DD4		
		1	D, P			ECB	DD5		
		1	Z			ECB	DD5		
12									BEARING

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

**Differential A578 (DD4, DD5)
Figure T350-810**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4567 025AB	2							
		2	D, P			ECB	DD5		
		2	Z			ECB	DD5		
13	4797 316	1	Z			ECB	DD5		GEAR, Speedometer Drive
		1					DD4		
		1	D, P			ECB	DD5		
14	4883 546AA	AR	Z			ECB	DD5		SHIM, Final Drive, .42mm
		1					DD4		Illus. Incl. Items 15-32
		AR	D, P			ECB	DD5		
-15	4883 545AA-	AR	Z			ECB	DD5		SHIM, Final Drive, .46mm
		1					DD4		
		AR	D, P			ECB	DD5		
-16	5222 345	1					DD4		SHIM, Final Drive, .50mm
		1	D, P			ECC	DD4		
		AR	D, P			ECB	DD5		
-17	5222 346	AR	Z			ECB	DD5		SHIM, Final Drive, .54mm
		1					DD4		
		AR	D, P			ECB	DD5		
-18	5222 347	AR	Z			ECB	DD5		SHIM, Final Drive, .58mm
		1					DD4		
		AR	D, P			ECB	DD5		
-19	5222 348	AR	Z			ECB	DD5		SHIM, Final Drive, .62mm
		AR	D, P			ECB	DD5		
-20	5222 349	AR	Z			ECB	DD5		SHIM, Final Drive, .66mm
		1					DD4		
		AR	D, P			ECB	DD5		
-21	5222 350	AR	Z			ECB	DD5		SHIM, Final Drive, .70mm
		1					DD4		
		AR	D, P			ECB	DD5		
-22	5222 352	1	D, P			ECB	DD5		SHIM, Final Drive, .78mm
		1					DD4		
-23									SHIM, Final Drive, .82mm

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

**Differential A578 (DD4, DD5)
Figure T350-810**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5222 353	1	D, P			ECB	DD5		
-24		1					DD4		SHIM, Final Drive, .90mm
	5222 355	1	Z			ECB	DD4		
		AR	D, P			ECB	DD5		
-25		1	Z			ECB	DD5		SHIM, Final Drive, .94mm
	5222 356	AR	D, P			ECB	DD5		
		1					DD4		
-26		AR	D, P			ECB	DD5		SHIM, Final Drive, 1.02mm
	5222 358	AR	Z			ECB	DD5		
		1					DD4		
-27		AR	D, P			ECB	DD5		SHIM, Final Drive, 1.06mm
	5222 359	AR	Z			ECB	DD5		
		1					DD4		
-28		AR	D, P			ECB	DD5		SHIM, Final Drive, 1.18mm
	5222 362	1	D, P				DD4		
		AR	Z			ECB	DD5		
-29		AR	Z			ECB	DD5		SHIM, Final Drive, 1.26mm
	5222 364	AR	D, P			ECB	DD5		
		1					DD4		
-30		AR	D, P			ECB	DD5		SHIM, Final Drive, 1.30mm
	5222 365	AR	Z			ECB	DD5		
		1					DD4		
-31		AR	D, P			ECB	DD5		SHIM, Final Drive, 1.38mm
	5222 367	AR	Z			ECB	DD5		
		1					DD4		
-32		AR	D, P			ECB	DD5		SHIM, Final Drive, 1.42mm
	5222 368	AR	Z			ECB	DD5		
		1					DD4		
		AR	D, P			ECB	DD5		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fork and Rail A578 (DD4, DD5) Figure T350-910



NOTE; DD4 = 5 Spd Manual Trans A578 W/Perf G/S

DD5 = 5 Spd Manual Trans A578

ECB = 2.0L 4 Cyl - SOHC

ECC = 2.0L 4 Cyl - DOHC

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LEVER PACKAGE, Gearshift
	4856 841	1	Z			ECB	DD5		
		1					DD4		
		1	D, P			ECB	DD5		
2									PIN, Shift Shaft
	4761 145	1					DD4		
		1	Z			ECB	DD5		
		1	D, P			ECB	DD5		
3									SHAFT, Detent
	4773 411	1					DD4		
		1	Z			ECB	DD5		
		1	D, P			ECB	DD5		
4									BLOCKER, Shift
	4761 146	1					DD4		
		1	D, P			ECB	DD5		
		1	Z			ECB	DD5		
5									PIN
	6101 475	1	Z			ECB	DD5		
		1					DD4		
		1	D, P			ECB	DD5		
6									RAIL, First and Second Shift
	4761 176	1					DD4		
		1	Z			ECB	DD5		
		1	D, P			ECB	DD5		
7									FORK, Transmission
	4796 649	1					DD4		
	4796 650	1	D, P			ECB	DD5		
		1	Z			ECB	DD5		
8									RAIL, Third and Fourth Shift
	4761 178	1	Z			ECB	DD5		
		1					DD4		
		1	D, P			ECB	DD5		
9									LUG, Third and Fourth Shift
	4761 179	1	Z			ECB	DD5		
		1					DD4		
		1	D, P			ECB	DD5		
10									LUG, Fifth and Reverse
	4761 181	1	Z			ECB	DD5		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DGO = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Fork and Rail A578 (DD4, DD5) Figure T350-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1					DD4		
11	4761 180	1	D, P			ECB	DD5		RAIL, Fifth and Reverse Shift
		1	Z			ECB	DD5		
12	4761 182	1	D, P			ECB	DD5		ARM, Reverse Lever
		1	Z			ECB	DD5		
13	6501 862	1	D, P			ECB	DD5		SNAP RING
		1	Z			ECB	DD5		
14	4761 152	1	D, P			ECB	DD5		BRACKET, Reverse Shift Rod
		1	D, P			ECB	DD5		
15	4761 153	2	Z			ECB	DD5		SCREW, Reverse Bracket
16	4761 154	1					DD4		CAM, Reverse Block
		1	D, P			ECB	DD5		
		1	Z			ECB	DD5		
17	4874 137	1					DD4		FORK, Transmission
		1	D, P			ECC	DD4		
		1	Z			ECB	DD5		
		1	D, P			ECB	DD5		
18	4796 650	1	Z			ECB	DD5		FORK, Transmission
		1					DD4		
		1	D, P			ECB	DD5		
19	4761 147	1	Z			ECB	DD5		LEVER, Crossover
		1					DD4		
		1	D, P			ECB	DD5		
20	4761 148	1					DD4		PLATE, Crossover Stop
		1	Z			ECB	DD5		
		1	D, P			ECB	DD5		
21	4761 151	1					DD4		SPACER, Inner Crossover Lever

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DGO = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Figure T350-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	Z			ECB	DD5		
22	4761 149	1	D, P			ECB	DD5		SPRING, Crossover Lever
		1	Z			ECB	DD5		
		1					DD4		
23	4761 150	1	D, P			ECB	DD5		RETAINER, Spring
		1					DD4		
		1	Z			ECB	DD5		
24	4761 147	1	D, P			ECB	DD5		LEVER, Crossover
		1					DD4		
		1	Z			ECB	DD5		
25	4761 158	1	D, P			ECB	DD5		CLIP, Detent Shaft
		1	Z			ECB	DD5		
		1					DD4		
26	4762 603	1	D, P			ECB	DD5		PIN, Shift Shaft
		1					DD4		
		1	Z			ECB	DD5		
		1	D, P			ECB	DD5		

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Controls, Gearshift A578 (DD4, DD5) Figure T350-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; DD4 = 5 Spd Manual Trans A578 W/Perf G/S

DD5 = 5 Spd Manual Trans A578

1	4670 185	1					DD4, DD5		KNOB, Gearshift With Leather Wrap
	4446 987	1					DD4, DD5		Except Leather Wrap
2	4641 138	1					DD4, DD5		BOOT, Gearshift
3	4670 220	1					DD4, DD5		SHIFTER, Transmission
4	6500 284	2							NUT, Hex, M6x1.00
5	6501 326	2					DD4, DD5		CLIP, Moulding
6	4641 135	1					DD4, DD5		CABLE, Gearshift Control
7	4269 830	2					DD4, DD5		CLIP, Cable
8	4641 134	1					DD4, DD5		BRACKET, Transmission Control Cable
9	6100 296	3					DD4, DD5		BOLT, Hex Head

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 21P

Speedometer Pinions


GROUP 21P - Speedometer Pinions


Illustration Title

Group-Fig. No.


Speedometer Pinions

Pinion, Speedometer, (DD4 - DD5 - DGC) Fig. 21P-101



<div>21P-100</div> <div>Speedometer Pinions</div> <div></div>			
--	--	--	--

Pinion, Speedometer, (DD4 - DD5 - DGC)
Figure 21P-101



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; DD4 = 5 Spd Manual Trans A578 W/Perf G/S

DD5 = 5 Spd Manual Trans A578

DGC = 3 Spd Manual Trans 31TH

1	4707 839AA	1							SENSOR, Vehicle Speed
2									SCREW AND WASHER, Hex Head, M6x1x18
	6501 714	1					DD4, DD5 DGC		
		1							
3	4567 881	1					DGC		PINION, Speedometer Drive, Blue
	4593 107	1					DD4, DD5		
-4	4641 215	1					DD4, DD5		PINION, Speedometer Drive, Natural

DODGE - PLYMOUTH - CHRYSLER NEON (PL)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual




Group – 022
Wheels, Covers and Jacks

GROUP 22 - Wheels, Covers and Jacks


Illustration Title Group-Fig. No.

Wheels and Hardware	
Wheels and Hardware	Fig. 022-101
Wheel Covers and Center Caps	
Caps and Covers, Wheel	Fig. 022-201
Jack Stowage	
Jack and Spare Tire Stowage	Fig. 022-301



022-100 Wheels and Hardware	022-200 Wheel Covers and Center Caps	022-300 Jack Stowage	
			

Wheels and Hardware
Figure 022-101



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:

Sales Codes:

WH6 - WHEELS - 14 X 6.0 ALUMINUM, WHITE

WHH,WHP - WHEELS - 14 X 6.0 ALUMINUM

WBB - WHEELS - 14 X 5.5 BLACK

TBB - SPARE TIRE - FULL SIZE

WH0 - WHEELS - ALL 14" STYLED

W4Y,W4X,W4E - WHEEL COVERS - 14"

W4C,W4W - WHEEL COVERS - 14"

1									WHEEL, Aluminum
	RY42 PAKAA	4							Silver, WHH
	PL54 GW7	4							White, WH6
	PL54 PAK	4							Silver, WHP
2	4684 697AB	4							WHEEL, Steel
3	4684 695	1							WHEEL, Spare
4	6502 738	20							NUT, Wheel Chrome, M12x1.5, WH0
5	6500 526	20							NUT, Wheel, M12x1.5, W4E, W4S, W4G
6	6504 266	20							NUT, Wheel, [W4Y,W4C,W4J,W4W, W4X]
7									STEM, Wheel Valve
	2073 355	5							1 1/4'
	3461 079	1							1' Extension
-8									LABEL, Tire Pressure
	4472 985	1	D, P						English
	4656 077	1	Z			42			Australia
	4472 986	1	D, P						French - CANADA
	4656 079	1	D, P						EUROPE
	4656 293AA-	1	D, P						Competition Pkg., French
	4656 079	1	Z			42			
	4656 280AA-	1	D, P						Competition Pkg., English


DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Caps and Covers, Wheel
Figure 022-201



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:

Sales Codes:

WH6 - WHEELS - 14 X 6.0 ALUMINUM, WHITE

W4J - WHEEL COVERS - 14', PREMIUM

W4C,W4W - WHEEL COVERS - 14' WHITE

W4Y,W4X,W4E - WHEEL COVERS - 14'

WHH,WHP - WHEELS - 14 X 6.0 ALUMINUM

1									COVER, Wheel Bright White (W4C)
	4656 251AB	4							
	4656 376AC	4							Silver (W4Y) - Black Caps (Nuts are replaceable separately)
	4656 376AD	4							Silver (W4X) - Silver Caps
2	4656 381	4							COVER, Wheel, 14", (W4E)
3									COVER, Wheel (W4W)
	4656 777AB	4							(W4J)
	4656 825AB	4							
4									CAP, Wheel Center, Machine Finish Aluminum
	PH83 GW7	4							White (WHT)
	PH83 PAK	4							Silver (WHP)
5	RY51 PAKAA	4							CAP, Wheel Center, Fleet - Gold, Silver (WHH)
6	5012 417AA	4							CAP, Nut, Nuts are replaceable separately
-7	2073 355	5							STEM, Wheel Valve

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Jack and Spare Tire Stowage Figure 022-301

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Sales Codes:

TBC = Compact Spare

TBB - Full Size Spare

1	4371 785	1							PLATE, Spare Tire Cover
2									COVER, Spare Tire, with Carpet
	QH36 HSBAC	1							Dark Charcoal, Full Size Spare
	PP26 HSBAC	1							Dark Charcoal, Compact Spare
3	6032 619	1							WINGNUT, Jack and Tire Hold Down
4	4371 895	1							PLATE, Spare Tire Cover
5	6034 821	1							BOLT, Square Neck, .375-16x5.50
6									PAD, Spare Tire, (NOT SERVICED) (Not Serviced)
7	4206 922	1							BRACKET, Spare Tire
8	5256 625	1							JACK
-9	4751 528	1							HANDLE, Jack
-10									LABEL, Tire Pressure
	4472 986	1	D, P						French
	4656 079	1	D, P						Bi-Lingual
	4472 985	1	D, P						
	4656 077	1	Z		42				Australia
	4656 079	1	Z		42				
	4656 280AA-	1	D, P						Competition Package
	4656 293AA-	1	D, P						Competition Package, French
-11	4103 504	1							LABEL, Jack Caution
-12									LABEL, Jack Instructions
	4888 682	1	Z		42				Warning
	4888 536AB-	1							Conventional Spare
	4888 576	1	Z		42				Usage
-13	5256 549	1							BAG, Jack Tool Storage

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year


September 15, 2005

Group – 23D

Wiper/Lock Cylinder and Keys


GROUP 23D - Wiper/Lock Cylinder and Keys

Illustration Title	Group-Fig. No.
Lock Cylinders and Keys	
Lock Cylinder And Keys	Fig. 23D-105
Windshield Wiper and Washer Systems	
Windshield Wiper And Washer	Fig. 23D-205



<div>23D-100</div> <div>Lock Cylinders and Keys</div> <div></div>	<div>23D-200</div> <div>Windshield Wiper and Washer Systems</div> <div></div>		
---	---	--	--

Lock Cylinder And Keys
Figure 23D-105




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5507 5487	1	D, P						KEY, Blank
2	4773 984	2	Z		42				KEY, Blank, Neon Glow
		1	D, P						
3	5003 843AA	1	Z		42				CYLINDER, Ignition Lock
		1	D, P						
4	5010 879AA	1	Z		42				TUMBLER, Ignition Number 1, Sidebar
		1	D, P						
-5	5010 880AA-	1	Z		42				TUMBLER, Ignition Number 2, Sidebar
		1	D, P						
-6	5010 881AA-	1	Z		42				TUMBLER, Ignition Number 3, Sidebar
		1	D, P						
-7	5010 882AA-	1	Z		42				TUMBLER, Ignition Number 4, Sidebar
		1	D, P						
8	5010 883AA	1	Z		42				SPRING, Ignition Tumbler, Sidebar
		1	D, P						
9	4778 125	2	Z		42				CYLINDER LOCK, DOOR OR LIFTGATE, BRIGHT
		2	D, P						
10	4778 117	1	Z		42				TUMBLER, Door and Deck Number 1, Wide
		1	D, P						
-11	4778 118	1	Z		42				TUMBLER, Door and Deck Number 2, Wide
		1	D, P						
-12	4778 119	1	Z		42				TUMBLER, Door and Deck Number 3, Wide
		1	D, P						

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Lock Cylinder And Keys
Figure 23D-105




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-13									TUMBLER, Door and Deck Number 4, Wide
	4778 120	1	Z		42				
		1	D, P						
14									SPRING, Door and Deck Tumbler
	4778 121	1	Z		42				
		1	D, P						
15									CYLINDER, Deck Lid Lock
	4778 146	1	Z		42				
		1	D, P						
16									TUMBLER, Door and Deck Number 1, Wide
	4778 117	1	Z		42				
		1	D, P						
-17									TUMBLER, Door and Deck Number 2, Wide
	4778 118	1	D, P						
		1	Z		42				
-18									TUMBLER, Door and Deck Number 3, Wide
	4778 119	1	Z		42				
		1	D, P						
-19									TUMBLER, Door and Deck Number 4, Wide
	4778 120	1	Z		42				
		1	D, P						
20									SPRING, Door and Deck Tumbler
	4778 121	1	Z		42				
		1	D, P						
21									LINK, Key Cylinder To Latch
	4658 924	1	D, P		22				Right
	4658 925	1	D, P		22				Left
	4658 918	1			42				Right
	4658 919	1			42				Left
22	56021 903AA	1	D, P						TRANSMITTER, Keyless Entry
-23	5600 9113	2							TRANSMITTER, Anti Theft, Export
-24	8350 4802	1	D, P						BATTERY, Transmitter
25	4661 982	1	D, P						RECEIVER, Keyless Entry
26	4480 116	1							RETAINER, Lock Cylinder
27									CLIP, Retainer
	6026 125	2	D, P						E-Type
		2	Z		42				E-Type
28									CAP, Door Lock Cylinder, Bright

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Lock Cylinder And Keys
Figure 23D-105




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4778 149	1	Z		42				
		1	D, P						
29	5257 148	1	Z		42				CAP, Door Lock Cylinder, Black
		1	D, P						
30	4717 288	2	Z		42				LEVER, Front Door Cylinder
		2	D, P						
31									LEVER, Deck Lid Lock Cylinder
	4723 494	1	Z		42				
		1	D, P						
32	5027 102AA	1							CLIP, Latch, Black, with Flap
33	5507 4799	1							GASKET, Door Lock Cylinder, Black
34	2583 377	1							RETAINER, Door Lock Cylinder
35									SHUTTER, Door, Deck and Liftgate, Bright
	4778 150	1	Z		42				
		1	D, P						
-36	4778 151	1	Z		42				SHUTTER, Door, Deck Lid, Black
		1	D, P						
37	5257 245	1	Z		42				SPRING, Deck Lid Return
		1	D, P						
-38									SPRING, Cylinder Return
	4378 793	1	Z		42				Door
		1	D, P						Door
-39	5293 136AA-	1							MODULE, Security Alarm, Immobilizer, Export

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Windshield Wiper And Washer Figure 23D-205



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4863 705	1							PUMP, Washer, Windshield
2	4882 071	1							RESERVOIR, Washer
3	5003 285AA	1							FILLER NECK AND CAP, Washer Reservoir
4	HWV0 0532	1							HOSE, Washer And Vacuum, 50 Foot Roll 5/32"
5	5288 462AB	2							NOZZLE, Washer, Windshield w/o Power Bulge, Right & Left Left
	5288 462AC	1							Right
6	4389 440	2							CAP, Wiper Arm Nut
7	6500 165	2							NUT, Wiper Arm
8									ARM, Wiper
	4882 156	1	D, P						Right
	4882 157	1	D, P						Left & Right Connector
	4882 093	1	Z		42				Left
	4882 096	1	Z		42				Right
9									BLADE, Wiper
	4741 483	1	Z		42				525mm, Left
	5288 236	1	D, P						Right
	5288 237	1	D, P						Left
	4864 982	1	Z		42				Right
	4864 983	1	Z		42				Left
10									FRAME, Wiper Pivot
	4864 912	1	Z		42				
	4882 158	1	D, P						
11	4761 321	1	Z		42				LINK, Drive Wiper
12	4761 324	1	Z		42				LINK, Slave
13									MOTOR, Wiper
	4882 659	1	Z		42				
	5011 390AA	1	D, P						
14									GROMMET, WIPER FRAME, (NOT REQUIRED)
-15	4798 779	1							GASKET, Reservoir Sensor
-16	4863 704	1							GROMMET, Washer Reservoir
-17	4805 010	2							CHECK VALVE, Washer
-18	4741 482	1	Z		42				REFILL, Wiper Blade
-19	5012 964AA-	1							GROMMET, Windshield Washer Pump
-20	4793 909AC-	1							WIRING, Underhood Lamp

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

Group – 024

Air Conditioning & Heater

GROUP 24 - Air Conditioning & Heater

Illustration Title Group-Fig. No.

Air Conditioner and Heater Units

Heater Unit Left-Hand Drive	Fig. 024-103
Heater Unit Right-Hand Drive	Fig. 024-105
Air Conditioning Unit Left-Hand Drive	Fig. 024-115
Air Conditioning and Heater Unit Right Hand Drive	Fig. 024-120

Air Conditioner and Heater Plumbing

Plumbing, Heater	Fig. 024-202
Plumbing, Air Conditioning	Fig. 024-204

Air Conditioner and Heater Controls

Controls, Air Conditioning and Heater	Fig. 024-302
---	--------------

Air Conditioning Compressor


Compressor	Fig. 024-403
------------------	--------------







Air Conditioning Compressor Mounting

Compressor Mounting	Fig. 024-503
---------------------------	--------------


Air Ducts and Outlets

Air Distribution Ducts, Outlets	Fig. 024-603
---------------------------------------	--------------



024-100 Air Conditioner and Heater Units 	024-200 Air Conditioner and Heater Plumbing 	024-300 Air Conditioner and Heater Controls 	024-400 Air Conditioning Compressor 
024-500 Air Conditioning Compressor Mounting 	024-600 Air Ducts and Outlets 		

Heater Unit Left-Hand Drive
Figure 024-103




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4864 954	1	D, P						HOUSING, Blower Motor
2	4644 388	7	D, P						CLIP, A/C Heater Housing
3	4734 227	18	D, P						SCREW, Hex Head, M4.8-1.59x19
4	4644 225	3	D, P						STUD, A/C Heater Housing
5	6031 087	3	D, P						SEAL, Air Conditioning Unit
6	4644 545	1	D, P						MOTOR PACKAGE, Heater Blower
-7	5264 693	1	D, P						RESISTOR, Blower Motor
-8	5264 714	1	D, P						COVER, Blower Motor
9	6101 308	2							NUT, U, M6x1
10	4661 316	1	D, P						WIRING, Heater Jumper
11	4661 315AB	1	D, P						WIRING, Heater and A/C Jumper
12	4734 453	1	D, P						CORE, Heater
-13									SEAL, Heater Core, Serviced in Heater Core, (NOT REQUIRED)
14	4644 499	4	D, P						CLIP, Air Conditioning Cable
15	4886 379AA	1	D, P						HOUSING, Distribution
16	4644 500	1	D, P						DUCT, Floor Distribution
17	4864 960	1	D, P						SEAL KIT, A/C And Heater Unit

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Heater Unit Right-Hand Drive Figure 024-105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5013 422AA	1	Z		42				HOUSING, Heater Air Inlet
2	5013 421AA	1	Z		42				HOUSING, A/C And Heater
3	4874 179	1	Z		42				MOTOR, Blower with Wheel
-4	4462 840	1	Z		42				RESISTOR, Blower Motor
-5	4874 185	1	Z		42				COVER, Blower Motor
6	4874 181	1	Z		42				CORE, Heater
7	4874 182	1	Z		42				COVER, Heater Core Tubes
8	4874 183	1	Z		42				TUBE, Heater Core
9	4644 388	6	Z		42				CLIP, A/C Heater Housing
10	4644 225	3	Z		42				STUD, A/C Heater Housing
11	6031 087	3	Z		42				SEAL, Air Conditioning Unit
12	4874 186	1	Z		42				PLUG, A/C Evaporator Drain Tube
13	4874 187	1	Z		42				SEAL KIT, A/C And Heater Unit
14	4661 940AB	1	Z		42				WIRING, Heater and A/C Jumper
-15	4734 227	25	Z		42				SCREW, Hex Head, M4.8-1.59x19
-16	4874 184	1	Z		42				GROMMET, A/C Probe


DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Air Conditioning Unit Left-Hand Drive Figure 024-115



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4864 527	1	D, P						HOUSING, Blower Motor
2	4644 388	4	D, P						CLIP, A/C Heater Housing
3	4734 227	28	D, P						SCREW, Hex Head, M4.8-1.59x19
4	4644 225	3	D, P						STUD, A/C Heater Housing
5	6031 087	3	D, P						SEAL, Air Conditioning Unit
6	4864 953	1	D, P						HOUSING, Air Inlet
7	6101 308	2							NUT, U, M6x1
8	4644 918	1	D, P						MOTOR, Blower with Wheel
-9	4462 840	1							RESISTOR, Blower Motor
10	4661 315AB	1	D, P						WIRING, Heater and A/C Jumper
11	4644 536	1	D, P						PROBE, Air Conditioning
12	5011 513AA	1	D, P						EVAPORATOR, Air Conditioning
13	4734 918	1	D, P						ACTUATOR, Recirculation Door
14	4734 921	1	D, P						HARNESS, A/C And Heater Vacuum
15	4734 453	1	D, P						CORE, Heater
16	4644 499	4	D, P						CLIP, Air Conditioning Cable
17	4886 379AA	1	D, P						HOUSING, Distribution
18	4644 500	1	D, P						DUCT, Floor Distribution
19	4864 960	1	D, P						SEAL KIT, A/C And Heater Unit
-20	5264 774	1							DECAL, A/C System Specification

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special


LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual


Air Conditioning and Heater Unit Right Hand Drive
Figure 024-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5013 423AA	1	Z		42				HOUSING, Air Inlet
2	5013 421AA	1	Z		42				HOUSING, A/C And Heater
3	4874 179	1	Z		42				MOTOR, Blower with Wheel
4	4874 185	1	Z		42				COVER, Blower Motor
5	4644 536	1	Z		42				PROBE, Air Conditioning
6	4874 180	1	Z		42				EVAPORATOR, Air Conditioning
7	4874 181	1	Z		42				CORE, Heater
8	4874 182	1	Z		42				COVER, Heater Core Tubes
9	4874 183	1	Z		42				TUBE, Heater Core
10	4644 388	6	Z		42				CLIP, A/C Heater Housing
11	4644 225	3	Z		42				STUD, A/C Heater Housing
12	6031 087	3	Z		42				SEAL, Air Conditioning Unit
13	4661 940AB	1	Z		42				WIRING, Heater and A/C Jumper
14	4874 187	1	Z		42				SEAL KIT, A/C And Heater Unit
-15	4734 227	25	Z		42				SCREW, Hex Head, M4.8-1.59x19
16	4885 423AA	1							DUCT, Floor Distribution

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

Plumbing, Heater
Figure 024-202



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:

Sales Codes:

ECB = 2.0L SOHC

ECC = 2.0L DOHC

EBD = 1.8L SOHC 16V

1									HOSE, Heater Core To Tube
	5264 709	2	Z		42				
	5264 658	2	D, P						
-2	5264 728	1	Z		42				CLIP
3	6502 017	4	D, P			ECC			CLAMP, Heater Hose
4									CLAMP, Supply Hose, 26 mm Diameter
	6503 422	2	Z		42				
		4	D, P						
5									TUBE, Heater Hose
	5264 651	1	D, P			ECB			
		1	Z		42	ECB			
		1	D, P			EBD			Export
		1	Z		42	EBD			Export
6	4884 044AA	1	D, P			ECC			TUBE, Heater
-7	6505 088AA-	1	D, P			ECC			STUD, Double Ended, M8x1.25x50.
									00, Heater Tube
-8	6102 003	2	D, P			ECC			BOLT AND CONED WASHER, Hex Head, M6x16x14
9									BRACKET, Heater Tube To Block
	5264 692	1	Z		42	ECB			
		1	D, P			ECB			
		1	Z		42	EBD			Export
		1	D, P			EBD			Export
10									HOSE, Heater
	5264 689	1	D, P			EBD			Export
		1	Z		42	EBD			Export
		1	D, P			ECB			
		1	Z		42	ECB			
11	4667 564	1	D, P			ECC			HOSE, Heater Supply
12									HOSE, Heater, Tube to Pump (Served in Item #6), (NOT SERVICED) (Not Serviced)
13	4667 854	1	D, P			ECC			HOSE, Heater Return
14									CLAMP, Supply Hose, 26 mm Diameter
	6503 422	4	D, P			ECB			

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Plumbing, Heater
Figure 024-202


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

		4	Z		42	ECB			
		4	Z		42	EBD			Export



DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

Plumbing, Air Conditioning
 Figure 024-204




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
Sales Codes:									
ECB = 2.0L SOHC									
1									DRIER, Air Conditioning Filter
	4883 282	1	D, P						
	4883 278	1	Z		42				
2									LINE, A/C Liquid
	4883 281	1	D, P						
	4883 277	1	Z		42				
3									LINE, A/C Suction And Liquid
	4883 283	1	D, P						
	4883 280	1	Z		42				
4									O RING, A/C Line
	4796 564	1	D, P						
		1	Z		42				
5									VALVE CORE, Service Port
	4762 788	1	D, P						
		1	Z		42				
6	5264 642	1							CAP, A/C Check Valve
-7	6101 770	1							SCREW AND WASHER, Hex Head, .19-16x1.00, Liquid Line to Condenser
-8	6101 660	1							SCREW AND WASHER, Hex Head, M8x1.25x35, Lines to Expansion Valve
9	5264 643	1							GROMMET, A/C Drier Mounting
10	5264 744	1							VALVE, A/C Expansion, w/Cut-Off Switch
11									GASKET, A/C Expansion Valve
	5264 633	1	D, P						
		1	Z		42				
12	6032 572	2							SCREW, Cap, .25-20x2.00
13	5264 578	1							LINE, A/C Discharge
-14	6503 605	1							CLIP, Discharge Line
-15	6101 769	1							SCREW, Hex Head, M6x1x35, Discharge Line to Condenser
-16	4677 204	1	D, P						VALVE, Vacuum Check
17	4796 565	2							O RING, A/C Line
18									O RING, A/C Line
	4882 139	2	D, P						
		2	Z		42				
19	4677 045	1							GASKET, Valve To Evaporator
20									CONDENSER, Air Conditioning

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Plumbing, Air Conditioning Figure 024-204



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4740 109	1				ECB			
		1	D, P			EBD			
		1				ECC			
-21	5264 774	1							DECAL, A/C System Specifiation

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-

DODGE - PL
SERIES
 L=Low Line
 H=High Line
 S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Controls, Air Conditioning and Heater Figure 024-302



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CONTROL, A/C And Heater, w/o Faceplate
	4886 204AA	1							
	4897 294AA	1	Z		42				
2									CONTROL, Heater, w/o Faceplate
	4886 205AA	1							
	4897 293AA	1	Z		42				
3	MK01 TX9	3							KNOB, A/C Control
4	MK02 TX9	1							KNOB, Blower Switch
5	6032 723	2							SCREW, Self Tapping, M4.2x1.69x19.05
6									CABLE, Mode
	4644 495	1	Z		42				
		1	D, P						
7									CABLE, Temperature Control
	4644 496	1	D, P						
		1	Z		42				
8	4644 494	1	Z		42				CABLE, Recirculation Door
9	4734 921	1	D, P						HARNESS, A/C And Heater Vacuum
10									CLIP, Air Conditioning Cable
	4644 499	4	D, P						
		4	Z		42				
-11	5003 281AA-	2							BULB, Heater and A/C Control

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special


LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual


Compressor
Figure 024-403



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5278 462AA	1							COMPRESSOR, Air Conditioning
2	4773 100	1							MANIFOLD KIT, A/C Compressor
3	4728 854	1							SEAL, Manifold To Compressor
-4	4773 102	1							BOLT, A/C Compressor, Plumbing Attaching
5									VALVE, High Pressure Relief, Serviced in Manifold, (NOT SERVICED) (Not Serviced)
6	5264 457	1							BOLT KIT, A/C Compressor Manifold
7	5264 454	1							SNAP RING KIT, A/C Clutch
8	5264 452	1							CLUTCH OVERHAUL KIT, A/C Compressor
9	4864 715	1							COIL, Stator, A/C Compressor Clutch
10	4723 014	1							PULLEY HUB KIT, A/C Compressor, Pulley and Hub
11	4773 101	1							SWITCH, A/C High Pressure Cut Off

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

Compressor Mounting
Figure 024-503



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


NOTE:

Sales Codes:
ECB = 2.0L SOHC
ECC = 2.0L DOHC
EBD = 1.8L SOHC 16V

1									SCREW AND WASHER, Hex Head, M10x1.5x45
	6101 512	3	Z		42	ECB			
		3	D, P			EBD			Export
		3	Z		42	EBD			Export
		3	D, P			ECB			
		3	D, P			ECC			
2	4612 130	1							BRACKET, A/C Compressor
3	5278 462AA	1							COMPRESSOR, Air Conditioning
4	6503 219	3							SCREW AND WASHER, Hex Head, M8x1.25x100

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

Air Distribution Ducts, Outlets
Figure 024-603



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5264 791AA	1							DUCT, Defroster, Black
-2	5264 656	1							SEAL, Defroster Duct, Upper
3	5264 569	1	D, P						DUCT, Defroster
	5264 703	1	Z		42				
-4	5264 604	1	Z		42				SEAL, Defroster Duct
		1	D, P						
5	5264 541	1	D, P						DUCT, Air Outlet
6	5264 702	1	Z		42				DUCT, Air Outlet Distribution
-7	6032 723	2							SCREW, Self Tapping, M4.2x1. 69x19.05
8									ADAPTER, Demister
	5264 705	1	Z		42				
	5264 575	1	D, P						
-9	6032 723	2							SCREW, Self Tapping, M4.2x1. 69x19.05
10									HOSE, Demister
	5264 574	1	D, P						
		1	Z		42				
11	5264 610	1	D, P						DUCT, Air Outlet
12	5264 706	1	Z		42				DUCT, Air Outlet, Left
13	5264 540	1	D, P						DUCT, Air Outlet
14	5264 701	1	Z		42				DUCT, Air Outlet
15									DUCT, Air Outlet
	5264 609	1	D, P						
	5264 707	1	Z		42				
16									OUTLET, Air Side, (NOT SERVICED) (Not Serviced)
17									GRILLE, Instrument Panel Demister
	MF98 1AZ	1	D, P						Agate, Right
	MF98 1KB	1	D, P						Dark Camel, Right
	MF99 1AZ	1	D, P						Agate, Left
	MF99 1KB	1	D, P						Dark Camel, Left

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – 025

Emission Systems

GROUP 25 - Emission Systems

Illustration Title Group-Fig. No.

Emission Labels

Emission Labels PL Fig. 025-101

EGR System

EGR System PL Fig. 025-201

Vacuum Canister

Vapor Canister PL Fig. 025-301

Emission Harness





Emission Control Vacuum Harness PL Fig. 025-401

Leak Detection Pump PL Fig. 025-491

025-100

025-400

025-300

<p>025-100 Emission Labels</p> 	<p>025-200 EGR System</p> 	<p>025-300 Vacuum Canister</p> 	<p>025-400 Emission Harness</p> 
---	--	---	--

Emission Labels PL
Figure 025-101

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Codes

[ABJ]=Japan

[ABT]=Tiawan

[DD4]=Manual Perf. Trans.

[DD5]=Manual Trans.

[DGC]=Automatic Trans

[EBD]=1.8L Engine.

[ECB]=2.0L SOHC Engine.

[ECC]=2.0L DOHC Engine

[NAA]=Federal Emissions

[NAE]=California Emissions

1						LABEL, Emission	
4891	280AA	1		ECB		Domestic [NAA] Federal	
4891	285AA	1		ECC		Domestic/International [NAA] Federal	
4891	308AA	1		EBD		All [NAA] Federal w/Out [ABJ] Japan	
4891	309AA	1		EBD		All [NAE] California	
4891	282AA	1		ECB	DGC	All [NAE] California	
4891	283AA	1		ECB	DD4, DD5	All [NAE] California	
4891	287AA	1		ECC		All [NAE] California	
4891	281AA	1		ECB		Canada [NAA] Federal	
4891	286AA	1		ECC		Canada [NAA] Federal	
4891	280AA	1		ECB		International [ABT] Tiawan	
4891	284AA	1		ECB	DD5, DGC	International w/Out [ABT] [ABJ] Tiawan Japan	


DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

1



EGR System PL Figure 025-201



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: EBD=1.8L Engine. ECB=2.0L SOHC Engine. ECC=2.0L DOHC Engine. DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.									
1									VALVE, EGR
	4287 602	1	D, P			ECB	DGC		
		1	Z		42	ECB	DGC		
		1	D, P			ECC	DGC		
		1	D, P			ECB	DD4, DD5		
		1	D, P			ECC	DD4, DD5		
2									TUBE, EGR
	4669 228	1	D, P			ECB	DGC		
		1	Z		42	ECB	DGC		
	4669 244	1	D, P			ECC	DGC		
	4669 228	1	D, P			ECB	DD4, DD5		
	4669 244	1	D, P			ECC	DD4, DD5		
-3									SEAL, EGR Tube
	4667 431	1	D, P			ECB	DGC		
		1	Z		42	ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	D, P			EBD	DD4		
		1	Z		42	EBD	DD4		
4									BOLT, EGR Tube
	6500 464	2	D, P			ECB	DGC		
		2	Z		42	ECB	DGC		
		2	D, P			ECB	DD4, DD5		
		2	D, P			ECC	DGC		
		2	D, P			ECC	DD4, DD5		
5									GASKET, EGR Valve
	4663 247	1	D, P			EBD	DD4		
		1	Z		42	EBD	DD4		
		1	Z		42	ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
6									GASKET, EGR Tube Flange

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth


BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DGO = All Automatics
DBB= All 5 Speed Manual

EGR System PL
Figure 025-201

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5277 928	1	Z		42	ECB	DGC		
		1	D, P			ECB	DD4, DD5		
		1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
7	4669 920AB	1				ECB, ECC			HARNESS, Emission Control




DODGE - PLYMOUTH - CHRYSLER NEON (PL)				TRANSMISSION	
SERIES	LINE	BODY	ENGINE	DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DGC = 3 Speed Automatic	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGL = 4 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DG0 = All Automatics	
	P=Plymouth			DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Vapor Canister PL
Figure 025-301




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes									
[DGC] = 3 Speed Automatic Transmission									
[DD4] = 5 Speed Performance Manual Transmission									
[DD5] = 5 Speed Manual Transmission									
[EBD] = 1.8L 4 Cylinder SOHC 16V SEFI Engine									
[ECB] = 2.0L 4 Cylinder SOHC 16V SMPI Engine									
[ECC] = 2.0L 4 Cylinder DOHC 16V SMPI Engine									
1	4891 240AA	1							BRACKET, Vapor Canister
2	6035 155	4							SCREW, Hex Head, .25-14x.875
3	53031 643AA	1							CAP, Vent Tube
4									CANISTER, Vapor
	4669 456	1							[NAE] California Emissions
	4891 255AA	1							[NAA] Federal [NZ5] High Speed
5									Engine Controller
									CONNECTOR, Vapor Canister Vent Hose
	4179 981	1	D, P			EBD	DD4		
		1	Z		42	EBD	DD4		
		1	D, P			ECB	DGC		
		1	Z		42	ECB	DGC		
		1	D, P			ECC	DGC		
		1	D, P			ECB	DD4, DD5		
		1	D, P			ECC	DD4, DD5		
6	4669 358	1							BRACKET, Leak Detection Pump

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

Emission Control Vacuum Harness PL

Figure 025-401



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: EBD=1.8L Engine. ECB=2.0L SOHC Engine. ECC=2.0L DOHC Engine. DGC=Automatic Trans. DD4=Manual Perf. Trans. DD5=Manual Trans.									
1	4741 758	1							BRACKET, Duty Cycle Purge Solenoid
2	4669 564	1							HARNESS, Emission Control Vacuum
3	4669 475AB	1							SOLENOID, Duty Cycle Purge
4	4669 391AB	1	D, P			ECB	DGC		HARNESS, Vapor Purge NAE (California)
		1	D, P			ECB	DD4, DD5		NAA, NAE (Federal, California)
	4669 879	1	D, P			EBD	DD4		
		1	Z		42	EBD	DD4		
		1	Z		42	ECB	DGC		
		1	D, P			ECB	DGC		NAB (Leaded)
		1	D, P			ECB	DD4, DD5		NAB (Leaded)
	4669 392AB	1	D, P			ECC	DGC		
5									HARNESS, Vacuum Vapor Purge, (NOT REQUIRED)
-6									HARNESS, EGR And Speed Control, (NOT REQUIRED)
-7	4546 944	1							TUBE, Vapor, .25x.25
-8									BRACKET, Vacuum Harness
	4669 427	1	D, P			ECC	DGC		
		1	D, P			ECC	DD4, DD5		
	4669 557	1	D, P			EBD	DD4		
		1	Z		42	EBD	DD4		
		1	D, P			ECB	DGC		
		1	Z		42	ECB	DGC		
		1	D, P			ECB	DD4, DD5		
-9	4669 292	1							ORIFICE, Emission Harness
-10									CONNECTOR, Manifold Vacuum, (NOT REQUIRED)
-11	4612 901	1							FILTER, Leak Detection Pump

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI


TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

Leak Detection Pump PL
Figure 025-491

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: EBD=1.8L Engine. ECB=2.0L SOHC Engine. ECC=2.0L DOHC Engine. DGC=Automatic Trans. DD4=Manual Perf. Trans.
DD5=Manual Trans.


1	4612 901	1							FILTER, Leak Detection Pump
2	4669 359	1							HOSE, Leak Detection Pump
3	4669 306AB	1							PUMP, Leak Detection
4	4669 360	1							HOSE, Leak Detection Pump
5	4669 358	1							BRACKET, Leak Detection Pump



DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

Group – DPL

Doors and Related Parts




GROUP DPL - Doors and Related Parts

Illustration Title	Group-Fig. No.
Front Door	
Door, Front, PL42 Shell, Glass and Hinge	Fig. DPL-105
Door, Front, PL22 Shell, Glass and Hinge	Fig. DPL-106
Door, Front, PL42 Regulator, Handle and Locking	Fig. DPL-107
Door, Front, PL22 Regulator, Handle and Locking	Fig. DPL-108
Rear Door	
Door, Rear Shell, Glass and Hinge	Fig. DPL-205
Door, Rear Regulator, Handle and Locking	Fig. DPL-207
Exterior Mirror	
Mirror, Exterior	Fig. DPL-505
Weatherstrips and Seals	
Door, Front and Rear Weatherstrips and Seals	Fig. DPL-605
Door, Front, PL22 Weatherstrips and Seals	Fig. DPL-606

DPL-100 Front Door	DPL-200 Rear Door	DPL-500 Exterior Mirror	DPL-600 Weatherstrips and Seals

Door, Front, PL42 Shell, Glass and Hinge Figure DPL-105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DOOR, Front
	4888 570AB	1			42				Right
	4888 571AB	1			42				Left
2									PANEL, Door Outer
	4615 660AB	1			42				Right
	4615 661AB	1			42				Left
-3	2895 126	4							PLUG, Body, 1.25x.50
-4									SPACER, Door Impact Blocker, Hard Foam
	4658 718	1			42				Right
	4658 719	1			42				Left
-5	0154 619	6			42				SCREW, Tap Hex Flange Head, .190-16x1.0, Blocker
6									GLASS, Front Door
	4783 498	1			42				Right
	4783 499	1			42				Left
7									STABILIZER, Door Glass Belt
	4658 332AB	4			42				Inner
8	4615 678AB	2			42				SCREW, M6 x 1.00 x 12.00, (NOT SERVICED) (Not Serviced)
9									BRACKET, Inside Handle
	4658 352	1							Right
	4658 353	1							Left
10	6501 773	4							NUT, Plastic Snap-in
11	6035 372	2			42				SCREW, Pan Head Tapping, M6. 3x1.8x22.23
12	4620 799	2			42				BRACKET PACKAGE, Door Trim Panel
13									HINGE, Door
	4783 484	1			42				Lower Right,Upper Left
	4783 485	1			42				Lower Left,Upper Right
-14	6502 975	8							SCREW AND WASHER, Hex Head, M8x1.25x33, Hinge Attaching
15	4783 500	1			42				PIN, Door Hinge
-16	6035 926AA-	4							NUT, .312 Diameter, Hinge Pin
17	4661 215	2	D, P						PLUG, Body
18	4520 289	AR							SPACER, Door Latch Striker
19	4658 446	2			42				STRIKER AND BUMPER, Door Latch
20	6503 120	4			42				SCREW AND WASHER, Button Head Torx

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year


September 15, 2005

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
21	4658 282	4			42				RETAINER, Glass to Liftplate, Front
22	4658 592	2			42				RETAINER, Glass to Liftplate, Rear
23	4793 758	2							SPEAKER, Front Door
24	0154 640	6							SCREW, Piercing, .164-15x1.25
-25	4888 625AA-	2			42				BUMPER, Door Ajar Switch
-26	5256 594	1							LABEL, Lift Point
-27									LABEL, Child Protection Lock, English
	4615 722AB-	2			42				
	4615 723	2			42				French



September 15, 2005

Door, Front, PL22 Shell, Glass and Hinge Figure DPL-106



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DOOR, Front
	4658 050AB	1	D, P		22				Right
	4658 051AB	1	D, P		22				Left
2									PANEL, Door Outer
	4658 054AB	1	D, P		22				Right
	4658 055AB	1	D, P		22				Left
-3	4658 826	2	D, P		22				BRACE, Door Inner Panel Belt
-4	2895 126	4							PLUG, Body, 1.25x.50
5									GLASS, Front Door
	4658 360	1	D, P		22				Right
	4658 361	1	D, P		22				Left
6	4658 332AB	4	D, P		22				STABILIZER, Door Glass Belt
7									SCREW, M6 x 1.00 x 12.00, (NOT SERVICED) (Not Serviced)
8									BRACKET, Inside Handle
	4658 352	1							Right
	4658 353	1							Left
9	6501 773	4							NUT, Plastic Snap-in
10	6035 372	2							SCREW, Pan Head Tapping, M6. 3x1.8x22.23
11	4665 530	2	D, P		22				BRACKET, Door Trim Panel
12									HINGE, Door
	4783 485	1	D, P		22				Upper Right,Lower Left
	4783 484	1	D, P		22				Upper Left,Lower Right
13	4783 500	1	D, P		22				PIN, Door Hinge
-14	6035 926AA-	4							NUT, .312 Diameter, Hinge Pin
-15	6502 975	8							SCREW AND WASHER, Hex Head, M8x1.25x33
16	4661 215	2	D, P						PLUG, Body
17	4520 289	AR							SPACER, Door Latch Striker
18	4658 446	2							STRIKER AND BUMPER, Door Latch
19	6503 120	4							SCREW AND WASHER, Button Head Torx
20	4658 282	6	D, P		22				RETAINER, Glass to Liftplate, Front
21	4658 282	6	D, P		22				RETAINER, Glass to Liftplate
22	4793 758	2							SPEAKER, Front Door
-23	4775 117	1	D, P		22				SEAL, Speaker
24	0154 640	6							SCREW, Piercing, .164-15x1.25

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Front, PL42 Regulator, Handle and Locking
Figure DPL-107



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									REGULATOR, Front Door Window
	4798 620AB	1			42				Right,Power
	4798 621AB	1			42				Left,Power
	4658 978AD	1			42				Right,Manual
	4658 979AD	1			42				Left,Manual
-2									REINFORCEMENT, Front Door
									Inner, Electric Window
	4783 150	1			42				Right
	4783 151	1			42				Left
-3	6100 047	1			42				NUT AND WASHER, Hex Nut-Coned Washer, M6 x 1.00
4									HANDLE, Window Regulator
	FW80 TAZ	2	D, P						Agate
	JC09 SK5	2	D, P		42				Camel Tan, EUROPE
	FW80 SK5	2	D, P						Camel Tan
	JC09 TAZ	2	D, P		42				Agate, EUROPE
		2	Z		42				Agate, EUROPE
	JC09 SK5	2	Z		42				Camel Tan, EUROPE
5									SPACER, Window Regulator
	GY80 TAZ	2			42				Agate
	GY80 SK5	2			42				Camel Tan
6	4615 678AB	2							STABILIZER, Door Glass Belt
7	6100 047	1			42				NUT AND WASHER, Hex Nut-Coned Washer, M6 x 1.00
8									KNOB, Front Door Latch Locking
	FX31 TX9	1		H	42				Left
	FX30 TX9	1		H	42				Right
		1	D, P	L	42				Right
	FX31 TX9	1	D, P	L	42				Left
9									LEVER
	4624 631	1			42				Left
	4624 630	1			42				Right
10									CHECK, Front Door
	4615 440AC	1			42				Right
	4615 441AC	1			42				Left
11									NUT, M6 x 1.00, (NOT SERVICED) (Not Serviced)
12									LINK, Door Latch
	4658 920	1			42				Right
	4658 921	1			42				Left
13									HANDLE, Front Door Exterior
	PF74 MS4	1	D, Z						Warm Silver, Right

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					


Door, Front, PL42 Regulator, Handle and Locking
Figure DPL-107

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	P						Warm Silver, Right
	PF74 RR4	1	D, Z						Bright Red, Right
		1	P						Bright Red, Right
	PF74 RW7	1	D, Z						Bright White, Right
		1	P						Bright White, Right
	PF74 RX8	1	D, Z						Black, Right
		1	P						Black, Right
	PF74 SG8	1	P						Forest Green, Right
	PF74 VAW	1	P						Deep Slate, Right
	PF74 VB3	1	D, Z						Intense Blue, Right
		1	P						Intense Blue, Right
	PF74 VMT	1	P						Deep Cranberry, Right
	PF74 VTE	1	P						Champagne Pearl, Right
	PF74 WEL	1	P						Inferno Red, Right
	PF75 MS4	1	D, Z						Warm Silver, Left
		1	P						Warm Silver, Left
	PF75 RR4	1	D, Z						Bright Red, Left
		1	P						Bright Red, Left
	PF75 RW7	1	D, Z						Bright White, Left
		1	P						Bright White, Left
	PF75 RX8	1	D, Z						Black, Left
		1	P						Black, Left
	PF75 SG8	1	P						Forest Green, Left
	PF75 VAW	1	P						Deep Slate, Left
	PF75 VB3	1	D, Z						Intense Blue, Left
		1	P						Intense Blue, Left
	PF75 VMT	1	P						Deep Cranberry, Left
	PF75 VTE	1	P						Champagne Pearl, Left
	PF75 WEL	1	P						Inferno Red, Left
	4783 218	1							Flat Black, Right
	4783 219	1							Flat Black, Left
-14	6101 967	2							SCREW, Hex Head, M6x1.00x10.00
15	6033 876	6				42			SCREW, Tapping, M6.3x1.8x38.1
16									LATCH, Front Door
	4783 816	1							w/Power Locks, Right
	4783 817	1							w/Power Locks, Left
	4783 814	1							w/o Power Locks, Right
	4783 815	1							w/o Power Locks, Left
-17									CLIP, Latch Link
	4658 674	3				42			Right
	4658 675	3				42			Left
-18									CLIP, Latch

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DGO = All Automatics					
				DBB= All 5 Speed Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




Door, Front, PL42 Regulator, Handle and Locking
Figure DPL-107

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4658 448	4			42				
19	5027 102AA-	1							Blue w/Flap
	5027 103AA-	1							Gray w/Flap
									LINK, Front Door Inside Remote Control to Latch
	4658 188	1			42				Right
	4658 189	1			42				Left
-20	3882 620	2	D, P		22				CLIP, Door Latch Anti-Rattle
-21	6035 372	2							SCREW, Pan Head Tapping, M6. 3x1.8x22.23
22									HANDLE, Interior Door, Serviced in Door Trim Panel, (NOT SERVICED) (Not Serviced)
23									BRACKET, Outside Door Handle
	4658 212	1							Right
	4658 213	1							Left
24	6100 047	1			42				NUT AND WASHER, Hex Nut-Coned Washer, M6 x 1.00
25									LINK, Key Cylinder To Latch
	4658 918	1			42				Right
	4658 919	1			42				Left
-26									CLIP, Latch Link
	4658 676	1			42				Right
	4658 677	1							Left
27									LINK, Latch Actuating
	4658 086	1	D, P		22				Right
	4658 087	1	D, P		22				Left
28									MOTOR, Window Regulator
	4783 212AB	1			42				Right
	4783 213AB	1			42				Left
-29									DECAL, Theft Protection
	4814 399	2	D, P						
		2	Z		42				


DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Door, Front, PL22 Regulator, Handle and Locking
Figure DPL-108




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4783 720	1	D, P		22				CHANNEL, Front Door Glass Front, Right
	4783 721	1	D, P		22				Front, Left
2	4658 436	1	D, P		22				LIFT PLATE, Door Glass, Front Right
	4658 437	1	D, P		22				Left
3	4783 722AB	1	D, P		22				CHANNEL, Front Door Glass, Includes Lift Plate Right
	4783 723AB	1	D, P		22				Left
4	FW80 TAZ	2	D, P						HANDLE, Window Regulator Agate
	FW80 SK5	2	D, P						Camel Tan
5	GY80 SK5	2	D, P						SPACER, Window Regulator Camel Tan
	GY80 TAZ	2	D, P						Agate
6	4615 678AB	2							STABILIZER, Door Glass Belt
7	6500 284	2							NUT, Hex, M6x1.00
8	FP28 TX9	1	D, P		22				KNOB AND PUSH ROD, Door Latch Right
	FP29 TX9	1	D, P		22				Left
9	4624 631	1	D, P		22				LEVER Left
	4624 630	1			42				Right
10	4658 064AC	1	D, P		22				CHECK, Front Door Right
	4658 065AC	1	D, P		22				Left
11									NUT, m6 X 1.00, (NOT SERVICED) (Not Serviced)
12	4658 078	1	D, P		22				LINK, Exterior Door Handle Right
	4658 079	1	D, P		22				Left
13	4783 218	1							HANDLE, Front Door Exterior Right
	4783 219	1							Left
	PF74 RR4	1	D, Z						Bright Red - SPORT, Right
	PF74 MS4	1	D, Z						Warm Silver - SPORT, Right
		1	P						Warm Silver - SPORT, Right
	PF74 RW7	1	D, Z						Bright White - SPORT, Right
	PF74 RR4	1	P						Bright Red - SPORT, Right
	PF74 RX8	1	D, Z						Black - SPORT, Right

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Front, PL22 Regulator, Handle and Locking
Figure DPL-108




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	P						Black - SPORT, Right
	PF74 VB3	1	D, Z						Intense Blue - SPORT, Right
	PF74 RW7	1	P						Bright White - SPORT, Right
	PF74 SG8	1	P						Forest Green - SPORT, Right
	PF74 VAW	1	P						Deep Slate - SPORT, Right
	PF74 VMT	1	P						Deep Cranberry - SPORT, Right
	PF74 VB3	1	P						Intense Blue - SPORT, Right
	PF74 WEL	1	P						Inferno Red - SPORT, Right
	PF75 MS4	1	D, Z						Warm Silver - SPORT, Left
	PF74 VTE	1	P						Champagne Pearl - SPORT, Right
	PF75 MS4	1	P						Warm Silver - SPORT, Left
	PF75 RR4	1	D, Z						Bright Red - SPORT, Left
		1	P						Bright Red - SPORT, Left
	PF75 RW7	1	D, Z						Bright White - SPORT, Left
	PF75 RX8	1	P						Black - SPORT, Left
	PF75 SG8	1	P						Forest Green - SPORT, Left
	PF75 RW7	1	P						Bright White - SPORT, Left
	PF75 RX8	1	D, Z						Black - SPORT, Left
	PF75 VAW	1	P						Deep Slate - SPORT, Left
	PF75 VB3	1	D, Z						Intense Blue - SPORT, Left
		1	P						Intense Blue - SPORT, Left
	PF75 VMT	1	P						Deep Cranberry - SPORT, Left
	PF75 VTE	1	P						Champagne Pearl - SPORT, Left
	PF75 WEL	1	P						Inferno Red - SPORT, Left
-14	4480 116	1							RETAINER, Lock Cylinder
15	6033 876	6							SCREW, Tapping, M6.3x1.8x38.1
16									LATCH, Front Door
	4783 814	1							w/o Power Locks, Right
	4783 815	1							w/o Power Locks, Left
	4783 816	1							w/Power Locks, Right
	4783 817	1							w/Power Locks, Left
-17									CLIP, Latch Link
	4658 674	1							w/o Power Locks, Right
	4658 675	1							w/o Power Locks, Left
-18	4658 448	4				42			CLIP, Latch
19									LINK AND SLEEVE, Inside Remote - Right
	4783 194	1	D, P			22			Right
	4783 195	1	D, P			22			Left
-20	6035 372	2							SCREW, Pan Head Tapping, M6.3x1.8x22.23

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Front, PL22 Regulator, Handle and Locking
Figure DPL-108



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
21									HANDLE, Interior Door, Serviced in Door Trim Panel, (NOT SERVICED) (Not Serviced)
22	4658 213	1							BRACKET, Outside Door Handle Left
	4658 212	1							Right
23	6500 284	4	D, P		22				NUT, Hex, M6x1.00
24	4658 924	1	D, P		22				LINK, Key Cylinder To Latch Right
	4658 925	1	D, P		22				Left
25	4658 086	1	D, P		22				LINK, Latch Actuating Right
	4658 087	1	D, P		22				Left
26	4658 916	1	D, P		22				REGULATOR, Front Door Window Manual, Right
	4658 917	1	D, P		22				Manual, Left
	4882 284	1	D, P		22				Power, Right
	4882 285	1	D, P		22				Power, Left
-27	4883 212	1	D, P		22				SPRING, Window Regulator Assist
-28	4783 276	1	D, P		22				MOTOR, Front Door Electric Right
	4783 277	1	D, P		22				Left
29	6500 284	4							NUT, Hex, M6x1.00
-30									SEAL, Front Window Crank, Serviced in Door Trim Panel in 1998, (NOT REQUIRED)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE		TRANSMISSION				
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua				
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic				
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic				
	P=Plymouth				DG0 = All Automatics				
					DBB= All 5 Speed Manual				

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Rear Shell, Glass and Hinge
Figure DPL-205


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DOOR, Rear
	4888 592AE	1			42				Right
	4888 593AE	1			42				Left
2									PANEL, Door Outer
	4615 652AB	1			42				Right
	4615 653AB	1			42				Left
-3	2895 126	4			42				PLUG, Body, 1.25x.50
4									GLASS, Door
	4615 936	1			42				Right
	4615 937	1			42				Left
-5	6504 546	4			42				SCREW AND WASHER, Hex Head Lock, M6x1x19
6	4658 282	4			42				RETAINER, Glass to Liftplate
7	4658 332AB	4			42				STABILIZER, Door Glass Belt
8									SCREW, M6 x 1.00 x 12.00, (NOT SERVICED) (Not Serviced)
9	6504 546	6							SCREW AND WASHER, Hex Head Lock, M6x1x19
10									CHECK, Rear Door
	4615 464AC	1			42				Right
	4615 465AC	1			42				Left
11									NUT AND WASHER, M6 x 1.00, (NOT SERVICED) (Not Serviced)
12	4396 978	2			42				LABEL, Child Protection Lock, English, Window
13	4888 625AA	4			42				BUMPER, Door Ajar Switch
14	4520 289	AR			42				SPACER, Door Latch Striker
15	4658 446	2			42				STRIKER AND BUMPER, Door Latch
16	6503 120	4			42				SCREW AND WASHER, Button Head Torx
17	4658 906	2			42				STRIKER, Door Interlock
18									HINGE, Door
	4783 484	1			42				Upper Left,Lower Right
	4783 485	1			42				Upper Right,Lower Left
19	4783 500	1			42				PIN, Door Hinge
20	6035 926AA	4			42				NUT, .312 Diameter, Hinge Pin
-21	6502 975	4			42				SCREW AND WASHER, Hex Head, M8x1.25x33

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Rear Regulator, Handle and Locking
Figure DPL-207



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									REGULATOR, Rear Door Window
	4783 338AB	1			42				Right
	4783 339AB	1			42				Left
-2	6500 284	4			42				NUT, Hex, M6x1.00
3	4658 448	4			42				CLIP, Latch, Anti-Rattle
4	4658 448	4			42				CLIP, Latch, Lock Guide
5									HANDLE, Window Regulator
	FW80 SK5	2	D, P						Camel Tan
	FW80 TAZ	2	D, P						Agate
	JC09 SK5	2	D, P		42				Camel Tan, EUROPE
		2	Z		42				Camel Tan, EUROPE
	JC09 TAZ	2	D, P		42				Agate, EUROPE
		2	Z		42				Agate, EUROPE
6									SPACER, Window Regulator
	GY80 TAZ	2			42				Agate
	GY80 SK5	2			42				Camel Tan
7									SHIELD, Door Latch
	4658 370	1			42				Right
	4658 371	1			42				Left
8									SCREW, 0164-15 x 0625, (NOT SERVICED) (Not Serviced)
9									BOLT AND CONED WASHER, Hex Head, M8x25x24, (NOT REQUIRED)
10									BRACKET, Interlock
	4658 372AC	1			42				Right
	4658 373AC	1			42				Left
11	4661 245	2	D, P		42				PLUG, Body
12									HANDLE, Rear Door Exterior
	KR66 MS4	1	D, Z						Warm Silver, Right
		1	P						Warm Silver, Right
	KR66 PR4	1	D, Z						Bright Red, Right
	4658 818	1			42				Flat Black, Right
	4658 819	1			42				Flat Black, Left
	KR66 PR4	1	P						Bright Red, Right
	KR66 PW7	1	D, Z						Bright White, Right
		1	P						Bright White, Right
	KR66 PX8	1	D, Z						Black, Right
	KR66 SG8	1	P						Forest Green, Right
	KR66 PX8	1	P						Black, Right
	KR66 VAW	1	P						Deep Slate, Right
	KR66 VB3	1	D, Z						Intense Blue, Right


DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Rear Regulator, Handle and Locking
Figure DPL-207




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	P						Intense Blue, Right
	KR66 VMT	1	P						Deep Cranberry, Right
	KR66 VTE	1	P						Champagne Pearl, Right
	KR67 MS4	1	D, Z						Warm Silver, Left
		1	P						Warm Silver, Left
	KR66 WEL	1	P						Inferno Red, Right
	KR67 PW7	1	D, Z						Bright White, Left
	KR67 PR4	1	D, Z						Bright Red, Left
		1	P						Bright Red, Left
	KR67 PW7	1	P						Bright White, Left
	KR67 PX8	1	D, Z						Black, Left
		1	P						Black, Left
	KR67 SG8	1	P						Forest Green, Left
	KR67 VAW	1	P						Deep Slate, Left
	KR67 VB3	1	D, Z						Intense Blue, Left
		1	P						Intense Blue, Left
	KR67 VMT	1	P						Deep Cranberry, Left
	KR67 VTE	1	P						Champagne Pearl, Left
	KR67 WEL	1	P						Inferno Red, Left
13									BRACKET, Outside Door Handle
	4658 213	1				42			Left
	4658 212	1				42			Right
14									KNOB AND PUSH ROD, Door Latch
	FX32 TX9	2		H		42			Black
		2		L		42			Black
-15									BRACKET, Lock Knob, Serviced in
									Door Trim Panel, (NOT
									SERVICED) (Not Serviced)
16									LEVER
	4624 630	1				42			Right
	4624 631	1				42			Left
17									LATCH, Rear Door
	4783 822	1				42			w/o Power Locks, Right
	4783 823	1				42			w/o Power Locks, Left
	4783 818	1				42			w/Power Locks, Right
	4783 819	1				42			w/Power Locks, Left
-18									CLIP, Latch
	4658 444	1							Right
	4658 445	1							Left
-19									CLIP, Latch Link
	4658 674	3				42			Right
	4658 675	3				42			Left
20									LINK, Remote Handle to Latch

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Rear Regulator, Handle and Locking
Figure DPL-207



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4658 194	1			42				Right
	4658 195	1			42				Left
21	4658 196	1			42				LINK, Remote Handle to Latch Right
	4658 197	1			42				Left
22	4658 192	1			42				LINK, Exterior Door Handle Right
	4658 193	1			42				Left
23	6033 876	6							SCREW, Tapping, M6.3x1.8x38.1
24									HANDLE, Interior Door, (NOT SERVICED) (Not Serviced)
-25									BRACKET, Inside Handle
	4658 354	1			42				Right
	4658 355	1			42				Left
-26	6035 372	2							SCREW, Pan Head Tapping, M6. 3x1.8x22.23
27	6100 047	1			42				NUT AND WASHER, Hex Nut-Coned Washer, M6 x 1.00

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Mirror, Exterior Figure DPL-505

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:

Sales Codes:

GRE = MIRROR - LEFT

GSE = MIRROR - RIGHT

GSK = MIRROR - RIGHT POWER

GRK = MIRROR -LEFT POWER

GSN,GS3 = MIRROR - RIGHT POWER FOLD-AWAY

GR3 = MIRROR - LEFT POWER FOLD-AWAY

GRN = MIRROR - LEFT POWER FOLD-AWAY

GZF = MIRROR - RIGHT MANUAL

1									MIRROR, Outside Rearview
	4658 878AB	1	Z		42				[GS3], Right
	4658 879AB	1	Z		42				[GR3], Left
	4658 888	AR	D, P						Remote, Manual-Painted-Aero[GRE], Right
	4658 889	1	D, P						Remote - Painted-Aero [GRE] with Joystick, Left
	4658 889AB	1	D, P						Manual-Painted-Aero [GRE] without Joystick, Left
	4783 396	1	D, P						Foldaway [GSN], Right
	4783 400	1	D, P						Aero-Electric-Painted [GSK], Right
	4783 401	1	D, P						Aero-Electric-Painted [GRK], Left
	4888 968AA	1	D, P						Handset - Black Textured Plastic - Aero [GZF], Right
2									MIRROR, Outside Rearview Electric
	4888 820AA	1	D, P						Foldaway, Middle East Right
	4888 821AA	1	D, P						Left
-3									GLASS PACKAGE, Mirror
	4761 070	1	D, P						Right
	4761 071	1	D, P						Left
4	6100 045	6							NUT AND WASHER, Hex, M5x.80
5									BEZEL, Front Door Mirror
	LC04 DX9	1	D, P						Black, Electric/Manual - Painted - Aero, Right
	LC05 DX9	1	D, P						Black, Electric - Painted - Aero, Left
	LC03 DX9	1	D, P						Black, Remote - Painted - Aero, Left
	LH86 DX9	1	Z		42				Power, Right
	LH87 DX9	1	Z		42				Power, Left
6	4615 534	1	D, P						BEZEL, Mirror Opening Cover

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Front and Rear Weatherstrips and Seals
Figure DPL-605



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WEATHERSTRIP, Door Glass
	4658 960	1			42				Right
	4658 961	1			42				Left
-2									PLUG, (NOT REQUIRED)
3									RETAINER, Door Glass Weatherstrip
	4724 514AA	1			42				Right
	4724 515AA	1			42				Left
4									SCREW, 8-15 x 5/8, (NOT SERVICED) (Not Serviced)
5									TRIM WELT, Door Opening Flange
	KJ62 DX9	1			42				Front, Black, Right
	KJ63 DX9	1			42				Front, Black, Left
	KJ64 DX9	1			42				Rear, Black, Right
	KJ65 DX9	1			42				Rear, Black, Left
6									BRACKET, Weatherstrip Retainer
	4658 308	1			42				Right
	4658 309	1			42				Left
7									RETAINER, B Pillar Weatherstrip
	4615 806	1			42				Right
	4615 807	1			42				Left
-8	5027 071AA-	2			42				LOCK STRIP, B-PLR
9									RETAINER, Door Glass
	4615 808	1			42				Right
	4615 809	1			42				Left
10									SEAL, Hinge Pillar
	5027 080AA	1							Right
	5027 081AA	1							Left
11	6504 055	6							SCREW, Hex Head, M6x1x16
12	6500 284	4							NUT, Hex, M6x1.00
13									WEATHERSTRIP, Front Door Belt
	4658 934	1			42				Outer, Right
	4658 935	1			42				Outer, Left
	4658 988	1			42				Inner, Right
	4658 989	1			42				Inner, Left
14									WEATHERSTRIP, Rear Door Belt
	4615 632	1			42				Inner, Right
	4615 633	1			42				Inner, Left
	5261 808	1			42				Outer, Right
	5261 809	1			42				Outer, Left
15									WEATHERSTRIP, Front Door
	4615 562	1			42				Lower, Front, Right
	4615 563	1			42				Lower, Front, Left
16									WEATHERSTRIP, Rear Door


DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Front and Rear Weatherstrips and Seals
Figure DPL-605




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4615 572	1			42				Right
	4615 573	1			42				Left
-17	6505 358AA-	2							CLIP, Wrap Around, M15 x 16.40, Inner Belt
-18	6035 405	2							CLIP, Front and Rear Drive Flange to Molding, .510x.365x.014 THK
-19	4658 673	AR			42				PIN PUSH, .150x.410
-20	4696 129	AR							CLIP, Weatherstrip
-21	5027 071AA-	2			42				LOCK STRIP, B-PLR

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door, Front, PL22 Weatherstrips and Seals
Figure DPL-606



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WEATHERSTRIP, Front Door Glass
	4658 964	1	D, P		22				Run
	4658 965	1	D, P		22				Right
									Left
2									RETAINER, Front Pillar to Glass
	4724 516AA	1	D, P		22				Right
	4724 517AA	1	D, P		22				Left
3									RETAINER, Center PillarWeatherstrip
	4658 044	1	D, P		22				Right
	4658 045	1	D, P		22				Left
4									SCREW, 8-15 x 5/8, (NOT SERVICED) (Not Serviced)
5									WELT, Door Opening
	GM66 DX9AB	1	D, P		22				Right
	GM67 DX9AB	1	D, P		22				Left
6	4696 129	AR							CLIP, Weatherstrip
7									SEAL, Hinge Pillar
	5027 080AA	1							Right
	5027 081AA	1							Left
8	6504 055	6							SCREW, Hex Head, M6x1x16
9	6500 284	2							NUT, Hex, M6x1.00
10									WEATHERSTRIP, Front Door Belt
	4658 034	1	D, P		22				Right,Inner
	4658 035	1	D, P		22				Left,Inner
	4658 036	1	D, P		22				Right,Outer
	4658 037	1	D, P		22				Left,Outer
11									WEATHERSTRIP, Front Door, Lower
	4658 032	1	D, P		22				Right
	4658 033	1	D, P		22				Left



DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




Group – EPL

Exterior Ornamentation





GROUP EPL - Exterior Ornamentation

Illustration Title	Group-Fig. No.
Nameplates	
Nameplates	Fig. EPL-105
Moldings and Ornamentation	
Moldings and Ornamentation PL-22	Fig. EPL-202
Moldings and Ornamentation PL-42	Fig. EPL-205
Decals and Tapestripes	
Decals and Tapestripes	Fig. EPL-305
Tapes and Caps Anti-Chip	Fig. EPL-310

EPL-100 Nameplates	EPL-200 Moldings and Ornamentation	EPL-300 Decals and Tapestripes	
			

Nameplates
Figure EPL-105




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	KS76 SZ1	1	D						NAMEPLATE, Medallion, Ram Head, Chrome
2	PG20 SZ1	1	P						NAMEPLATE, Plymouth, Chrome
3	5288 409	1							NAMEPLATE, Chrysler, Deck Lid
4									NAMEPLATE, Hood, (NOT REQUIRED)
5									NAMEPLATE, DECKLID
	5288 407AB	1							2.0L DOHC
	5288 408AB	1							2.0L 16V
6	5288 409AC	1							NAMEPLATE, Chrysler, Deck Lid
7	5288 413	2		L					NAMEPLATE, SE
8	5288 414	2		H	42				NAMEPLATE, Rear Door, Chrome
9									NAMEPLATE, LX, (NOT REQUIRED)
10	5288 706AB	1							NAMEPLATE, 1.8I 16V
11									EMBLEM, R/T
	RX00 CA1AA	2							Silver
	RX00 PCHAA	2							Brilliant Blue
12	5288 411	1							NAMEPLATE, Neon
13	5288 844AA	1	D						NAMEPLATE, Dodge
14	RX05 CA1AB	1							EMBLEM, Dodge
15	5288 846AB	2							NAMEPLATE, Sport
16	5288 845AA	2	P						NAMEPLATE, Espresso
17	5288 843AA	1	P						NAMEPLATE, Plymouth, Bright
18	5288 847AB	2							NAMEPLATE, Ex, CANADA
19	5288 694AB	1							NAMEPLATE, Chrysler, Gold

DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Mouldings and Ornamentation PL-22
Figure EPL-202






ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5288 535	1							MOLDING, Windshield
2	5288 463	1							MOLDING, Backlite
3									MOLDING, Fender Rear
	RG22 DX8AA	1							[K3X], Right
	RG23 DX8AA	1							[K3X], Left
	RG22 PR4AA	1							[K3R], Right
	RG23 PR4AA	1							[K3R], Left
	RG22 PREAA	1							[K3H], Right
	RG23 PREAA	1							[K3H], Left
	RG22 SG8AA	1							[K3F], Right
	RG23 SG8AA	1							[K3F], Left
	RG22 TCNAA	1							[K3A], Right
	RG23 TCNAA	1							[K3A], Left
	RG22 VAWAA	1							[K3Y], Right
	RG23 VAWAA	1							[K3Y], Left
	RG22 VB3AA	1							[K3C], Right
	RG23 VB3AA	1							[K3C], Left
	RG22 VGTAA	1							[K3E], Right
	RG23 VGTAA	1							[K3E], Left
	RG22 VMTAA	1							[K3D], Right
	RG23 VMTAA	1							[K3D], Left
	RG22 WELAA	1							[K3N], Right
	RG23 WELAA	1							[K3N], Left
	RG34 GW7AA	1							[K3W], Right
	RG35 GW7AA	1							[K3W], Left
	RG34 MS4AA	1							[K3T], Right
	RG35 MS4AA	1							[K3T], Left
	RG34 VTEAA	1							[K3V], Right
	RG35 VTEAA	1							[K3V], Left
4									MOLDING, Front Door
	RG30 DX8AB	1	D, P		22				[K3X], Right
	RG31 DX8AB	1	D, P		22				[K3X], Left
	RG30 PR4AB	1	D, P		22				[K3R], Right
	RG31 PR4AB	1	D, P		22				[K3R], Left
	RG30 PREAB	1	D, P		22				[K3H], Right
	RG31 PREAB	1	D, P		22				[K3H], Left
	RG30 SG8AB	1	D, P		22				[K3F], Right
	RG31 SG8AB	1	D, P		22				[K3F], Left
	RG30 TCNAB	1	D, P		22				[K3A], Right
	RG31 TCNAB	1	D, P		22				[K3A], Left
	RG30 VB3AB	1	D, P		22				[K3C], Right
	RG31 VB3AB	1	D, P		22				[K3C], Left

DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
		TRANSMISSION	
		DD5 = 5 Speed Manua	
		DGC = 3 Speed Automatic	
		DGL = 4 Speed Automatic	
		DG0 = All Automatics	
		DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Mouldings and Ornamentation PL-22 Figure EPL-202



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	RG30 VGTAB	1	D, P		22				[K3E], Right
	RG31 VGTAB	1	D, P		22				[K3E], Left
	RG30 VMTAB	1	D, P		22				[K3D], Right
	RG31 VMTAB	1	D, P		22				[K3D], Left
	RG44 GW7AB	1	D, P		22				[K3W], Right
	RG45 GW7AB	1	D, P		22				[K3W], Left
	RG44 MS4AB	1	D, P		22				[K3T], Right
	RG45 MS4AB	1	D, P		22				[K3T], Left
5									MOLDING, Quarter Outside Front
	RG32 DX8AB	1	D, P		22				[K3X], Right
	RG33 DX8AB	1	D, P		22				[K3X], Left
	RG32 PR4AB	1	D, P		22				[K3R], Right
	RG33 PR4AB	1	D, P		22				[K3R], Left
	RG32 PREAB	1	D, P		22				[K3H], Right
	RG33 PREAB	1	D, P		22				[K3H], Left
	RG32 SG8AB	1	D, P		22				[K3F], Right
	RG33 SG8AB	1	D, P		22				[K3F], Left
	RG32 TCNAB	1	D, P		22				[K3A], Right
	RG33 TCNAB	1	D, P		22				[K3A], Left
	RG32 VB3AB	1	D, P		22				[K3C], Right
	RG33 VB3AB	1	D, P		22				[K3C], Left
	RG32 VGTAB	1	D, P		22				[K3E], Right
	RG33 VGTAB	1	D, P		22				[K3E], Left
	RG32 VMTAB	1	D, P		22				[K3D], Right
	RG33 VMTAB	1	D, P		22				[K3D], Left
	RG46 GW7AB	1	D, P		22				[K3W], Right
	RG47 GW7AB	1	D, P		22				[K3W], Left
	RG46 MS4AB	1	D, P		22				[K3T], Right
	RG47 MS4AB	1	D, P		22				[K3T], Left
6									APPLIQUE, B Pillar
	5288 470	1	D, P		22				Right
	5288 471	1	D, P		22				Left
-7	5303 162	2	D, P		22				RETAINER, B Pillar Applique
8	5303 360	AR							TAPE, Applique Repair
9									MOLDING, Roof
	5288 432	1							Right
	5288 433	1							Left

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Mouldings and Ornamentation PL-42
Figure EPL-205




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5288 535	1							MOLDING, Windshield
2	5288 463	1							MOLDING, Backlite
3									MOLDING, Fender Rear
	RG22 DX8AA	1							[K3X], Right
	RG23 DX8AA	1							[K3X], Left
	RG22 PR4AA	1							[K3R], Right
	RG23 PR4AA	1							[K3R], Left
	RG22 PREAA	1							[K3H], Right
	RG23 PREAA	1							[K3H], Left
	RG22 SG8AA	1							[K3F], Right
	RG23 SG8AA	1							[K3F], Left
	RG22 TCNAA	1							[K3A], Right
	RG23 TCNAA	1							[K3A], Left
	RG22 VAWAA	1							[K3Y], Right
	RG23 VAWAA	1							[K3Y], Left
	RG22 VB3AA	1							[K3C], Right
	RG23 VB3AA	1							[K3C], Left
	RG22 VGTAA	1							[K3E], Right
	RG23 VGTAA	1							[K3E], Left
	RG22 VMTAA	1							[K3D], Right
	RG23 VMTAA	1							[K3D], Left
	RG22 WELAA	1							[K3N], Right
	RG23 WELAA	1							[K3N], Left
	RG34 GW7AA	1							[K3W], Right
	RG35 GW7AA	1							[K3W], Left
	RG34 MS4AA	1							[K3T], Right
	RG35 MS4AA	1							[K3T], Left
	RG35 VTEAA	1							[K3V], Left
	RG34 VTEAA	1							[K3V], Right
4									MOLDING, Front Door
	RG26 DX8AA	1			42				[K3X], Right
	RG27 DX8AA	1			42				[K3X], Left
	RG26 PR4AA	1			42				[K3R], Right
	RG27 PR4AA	1			42				[K3R], Left
	RG26 PREAA	1			42				[K3H], Right
	RG27 PREAA	1			42				[K3H], Left
	RG26 SG8AA	1			42				[K3F], Right
	RG27 SG8AA	1			42				[K3F], Left
	RG26 TCNAA	1			42				[K3A], Right
	RG27 TCNAA	1			42				[K3A], Left
	RG26 VAWAA	1			42				[K3Y], Right
	RG27 VAWAA	1			42				[K3Y], Left

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Mouldings and Ornamentation PL-42
Figure EPL-205



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	RG26 VB3AA	1			42				[K3C], Right
	RG27 VB3AA	1			42				[K3C], Left
	RG26 VGTAA	1			42				[K3E], Right
	RG27 VGTAA	1			42				[K3E], Left
	RG26 VMTAA	1			42				[K3D], Right
	RG27 VMTAA	1			42				[K3D], Left
	RG26 WELAA	1			42				[K3N], Right
	RG27 WELAA	1			42				[K3N], Left
	RG36 GW7AA	1			42				[K3W], Right
	RG37 GW7AA	1			42				[K3W], Left
	RG36 MS4AA	1			42				[K3T], Right
	RG37 MS4AA	1			42				[K3T], Left
	RG36 VTEAA	1			42				[K3V], Right
5	RG37 VTEAA	1			42				[K3V], Left
	RG28 DX8AA	1			42				MOLDING, Rear Door
	RG29 DX8AA	1			42				[K3X], Right
	RG28 PR4AA	1			42				[K3X], Left
	RG29 PR4AA	1			42				[K3R], Right
	RG28 PREAA	1			42				[K3R], Left
	RG29 PREAA	1			42				[K3H], Right
	RG28 SG8AA	1			42				[K3H], Left
	RG29 SG8AA	1			42				[K3F], Right
	RG28 TCNAA	1			42				[K3F], Left
	RG29 TCNAA	1			42				[K3A], Right
	RG28 VAWAA	1			42				[K3A], Left
	RG29 VAWAA	1			42				[K3Y], Right
	RG28 VB3AA	1			42				[K3Y], Left
	RG29 VB3AA	1			42				[K3C], Right
	RG28 VGTAA	1			42				[K3C], Left
	RG29 VGTAA	1			42				[K3E], Right
	RG28 VMTAA	1			42				[K3E], Left
	RG29 VMTAA	1			42				[K3D], Right
	RG28 WELAA	1			42				[K3D], Left
	RG29 WELAA	1			42				[K3N], Right
	RG42 GW7AA	1			42				[K3N], Left
	RG43 GW7AA	1			42				[K3W], Right
	RG42 MS4AA	1			42				[K3W], Left
	RG43 MS4AA	1			42				[K3T], Right
	RG42 VTEAA	1			42				[K3T], Left
	RG43 VTEAA	1			42				[K3V], Right
6									[K3V], Left
									APPLIQUE, B Pillar

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth



BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

Mouldings and Ornamentation PL-42
Figure EPL-205

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4546 838	1			42				Right
	4546 839	1			42				Left
-7	5303 019	1			42				RETAINER, B Pillar Applique Upper
	5303 162	1			42				Lower
-8	5303 360	AR							TAPE, Applique Repair
9									MOLDING, Roof
	5288 432	1							Right
	5288 433	1							Left




DODGE - PLYMOUTH - CHRYSLER NEON (PL)					
SERIES	LINE	BODY	ENGINE	TRANSMISSION	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic	
	P=Plymouth			DG0 = All Automatics	
				DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Decals and Tapestripes
Figure EPL-305



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DECAL, 16V DOHC, Hood, (NOT REQUIRED)
2									DECAL, "NEON", Right, (NOT REQUIRED)
3									DECAL, Rear Quarter, Sport, Door, (NOT REQUIRED)
4	RX06 CA1AB	1							TAPE KIT, W/O Sunroof, Rear [KLS] - R/T [KLB] - R/T
	RX06 PCHAB	1							
5									DECAL, Rear Quarter, Neon Export, EXPRESSO - Chrome, (NOT REQUIRED)
6									STRIPE, Hood
	RX26 CA1AB	1							[KLS] - R/T [KLB] - R/T
	RX26 PCHAB	1							
7									STRIPE, Decklid
	RX27 CA1AB	1							[KLS] - R/T [KLB] - R/T
	RX27 PCHAB	1							
8									STRIPE, Grille
	RX28 CA1AB	1							[KLS] - R/T [KLB] - R/T
	RX28 PCHAB	1							
9									STRIPE, Sunroof, Rear
	SA05 CA1AB	1							[KLS] - R/T [KLB] - R/T
	SA05 PCHAB	1							
10									TAPE KIT, W/Sunroof, Front
	RX25 CA1AB	1							[KLS] - R/T [KLB] - R/T
	RX25 PCHAB	1							
11									DECAL, "EXPRESSO", (NOT REQUIRED)
12									TAPE STRIPE, Hood, 'Skunk' EXPORT
	SL78 CA1AA	1							[KNS], Right [KNS], Left
	SL79 CA1AA	1							
	SL78 PCHAA	1							[KNB], Right [KNB], Left
	SL79 PCHAA	1							
13									DECAL, Plymouth, (NOT REQUIRED)
14									DECAL, Dodge, (NOT REQUIRED)


DODGE - PLYMOUTH - CHRYSLER NEON (PL)					
SERIES	LINE	BODY	ENGINE	TRANSMISSION	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic	
	P=Plymouth			DG0 = All Automatics	
				DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Tapes and Caps Anti-Chip
Figure EPL-310

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SHIELD, Splash
	4783 334AC	1							Right
	4783 335AC	1							Left
-2	6504 090	2							RIVET, Plastic Gray
-3	6035 204	4							SCREW, Tapping, .19-16x.75
-4	6032 031	4							NUT, Spring, .19-16
5	4797 292	1							TAPE, Anti Chip




DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual









AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Group – IPL

Interior Trim



IPL-100 Headliner and Visor 	IPL-200 Panel, Moldings, Scuff Plates 	IPL-300 Carpet 	IPL-400 Door Trim Panels 
IPL-500 Front Seats and Attaching Parts 	IPL-600 Rear Seats-Folding 	IPL-700 Seat Belts-Front and Rear 	IPL-800 Adjusters, Covers, Shields, and Risers 

GROUP IPL - Interior Trim

Illustration Title

Group-Fig. No.

Headliner and Visor

Headliner, Visor and Shelf Panel Fig. IPL-110

Panel, Moldings, Scuff Plates

Cowl Panels Fig. IPL-210
A-Pillar Fig. IPL-215
B-Pillar Fig. IPL-220
Quarter Trim Panel Fig. IPL-225
Scuff Plates - Front and Rear Fig. IPL-230

Carpet

Carpet, Mats and Silencers Fig. IPL-310

Door Trim Panels

Door Panels - Front 4 Door Fig. IPL-410
Door Panels - Front 2 Door Fig. IPL-415
Door Panels - Rear Fig. IPL-420

Front Seats and Attaching Parts

Seat Front - Trim Code H7,T7 Fig. IPL-504
Seat Front - Trim Code G7,L7 Fig. IPL-509
Seat Front - Trim Code F7,W7 Fig. IPL-514
Seat Front - Trim Code M7 Fig. IPL-519
Seat Front - Trim Code CL Fig. IPL-520
Seat Reclining - Attaching Parts Fig. IPL-529

Rear Seats-Folding

Rear Seat - Trim Code H7,T7 Fig. IPL-604
Rear Seat - Trim Code G7,L7 Fig. IPL-609
Rear Seat - Trim Code F7,W7 Fig. IPL-614
Rear Seat - Trim Code M7 Fig. IPL-619
Rear Seat - Trim Code CL Fig. IPL-624
Rear Seat - Attaching Parts Attaching Parts Fig. IPL-629


Seat Belts-Front and Rear

Seat Belts - Front Fig. IPL-710
Seat Belts - Rear Fig. IPL-720

Adjusters, Covers, Shields, and Risers

Seat Adjusters, Recliners and Side Shields Fig. IPL-810

Headliner, Visor and Shelf Panel
Figure IPL-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1VISOR									
	RF93 RC1AB	1	D, P					O0	Mist Gray, w/o Mirror, Left
	RF93 RK4AB	1	D, P					O0	Tan, w/o Mirror, Left
	RF99 RC1AB	1	D, P					O0	Mist Gray, Standard, Left
	RF99 RK4AB	1	D, P					O0	Tan, Standard, Left
	RF98 RC1AA	1	D, P					O0	Mist Gray, w/Mirror, Right
	RF98 RK4AA	1	D, P					O0	Tan, w/Mirror, Right
	RG04 RC1AA	1	D, P					O0	Mist Gray, w/o Mirror, Right
	RG04 RK4AA	1	D, P					O0	Tan, w/o Mirror, Right
2VISOR, Illuminated									
	RF97 RC1AB	1						O0	Mist Gray, Left
	RF97 RK4AB	1						O0	Tan, Left
	RG01 RC1AB	1						O0	Mist Gray, w/Sunroof, Left
	RF96 RC1AB	1						O0	Mist Gray, Right
	RF96 RK4AB	1						O0	Tan, Right
	RG00 RC1AB	1						O0	Mist Gray, w/Sunroof, Right
	RG01 RK4AB	1						O0	Tan, w/Sunroof, Left
	RG00 RK4AB	1						O0	Tan, w/Sunroof, Right
3LABEL, Air Bag Warning Removable Dash Warning End Cap Warning English, Right									
	4595 748AA	1	D, P						
	4595 746AA	1	D, P						
		1	Z		42			O0	End Cap Warning English, Right
	4595 749AA	1	D, P						Bilingual Removable Dash Warning
4SCREW, .164-18x.75, (NOT SERVICED) (Not Serviced)									
5HEADLINER									
	SD95 RC1AA	1	D, P		42			O0	Mist Gray, Without Assist Handles and Sunroof
	SD95 RK4AA	1	D, P		42			O0	Tan, Without Assist Handles and Sunroof
	SD97 RC1AA	1	D, P		42			O0	Mist Gray, With Assist Handles
	SD96 RC1AA	1	D, P		22			O0	Mist Gray, Without Assist Handles and Sunroof
	SD96 RK4AA	1	D, P		22			O0	Tan, Without Assist Handles and Sunroof
	SD98 RC1AA	1	D, P		42			O0	Mist Gray, With Sunroof and Assist Handles
	SD97 RK4AA	1	D, P		42			O0	Tan, With Assist Handles
	SD99 RC1AA	1	D, P		22			O0	Mist Gray, With Sunroof and Assist Handles
	SD99 RK4AA	1	D, P		22			O0	Tan, With Sunroof and Assist Handles

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Headliner, Visor and Shelf Panel Figure IPL-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	SE01 RC1AA	1	Z		42			O0	Mist Gray, With Sunroof and Assist Handles
	SD98 RK4AA	1	D, P		42			O0	Tan, With Sunroof and Assist Handles
	SE00 RC1AA	1	Z		42			O0	Mist Gray, With Assist Handles
	SE00 RK4AA	1	Z		42			O0	Tan, With Assist Handles
	SE02 RC1AA	1	D, P		22			O0	Mist Gray, With Assist Handles
	SE01 RK4AA	1	Z		42			O0	Tan, With Sunroof and Assist Handles
	SE02 RK4AA	1	D, P		22			O0	Tan, With Assist Handles
6	LR69 SC1	3						O0	FASTENER, Headliner Mist Gray
	LR69 SK4	3						O0	Tan
7	LE56 SC1	2	Z		42			O0	HOOK, Coat Mist Gray
	LE56 TK4	1	D, P		22			O0	Tan
	LE56 SC1	1	D, P		22			O0	Mist Gray
	LE56 TK4	2	D, P		42			O0	Tan
		2	Z		42			O0	Tan
	LE56 SC1	2	D, P		42			O0	Mist Gray
8	PJ60 TAZ	1	Z		42			O0	PANEL, Rear Shelf Agate
	PJ60 TK5	1	Z		42			O0	Tan
	EW40 TAZ	1						O0	Agate
	EW40 TK5	1						O0	Tan
9	6030 441	4							PIN, Retainer
10	PX40 TK4	2						O0	CLIP, Visor Tan
	PX40 SC1	2						O0	Mist Gray
11	QL75 RC1AB	2	D, P		22			O0	SUPPORT, Visor Mist Gray
		2	D, P		42			O0	Mist Gray
	QL75 RK4AB	2	D, P		22			O0	Tan
		2	D, P		42			O0	Tan
12	H882 TK4	3			42			O0	HANDLE, Door Interior, Assist Tan
		1	D, P		22			O0	Tan
	H882 SC1	3			42			O0	Mist Gray
		1	D, P		22			O0	Mist Gray
13	6503 973	6			42				SCREW, Pan Head, M6x1x20

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth


BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005




Headliner, Visor and Shelf Panel
Figure IPL-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2	D, P		22				
-14									NUT, Spring Snap In Special, M6 x 1.00
	6503 747	6			42				
		2	D, P		22				
15									PLUG, Assist and Grab Handle
	H526 SC1	6			42			O0	Mist Gray
		2	D, P		22			O0	Mist Gray
	H526 TK4	6			42			O0	Tan
		2	D, P		22			O0	Tan
16									CLIP, Pinch Top
	4647 896	2	D, P		42			O0	
		2	D, P		22			O0	
17	6035 324	4							SCREW, .164-18x.75

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

Cowl Panels

Figure IPL-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Cowl Side
	FT18 TAZ	1	D, P					O0	Agate, Right
	FT18 TK5	1	D, P					O0	Tan, Right
	LJ96 TAZ	1	Z		42			O0	Agate, Right
	FT19 TAZ	1	D, P					O0	Agate, Left
	FT19 TK5	1	D, P					O0	Tan, Left
	LJ97 TAZ	1	Z		42			O0	Agate, Left
	LJ96 TK5	1	Z		42			O0	Tan, Right
	LJ97 TK5	1	Z		42			O0	Tan, Left
2	6503 167	2	D, P					O0	CLIP, Trim Panel

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-

DODGE - FL
SERIES
 L=Low Line
 H=High Line
 S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

A-Pillar
Figure IPL-215




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									COVER, A Pillar Trim
	ER34 TAZ	1			42			O0	Agate, Right
	ER34 TKB	1			42			O0	Tan, Right
	ER35 TAZ	1			42			O0	Agate, Left
	ER35 TKB	1			42			O0	Tan, Left
2									MOLDING, Windshield Garnish
	GE35 TAZ	1	D, P		22			O0	Agate, Left
	GE35 TKB	1	D, P		22			O0	Tan, Left
	GE34 TAZ	1	D, P		22			O0	Agate, Right
	GE34 TKB	1	D, P		22			O0	Tan, Right
3									CLIP, Pillar Trim
	6503 104	4			42			O0	
		7	D, P		22			O0	

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE		BODY		ENGINE		TRANSMISSION		
L=Low Line	Z=Chrysler, RHD		41=4 Door, 104WB		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua		
H=High Line	D=Dodge				EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic		
S=Special	D=Chrysler				EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic		
	P=Plymouth						DG0 = All Automatics		
							DBB= All 5 Speed Manual		

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

B-Pillar
Figure IPL-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									COVER, Pillar Shoulder Belt
	PH37 LAZAB	1			42			O0	Agate, Left
	PH37 RK5AB	1			42			O0	Tan, Left
	PH36 LAZAB	1			42			O0	Agate, Right
	PH36 RK5AB	1			42			O0	Tan, Right
2	4645 780	2			42				KNOB, Seat Belt Adjuster
3									BEZEL, B Pillar Seat Belt
	GY62 TAZ	2			42			O0	Agate, Right & Left
	GY62 TK5	2			42			O0	Tan, Right & Left
4	6503 104	7	D, P		22			O0	CLIP, Pillar Trim

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
 DD5 = 5 Speed Manua
 DGC = 3 Speed Automatic
 DGL = 4 Speed Automatic
 DG0 = All Automatics
 DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Quarter Trim Panel
Figure IPL-225


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Quarter Trim, Upper
	EB91 TAZ	1			42			O0	Agate, Left
	EB91 TK5	1			42			O0	Tan, Left
	EB90 TAZ	1			42			O0	Agate, Right
	EB90 TK5	1			42			O0	Tan, Right
2									PANEL, Quarter Trim, Lower
	EB92 TAZ	1			42			O0	Agate, Right
	EB92 TK5	1			42			O0	Tan, Right
	EB93 TAZ	1			42			O0	Agate, Left
	EB93 TK5	1			42			O0	Tan, Left
3									CLIP, Trim Panel
	6503 167	6			42			O0	
		2	D, P					O0	
4									PANEL, Quarter Trim
	MN96 TAZ	1	D, P		22			O0	Agate, Right
	MN96 TK5	1	D, P		22			O0	Tan, Right
	MN97 TK5	1	D, P		22			O0	Tan, Left
-5	6503 104	4	D, P		22			O0	CLIP, Pillar Trim

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				TRANSMISSION	
SERIES	LINE	BODY	ENGINE	DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DGC = 3 Speed Automatic	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGL = 4 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DG0 = All Automatics	
	P=Plymouth			DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Scuff Plates - Front and Rear Figure IPL-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	FT20 DX9	2			42			O0	PLATE, Scuff, Black, Front
2	FZ99 DX9	1	D, P		22			O0	PLATE, Scuff
	EB88 DX9	2			42			O0	Black, Left
	FZ98 DX9	1	D, P		22			O0	Black, Rear
3	6503 061	3	D, P		22			O0	CLIP, Scuff Plate
		4			42			O0	


DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Carpet, Mats and Silencers Figure IPL-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CARPET, Full Floor
	PK54 RK5AB	1	D, P		42			O0	Tan, With Cable Release Deck Lid
	PK55 TAZ	1	D, P		22			O0	Agate, With Cable Release Deck Lid
	PQ16 RK5AB	1	D, P		22			O0	Tan, Without Cable Release Deck Lid
	LK51 TAZ	1	Z		42			O0	Agate, With Cable Release Deck Lid
	PK54 TAZ	1	D, P		42			O0	Agate, With Cable Release Deck Lid
	PK55 RK5AB	1	D, P		22			O0	Tan, With Cable Release Deck Lid
	PQ56 TAZ	1	D, P		42			O0	Agate, , Without Cable Release Deck Lid
	PQ56 RK5AB	1	D, P		42			O0	Tan, Without Cable Release Deck Lid
	PQ16 TAZ	1	D, P		22			O0	Agate, Without Cable Release Deck Lid
2	4740 136	1							SILENCER, Floor Pan
3	QT43 HSBAB	1						O0	CARPET, Luggage Compartment, Dark Charcoal
-4	PE14 HSBAC-	1						O0	PANEL, Decklid, Dark Charcoal
5	6030 441	4							PIN, Retainer
-6	5601 7549	4							CLIP, .750" ID
7	MF33 HSBAB	1		H				O0	SILENCER, Rear Seat Back, Dark Charcoal
8	6030 441	4							PIN, Retainer
9	8220 3889	1							MAT KIT, Floor - Front Camel
	8220 3900	1							Agate
10	8220 3901	1							MAT KIT, Floor - Rear Camel
	8220 3902	1							Agate
11	5264 595	2							EXHAUSTER, Interior Trim Panel
12	4783 973	1	Z		42				SILENCER, Dash Panel
	4783 975	1	D, P						
-13	5016 811AA-	1							LATCH PACKAGE, Decklid, Emergency Kit Trunk Release

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door Panels - Front 4 Door Figure IPL-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Front Door Trim
	LL16 2AZ	1	Z		42			F7	Agate, With Power Windows, Door Locks and Mirrors, Right
	LL17 2AZ	1	Z		42			F7	Agate, With Power Windows, Door Locks, Right
	PT77 TXK	1	D, P		42			H7	Tan, Without Power Locks and Mirrors, Left
	PT76 TXK	1	D, P		42			H7	Tan, Without Power Door Locks, Right
	PT76 TXZ	1	D, P		42			H7	Agate, Without Power Door Locks, Right
	PT79 TXK	1	D, P		42			H7	Tan, With Power Mirrors Without Door Locks and Windows, Left
	PT77 TXZ	1	D, P		42			H7	Agate, Without Power Locks and Mirrors, Left
	PT80 TXK	1	D, P		42			H7	Tan, With Power Door Locks Without Power Windows, Right
	PT80 TXZ	1	D, P		42			H7	Agate, With Power Door Locks Without Power Windows, Right
	PT82 TXK	1	D, P		42			H7	Tan, With Power Windows and Door Locks, Right
	PT79 TXZ	1	D, P		42			H7	Agate, With Power Mirrors Without Door Locks and Windows, Left
	PT81 TXK	1	D, P		42			H7	Tan, With Power Door Locks and Mirrors Without Power Windows, Left
	PT81 TXZ	1	D, P		42			H7	Agate, With Power Door Locks and Mirrors Without Power Windows, Left
	PT83 TXK	1	D, P		42			H7	Tan, With Power Windows, Door Locks and Mirrors, Left
	PT82 TXZ	1	D, P		42			H7	Agate, With Power Windows and Door Locks, Right
	PT90 TXS	1	D, P		42			F7	Black/Silver, With Power Windows and Door Locks, Right
	PT91 TXS	1	D, P		42			F7	Black/Silver, With Power Windows, Door Locks and Power Mirrors, Left
	PT83 TXZ	1	D, P		42			H7	Agate, With Power Windows, Door Locks and Mirrors, Left
	QC24 1AZ	1	Z		42			H7	Agate, With Power Door Locks and Mirrors, Right

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door Panels - Front 4 Door Figure IPL-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	QC25 1AZ	1	Z		42			H7	Agate, With Power Door Locks, Left
	QC25 2K5	1	Z		42			H7	Tan, With Power Door Locks, Left
	RY66 1AZAA	1	D, P		42			G7	Agate, Without Power Door Locks, Right
		1	D, P		42			W7	Agate, Without Power Door Locks, Right
	RY66 1K5AA	1	D, P		42			G7	Tan, Without Power Door Locks, Right
	RY66 1AZAA	1	D, P		42			L7	Agate, Without Power Door Locks, Right
		1	D, P		42			M7	Agate, Without Power Door Locks, Right
	RY66 1K5AA	1	D, P		42			L7	Tan, Without Power Door Locks, Right
	RY67 1AZAA	1	D, P		42			G7	Agate, Power Windows and Door Locks, Left
		1	D, P		42			L7	Agate, Power Windows and Door Locks, Left
		1	D, P		42			M7	Agate, Without Power Windows and Door Locks, Left
	RY67 1K5AA	1	D, P		42			L7	Tan, Power Windows and Door Locks, Left
	RY67 1AZAA	1	D, P		42			W7	Agate, Power Windows and Door Locks, Left
	RY67 1K5AA	1	D, P		42			G7	Tan, Power Windows and Door Locks, Left
	RY68 1AZAA	1	D, P		42			L7	Agate, With Power Door Locks and Windows, Right
		1	D, P		42			G7	Agate, With Power Door Locks and Windows, Right
		1	D, P		42			CL	Tan, With Power Door Locks and Windows, Right
		1	D		42			W7	Tan, With Power Door Locks and Windows, Right
	RY68 1K5AA	1	D, P		42			L7	Tan, With Power Door Locks and Windows, Right
	RY68 1AZAA	1	D, P		42			T7	Agate, With Power Door Locks and Windows, Right
		1	D		42			M7	Tan, With Power Door Locks and Windows, Right
	RY68 1K5AA	1	D, P		42			G7	Tan, With Power Door Locks and Windows, Right

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door Panels - Front 4 Door Figure IPL-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	RY69 1AZAA	1	D, P		42			G7	Agate, With Power Windows, Door Locks and Mirrors, Left
	RY68 1K5AA	1	D, P		42			T7	Tan, With Power Door Locks and Windows, Right
	RY69 1AZAA	1	D, P		42			T7	Agate, With Power Windows, Door Locks and Mirrors, Left
		1	D, P		42			CL	Agate, With Power Windows, Door Locks and Mirrors, Left
		1	D, P		42			L7	Agate, With Power Windows, Door Locks and Mirrors, Left
		1	D		42			W7	Agate, With Power Windows, Door Locks and Mirrors, Left
	RY69 1K5AA	1	D, P		42			G7	Tan, With Power Windows, Door Locks and Mirrors, Left
		1	D, P		42			L7	Tan, With Power Windows, Door Locks and Mirrors, Left
	RY76 1K5AA	1	Z		42			G7	Tan, With Power Door Locks, Power Windows and Power Mirrors, Right
	RY76 1AZAA	1	Z		42			G7	Agate, With Power Door Locks, Power Windows and Power Mirrors, Right
	RY77 1AZAA	1	Z		42			G7	Agate, With Power Door Locks, Power Windows, Left
	RY77 1K5AA	1	Z		42			G7	Tan, With Power Door Locks, Power Windows, Left
	RY80 1AZAA	1	D, P		42			G7	Agate, With Power Door Locks, Without Power Windows, Right
	RY81 1AZAA	1	D, P		42			L7	Agate, With Power Mirrors and Locks, Without Power Windows, Left
	RY80 1AZAA	1	D, P		42			L7	Agate, With Power Door Locks, Without Power Windows, Right
	RY80 1K5AA	1	D, P		42			G7	Tan, With Power Door Locks, Without Power Windows, Right
		1	D, P		42			L7	Tan, With Power Door Locks, Without Power Windows, Right
	RY81 1K5AA	1	D, P		42			G7	Tan, With Power Mirrors and Locks, Without Power Windows, Left
		1	D, P		42			L7	Tan, With Power Mirrors and Locks, Without Power Windows, Left

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door Panels - Front 4 Door Figure IPL-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	RY81 1AZAA	1	D, P		42			G7	Agate, With Power Mirrors and Locks, Without Power Windows, Left
2	FC76 TAZ	1	Z		42			H7	ARMREST, Door Agate, Right
		1	D, P		42			H7	Agate, Right
		1	D, P		42			F7	Agate, Right
		1	D, P		42			G7	Agate, Right
		1	D, P		42			W7	Agate, Right
		1	Z		42			G7	Agate, Right
		1	D, P		42			L7	Agate, Right
		1	Z		42			CL	Agate, Right
		1	D, P		42			M7	Agate, Right
	FC76 TKB	1	D, P		42			H7	Tan, Right
		1	Z		42			G7	Tan, Right
		1	D, P		42			G7	Tan, Right
		1	D, P		42			L7	Tan, Right
	FC77 TAZ	1	D, P		42			F7	Agate, Left
		1	Z		42			H7	Agate, Left
		1	D, P		42			H7	Agate, Left
		1	D, P		42			G7	Agate, Left
		1	D, P		42			T7	Agate, Left
		1	D, P		42			M7	Agate, Left
		1	D, P		42			W7	Agate, Left
		1	D, P		42			L7	Agate, Left
		1	D, P		42			CL	Agate, Left
	FC77 TKB	1	D, P		42			H7	Tan, Left
		1	D, P		42			G7	Tan, Left
		1	D, P		42			L7	Tan, Left
		1	D, P		42			T7	Tan, Left
3	PF94 TAZ	1	D, P		42			H7	BOLSTER, Front Door Agate, Right
	PF94 TK5	1	D, P		42			H7	Tan, Right
	PF95 TAZ	1	D, P		42			H7	Agate, Left
	PF95 TK5	1	D, P		42			H7	Tan, Left
	PG00 RS6	1	D, P		42			F7	Quartz, Right
	RY60 LAZAA	1	Z		42			G7	Agate, Right
	PG01 RS6	1	D, P		42			F7	Quartz, Left
	RY60 LAZAA	1	D, P		42			L7	Agate, Right
		1	D, P		42			T7	Agate, Right
		1	D, P		42			M7	Agate, Right
		1	D, P		42			W7	Agate, Right

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door Panels - Front 4 Door
Figure IPL-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	D, P		42			G7	Agate, Right
	RY60 RK5AA	1	Z		42			G7	Tan, Right
		1	D, P		42			L7	Tan, Right
		1	D, P		42			G7	Tan, Right
		1	D, P		42			T7	Tan, Right
	RY61 LAZAA	1	Z		42			G7	Agate, Left
		1	D, P		42			G7	Agate, Left
		1	D, P		42			T7	Agate, Left
		1	D, P		42			M7	Agate, Left
	RY61 RK5AA	1	D, P		42			L7	Agate, Left
		1	Z		42			G7	Tan, Left
	RY61 LAZAA	1	D, P		42			W7	Agate, Left
	RY61 RK5AA	1	D, P		42			T7	Tan, Left
		1	D, P		42			G7	Tan, Left
		1	D, P		42			L7	Tan, Left
4	4620 799	2			42				BRACKET PACKAGE, Door Trim Panel
-5	6032 723	2							SCREW, Self Tapping, M4.2x1.69x19.05
6	6501 773	4							NUT, Plastic Snap-in
7									SCREW AND WASHER, (NOT SERVICED) (Not Serviced)
8									FASTENER, Door Trim Panel
	6504 014	8	D, P		42			F7	
		8			42			H7	
		8			42			G7	
		8			42			M7	
		8			42			T7	
		8			42			L7	
		8			42			W7	
		8			42			CL	
9									WATERDAM, Front Door
	4783 506	1			42				Right
	4783 507	1			42				Left

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special


LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

Door Panels - Front 2 Door
Figure IPL-415




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: JPB = Power Door Locks									
NOTE: JPA = Power Windows									
NOTE: GVB = Power Mirrors									
1	QJ58 1AZ	1	D, P		22			H7	PANEL, Front Door Trim (H7AZ) Without Power Door Locks & Power Windows (-JPB & -JPA) Right
	QJ58 2K5	1	D, P		22			H7	(H7K5) Without Power Door Locks & Power Windows (-JPB & -JPA) Right
	QJ68 1AZ	1	D, P		22			H7	(H7AZ) With Power Door Locks, Without Power Windows (+JPB & -JPA) Right
	QJ59 1AZ	1	D, P		22			H7	(H7AZ) Without Power Windows, Power Door Locks & Power Mirrors (-JPA, -JPB, -GVB) Left
	QJ59 2K5	1	D, P		22			H7	(H7K5) Without Power Windows, Power Door Locks & Power Mirrors (-JPA, -JPB, -GVB) Left
	QJ69 1AZ	1	D, P		22			H7	(H7AZ) With Power Door Locks & Power Mirrors, Without Power
	QJ69 2K5	1	D, P		22			H7	Windows (+JPB+GVB-JPA) Left (H7K5) With Power Door Locks & Power Mirrors, Without Power
	QJ83 1AZ	1	D, P		22			H7	Windows (+JPB+GVB-JPA) Left (H7AZ) With Power Windows, Power Door Locks & Power
	QJ83 2K5	1	D, P		22			H7	Mirrors (+JPA+JPB+GVB) Left (H7K5) With Power Windows, Power Door Locks & Power
	QJ68 2K5	1	D, P		22			H7	Mirrors (+JPA+JPB+GVB) Left (H7K5) With Power Door Locks, Without Power Windows (+JPB &
	QJ82 1AZ	1	D, P		22			H7	-JPA) Right (H7AZ) With Power Windows & Power Door Locks (+JPA+JPB)
	QJ82 2K5	1	D, P		22			H7	Right (H7K5) With Power Windows & Power Door Locks (+JPA+JPB)
	QJ90 2AZ	1	D, P		22			F7	Right (F7AZ), With Power Windows and Door Locks, Right

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door Panels - Front 2 Door Figure IPL-415



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	QJ91 2AZ	1	D, P		22			F7	(F7AZ), With Power Windows,
	RY64 1AZAA	1	D, P		22			W7	Door Locks and Mirrors, Left
		1	D, P		22			M7	(W7AZ), w/o Power Windows and
		1	D, P		22			G7	Door Locks, Right
		1	D, P		22			L7	(M7AZ), w/o Power Windows and
		1	D, P		22			G7	Door Locks, Right
		1	D, P		22			L7	(G7AZ) w/o Power Windows and
		1	D, P		22			G7	Door Locks, Right
		1	D, P		22			L7	(L7AZ), w/o Power Windows and
		1	D, P		22			G7	Door Locks, Right
		1	D, P		22			L7	(G7K5) w/o Power Windows and
		1	D, P		22			G7	Door Locks, Right
		1	D, P		22			L7	(L7K5), w/o Power Windows and
		1	D, P		22			W7	Door Locks, Right
		1	D, P		22			M7	(W7AZ), w/o Power Windows, Door
		1	D, P		22			G7	Locks and Mirrors, Left
		1	D, P		22			G7	(M7AZ), w/o Power Windows, Door
		1	D, P		22			L7	Locks and Mirrors, Left
		1	D, P		22			L7	(G7AZ), With Power Door Locks,
		1	D, P		22			G7	w/o Power Windows, Right
		1	D, P		22			L7	(G7AZ), w/o Power Windows, Door
		1	D, P		22			G7	Locks and Mirrors, Left
		1	D, P		22			L7	(L7AZ), w/o Power Windows, Door
		1	D, P		22			G7	Locks and Mirrors, Left
		1	D, P		22			L7	(G7K5), w/o Power Windows, Door
		1	D, P		22			G7	Locks and Mirrors, Left
		1	D, P		22			L7	(L7K5), w/o Power Windows, Door
		1	D, P		22			G7	Locks and Mirrors, Left
		1	D, P		22			L7	(G7K5), With Power Door Locks,
		1	D, P		22			G7	w/o Power Windows, Right
		1	D, P		22			L7	(L7K5), With Power Door Locks,
		1	D, P		22			G7	w/o Power Windows, Right
		1	D, P		22			L7	(G7K5), With Power Door Locks
		1	D, P		22			G7	and Mirrors, w/o Power Windows,
		1	D, P		22			L7	Left
		1	D, P		22			G7	(L7AZ), With Power Door Locks,
		1	D, P		22			L7	w/o Power Windows, Right
		1	D, P		22			G7	(G7AZ), With Power Door Locks
		1	D, P		22			L7	and Mirrors, w/o Power Windows,
		1	D, P		22			L7	Left
		1	D, P		22			L7	(L7AZ), With Power Door Locks
		1	D, P		22			L7	and Mirrors, w/o Power Windows,
		1	D, P		22			L7	Left

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door Panels - Front 2 Door Figure IPL-415



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	RY74 1AZAA	1	D, P		22			G7	Agate, w/Power Windows and Door Locks, Right
	RY73 1K5AA	1	D, P		22			L7	(L7K6), With Power Door Locks and Mirrors, w/o Power Windows, Left
	RY74 1AZAA	1	D, P		22			CL	Agate, w/Power Windows and Door Locks, Right
		1	D		22			W7	Agate, w/Power Windows and Door Locks, Right
	RY74 1K5AA	1	D, P		22			L7	Camel, w/Power Windows and Door Locks, Right
	RY74 1AZAA	1	D, P		22			L7	Agate, w/Power Windows and Door Locks, Right
		1	D		22			M7	Agate, w/Power Windows and Door Locks, Right
	RY74 1K5AA	1	D, P		22			G7	Camel, w/Power Windows and Door Locks, Right
	RY75 1AZAA	1	D, P		22			G7	Agate, w/Power Windows, Door Locks and Mirrors, Left
		1	D		22			W7	Agate, w/Power Windows, Door Locks and Mirrors, Left
		1	D		22			M7	Agate, w/Power Windows, Door Locks and Mirrors, Left
		1	D, P		22			L7	Agate, w/Power Windows, Door Locks and Mirrors, Left
		1	D, P		22			CL	Agate, w/Power Windows, Door Locks and Mirrors, Left
	RY75 1K5AA	1	D, P		22			G7	Camel, w/Power Windows, Door Locks and Mirrors, Left
		1	D, P		22			L7	Camel, w/Power Windows, Door Locks and Mirrors, Left
-2	6032 723	4							SCREW, Self Tapping, M4.2x1.69x19.05
3	6501 773	4							NUT, Plastic Snap-in
4									SCREW AND WASHER, (NOT SERVICED) (Not Serviced)
5	6504 014	8	D, P		22			H7	FASTENER, Door Trim Panel
6									CUP, Door Pull
	PK02 TAZ	1	D, P		22			H7	Agate
	PK02 TK5	1	D, P		22			H7	Tan
7									WATERDAM, Front Door
	4783 504	1	D, P		22				Right

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth



BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

Door Panels - Front 2 Door
Figure IPL-415

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4783 505	1	D, P		22				Left




DODGE - PLYMOUTH - CHRYSLER NEON (PL)					
SERIES	LINE	BODY	ENGINE	TRANSMISSION	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic	
	P=Plymouth			DG0 = All Automatics	
				DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door Panels - Rear Figure IPL-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	PANEL, Rear Door Trim								
	EB82 TXK	1			42			H7	Tan, Right
	EB82 TXZ	1			42			H7	Agate, Right
	LP38 TXZ	1			42			F7	Agate, Right
	EB83 TXK	1			42			H7	Tan, Left
	EB83 TXZ	1			42			H7	Agate, Left
	RY70 1AZAA	1			42			G7	Agate, Right
	LP39 TXZ	1			42			F7	Agate, Left
	RY70 1AZAA	1			42			W7	Agate, Right
		1			42			M7	Agate, Right
	RY70 1K5AA	1			42			G7	Tan, Right
	RY70 1AZAA	1			42			L7	Agate, Right
		1			42			T7	Agate, Right
		1			42			CL	Agate, Right
	RY70 1K5AA	1			42			T7	Tan, Right
		1			42			L7	Tan, Right
	RY71 1AZAA	1			42			L7	Agate, Left
		1			42			W7	Agate, Left
		1			42			G7	Agate, Left
		1			42			M7	Agate, Left
		1			42			T7	Agate, Left
	RY71 1K5AA	1			42			L7	Tan, Left
		1			42			G7	Tan, Left
		1			42			T7	Tan, Left
2	BOLSTER, Door								
	PG17 TAZ	1			42			H7	Agate, Left
	PG17 TK5	1			42			H7	Camel, Left
	RY62 LAZAA	1			42			G7	Agate, Right
	PG16 TAZ	1			42			H7	Agate, Right
	PG16 TK5	1			42			H7	Camel, Right
	PG26 RS6	1			42			F7	Quartz, Right
	RY62 LAZAA	1			42			L7	Agate, Right
		1			42			W7	Agate, Right
		1			42			M7	Agate, Right
	RY62 RK5AA	1			42			G7	Tan, Right
	PG27 RS6	1			42			F7	Quartz, Left
	RY62 LAZAA	1			42			T7	Agate, Right
	RY62 RK5AA	1			42			T7	Tan, Right
		1			42			L7	Tan, Right
	RY63 LAZAA	1			42			M7	Agate, Left
		1			42			T7	Agate, Left
	RY63 RK5AA	1			42			L7	Tan, Left

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door Panels - Rear Figure IPL-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	RY63 LAZAA	1			42			G7	Agate, Left
		1			42			L7	Agate, Left
		1			42			W7	Agate, Left
	RY63 RK5AA	1			42			T7	Tan, Left
		1			42			G7	Tan, Left
3	FC82 TAZ	1			42			G7	ARMREST, Door Agate, Right
		1			42			L7	Agate, Right
		1			42			T7	Agate, Right
		1			42			H7	Agate, Right
		1			42			F7	Agate, Right
		1			42			W7	Agate, Right
		1			42			CL	Agate, Right
	FC82 TKB	1			42			H7	Camel, Right
		1			42			G7	Camel, Right
	FC83 TAZ	1			42			H7	Agate, Left
	FC82 TAZ	1			42			M7	Agate, Right
	FC82 TKB	1			42			L7	Camel, Right
		1			42			T7	Tan, Right
	FC83 TAZ	1			42			G7	Agate, Left
		1			42			L7	Agate, Left
		1			42			W7	Agate, Left
		1			42			M7	Agate, Left
	FC83 TKB	1			42			H7	Camel, Left
	FC83 TAZ	1			42			F7	Agate, Left
		1			42			T7	Agate, Left
		1			42			CL	Agate, Left
	FC83 TKB	1			42			L7	Camel, Left
		1			42			G7	Camel, Left
		1			42			T7	Tan, Left
4	6504 014	8	Z		42			H7	FASTENER, Door Trim Panel
		8	D, P		42			F7	
		8	D, P		42			M7	
		8			42			H7	
		8			42			G7	
		8			42			T7	
		8			42			L7	
		8			42			W7	
		8			42			CL	
5	4665 430	2			42				BRACKET PACKAGE, Door Trim Panel

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Door Panels - Rear Figure IPL-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
6									SCREW AND WASHER, (NOT SERVICED) (Not Serviced)
7	6501 773	4							NUT, Plastic Snap-in
8									WATERDAM, Rear Door
	4615 636	1			42				Right
	4615 637	1			42				Left

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Seat Front - Trim Code H7,T7
Figure IPL-504



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Front Seat
	SC52 1AZAA	1	D, P		42			H7	Agate, Right & Left
		1	Z		42			H7	Agate, Right & Left
		1	D, P		22			H7	Agate, Right & Left
	RN08 1AZAA	1	P		42			T7	Agate, Right & Left
	RN08 1K5AA	1	P		42			T7	Tan, Right & Left
	SC52 1K5AA	1	D, P		42			H7	Tan, Right & Left
		1	D, P		22			H7	Tan, Right & Left
2									COVER, Front Seat Cushion
	RY94 1AZAA	1	P		42			T7	Agate, Right & Left
	RY94 1K5AA	1	P		42			T7	Tan, Right & Left
	SC70 1AZAA	1	D, P		42			H7	Agate, Right & Left
		1	Z		42			H7	Agate, Right & Left
		1	D, P		22			H7	Agate, Right & Left
	SC70 1K5AA	1	D, P		22			H7	Tan, Right & Left
		1	D, P		42			H7	Tan, Right & Left
3									SEAT BACK, Front
	RY40 1AZAA	1	P		42			T7	Agate, Right
	RY40 1K5AA	1	P		42			T7	Tan, Right
	SC56 1AZAA	1	D, P		42			H7	Agate, European, Right
	RY41 1AZAA	1	P		42			T7	Agate, Left
	RY41 1K5AA	1	P		42			T7	Tan, Left
	SC56 1K5AA	1	D, P		42			H7	Tan, European, Right
	SC56 1AZAA	1	Z		42			H7	Agate, Right
	SC57 1AZAA	1	Z		42			H7	Agate, Left
	SC57 1K5AA	1	D, P		42			H7	Tan, European, Left
	SC57 1AZAA	1	D, P		42			H7	Agate, European, Left
	SC68 1AZAA	1	D, P		22			H7	Agate, Right
	SC68 1K5AA	1	D, P		22			H7	Tan, Right
	SC69 1AZAA	1	D, P		22			H7	Agate, Left
	SC69 1K5AA	1	D, P		22			H7	Tan, Left
	SC74 1AZAA	1	D, P		42			H7	Agate, Right
	SC74 1K5AA	1	D, P		42			H7	Tan, Right
	SC75 1AZAA	1	D, P		42			H7	Agate, Left
	SE36 1AZAA	1	D, P		42			H7	Agate, Middle East, Right
	SE36 1K5AA	1	D, P		42			H7	Tan, Middle East, Right
	SC75 1K5AA	1	D, P		42			H7	Tan, Left
	SE37 1AZAA	1	D, P		42			H7	Agate, Middle East, Left
	SE37 1K5AA	1	D, P		42			H7	Tan, Middle East, Left
4									COVER, Front Seat Back
	RY16 1AZAA	1	P		42			T7	Agate, Right & Left
	RY16 1K5AA	1	P		42			T7	Tan, Right & Left

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Seat Front - Trim Code H7,T7 Figure IPL-504



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	SC53 1K5AA	1	D, P		42			H7	Tan, European, Right & Left
	SC53 1AZAA	1	D, P		42			H7	Agate, European, Right & Left
		1	Z		42			H7	Agate, Right & Left
	SC66 1AZAA	1	D, P		42			H7	Agate, Right & Left
	SC66 1K5AA	1	D, P		42			H7	Tan, Right & Left
	SC72 1AZAA	1	D, P		22			H7	Agate, Right
	SC72 1K5AA	1	D, P		22			H7	Tan, Right
	SC73 1AZAA	1	D, P		22			H7	Agate, Left
	SC73 1K5AA	1	D, P		22			H7	Tan, Left
	SE38 1K5AA	1	D, P		42			H7	Tan, Middle East, Right & Left
	SE38 1AZAA	1	D, P		42			H7	Agate, Middle East, Right & Left
5									HOG RING, Seat, (NOT REQUIRED)
6									SHIELD, Seat Cushion
	JF76 1AZ	1	P		42			T7	Agate, Right
	JF76 1K5	1	P		42			T7	Tan, Right
	JF77 1AZ	1	P		42			T7	Agate, Left
	JF77 1K5	1	P		42			T7	Tan, Left
7									SCREW, (NOT SERVICED) (Not Serviced)
-8									HEADREST, Front
	RP44 1AZAA-	1	D, P		22			H7	Agate
		1	D, P		42			H7	Agate
	RP44 1K5AA-	1	D, P		22			H7	Tan
		1	D, P		42			H7	Tan
	RY93 1AZAA-	1	P		42			T7	Agate
	RY93 1K5AA-	1	P		42			T7	Tan

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Seat Front - Trim Code G7,L7
Figure IPL-509

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	CUSHION, Front Seat								
	QK85 1AZ	1	D, P		42			G7	Agate, Right & Left
		1	D, P		22			G7	Agate, Right And Left
	QK85 1K5	1	D, P		42			G7	Tan, Right & Left
		1	D, P		22			G7	Tan, Right And Left
	RV59 1AZAA	1	D, P		22			L7	Agate, Right And Left
		1	D, P		42			L7	Agate, Right And Left
	RV59 1K5AA	1	D, P		22			L7	Tan, Right And Left
		1	D, P		42			L7	Tan, Right And Left
2	COVER, Front Seat Cushion								
	QK97 1AZ	1	D, P		42			G7	Agate, Right & Left
		1	D, P		22			G7	Agate, Right And Left
	QK97 1K5	1	D, P		42			G7	Tan, Right & Left
		1	D, P		22			G7	Tan, Right And Left
	RV64 1AZAA	1	D, P		22			L7	Agate, Right & Left
		1	D, P		42			L7	Agate, Right & Left
	RV64 1K5AA	1	D, P		22			L7	Tan, Right & Left
		1	D, P		42			L7	Tan, Right & Left
3	SEAT BACK, Front								
	RP42 1AZAA	1	D, P		22			G7	Agate, Right
	RP42 1K5AA	1	D, P		22			G7	Tan, Right
	RP43 1AZAA	1	D, P		22			G7	Agate, Left
	RP43 1K5AA	1	D, P		22			G7	Tan, Left
	RV60 1AZAA	1	D, P		42			L7	Agate, Right
	RV60 1K5AA	1	D, P		42			L7	Tan, Right
	RV61 1AZAA	1	D, P		42			L7	Agate, Left
	RV61 1K5AA	1	D, P		42			L7	Tan, Left
	RV66 1AZAA	1	D, P		22			L7	Agate, Right
	RV66 1K5AA	1	D, P		22			L7	Tan, Right
	RV67 1AZAA	1	D, P		22			L7	Agate, Left
	RV67 1K5AA	1	D, P		22			L7	Tan, Left
	RV70 1AZAA	1	D, P		42			G7	Agate, Right
	RV70 1K5AA	1	D, P		42			G7	Tan, Right
	RV71 1AZAA	1	D, P		42			G7	Agate, Left
	RV71 1K5AA	1	D, P		42			G7	Tan, Left
4	COVER, Front Seat Back								
	QL00 1AZ	1	D, P		42			G7	Agate, Right & Left
	QL00 1K5	1	D, P		42			G7	Tan, Right & Left
	QL04 1AZ	1	D, P		22			G7	Agate, Right
	QL04 1K5	1	D, P		22			G7	Tan, Right
	QL05 1AZ	1	D, P		22			G7	Agate, Left
	QL05 1K5	1	D, P		22			G7	Tan, Left

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth


BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



Seat Front - Trim Code G7,L7 Figure IPL-509

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	RV62 1AZAA	1	D, P		22			L7	Agate, Right
	RV62 1K5AA	1	D, P		22			L7	Tan, Right
	RV63 1AZAA	1	D, P		22			L7	Agate, Left
	RV63 1K5AA	1	D, P		22			L7	Tan, Left
	RV65 1AZAA	1	D, P		42			L7	Agate, Right & Left
	RV65 1K5AA	1	D, P		42			L7	Tan, Right & Left
5	RP39 1AZAA	1	D, P		42			G7	Agate
		1	D, P		22			G7	Agate
		1	D, P		22			L7	Agate
		1	D, P		42			L7	Agate
	RP39 1K5AA	1	D, P		42			G7	Tan
		1	D, P		22			G7	Tan
		1	D, P		22			L7	Tan
		1	D, P		42			L7	Tan
6									COVER, Seat Headrest, (NOT SERVICED) (Not Serviced)
7									SLEEVE, Headrest
	QX11 1AZAA	1	D, P		22			G7	Agate, w/Release Button
		1	D, P		22			L7	Agate, w/Release Button
		1	D, P		42			L7	Agate, w/Release Button
		1	D, P		42			G7	Agate, w/Release Button
	QX11 1K5AA	1	D, P		22			G7	Tan, w/Release Button
		1	D, P		22			L7	Tan, w/Release Button
		1	D, P		42			L7	Tan, w/Release Button
		1	D, P		42			G7	Tan, w/Release Button
	QX12 1AZAA	1	D, P		42			G7	Agate, Without Release Button
		1	Z		42			G7	Agate, Without Release Button
		1	D, P		42			G7	Agate, Without Release Button
		1	D, P		22			L7	Agate, Without Release Button
		1	D, P		42			L7	Agate, Without Release Button
	QX12 1K5AA	1	D, P		42			G7	Tan, Without Release Button
		1	D, P		42			G7	Tan, Without Release Button
		1	D, P		22			L7	Tan, Without Release Button
		1	D, P		42			L7	Tan, Without Release Button
8									HOG RING, Seat, (NOT REQUIRED)
9									SHIELD, Seat Cushion
	JF76 1AZ	1	D, P		42			G7	Agate, Right
		1	D, P		42			L7	Right, Right
	JF76 1K5	1	D, P		42			G7	Tan, Right
		1	D, P		42			L7	Tan, Right
	JF77 1AZ	1	D, P		42			G7	Agate, Left
		1	D, P		42			L7	Agate, Left

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI


TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Seat Front - Trim Code G7,L7
Figure IPL-509

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	JF77 1K5	1	D, P		42			G7	Tan, Left
		1	D, P		42			L7	Tan, Left
	LD94 1AZ	1	D, P		22			G7	Agate, Right
		1	D, P		22			L7	Agate, Right
	LD94 1K5	1	D, P		22			G7	Tan, Right
		1	D, P		22			L7	Tan, Right
	LD95 1AZ	1	D, P		22			G7	Agate, Left
		1	D, P		22			L7	Agate, Left
	LD95 1K5	1	D, P		22			G7	Tan, Left
		1	D, P		22			L7	Tan, Left
10									SCREW, Side Shield (10-24x1.030 T-20 Torx), (NOT SERVICED) (Not Serviced)



DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

Seat Front - Trim Code F7,W7 Figure IPL-514



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Front Seat
	RZ19 1RZAA	1	D		22			W7	Agate, Right & Left
	PA43 1AZ	1	D, P		42			F7	Agate, Right & Left
	RZ19 1RZAA	1	D		42			W7	Agate, Right & Left
2									COVER, Front Seat Cushion
	PA69 1AZ	1	D, P		42			F7	Agate, Right & Left
	RZ23 1RZAA	1	D		42			W7	Agate, Right & Left
		1	D		22			W7	Agate, Right & Left
3									SEAT BACK, Front
	RZ20 1RZAA	1	D		42			W7	Agate, Right
	RZ21 1RZAA	1	D		42			W7	Agate, Left
	RV56 1AZAA	1	D, P		42			F7	Agate, Right
	RV57 1AZAA	1	D, P		42			F7	Agate, Left
	RZ50 1RZAA	1	D		22			W7	Agate, Right
	RZ51 1RZAA	1	D		22			W7	Agate, Left
4									COVER, Front Seat Back
	PA71 1AZ	1	D, P		42			F7	Agate, Right & Left
	RZ52 1RZAA	1	D		22			W7	Agate, Right
	RZ53 1RZAA	1	D		22			W7	Agate, Left
5									HEADREST, Front
	RZ22 1RZAA	1	D		22			W7	Agate, Right & Left
	RP36 1AZAA	1	D, P		42			F7	Agate, Right & Left
	RZ22 1RZAA	1	D		42			W7	Agate, Right & Left
6									COVER, Seat Headrest, (NOT SERVICED) (Not Serviced)
7									SLEEVE, Headrest
	QX11 1AZAA	1	D, P		42			F7	Agate, With Release Button
		1	D		22			W7	Agate, With Release Button
		1	Z		42			F7	Agate, With Release Button
	QX12 1AZAA	1	Z		42			F7	Agate, Wlthout Release Button
		1	D, P		42			F7	Agate, Wlthout Release Button
		1	D		22			W7	Agate, Wlthout Release Button
8									HOG RING, Seat, (NOT REQUIRED)
9									SHIELD, Seat Cushion
	JF76 1AZ	1	D, P		42			F7	Agate, Right
		1	D		42			W7	Agate, Right
	JF77 1AZ	1	D, P		42			F7	Agate, Left
		1	D		42			W7	Agate, Left
	LD94 1AZ	1	D		22			W7	Agate, Right
	LD95 1AZ	1	D		22			W7	Agate, Left
10									SCREW, Side Shield Attaching (10-24x1.030 T-20 Torx), (NOT SERVICED) (Not Serviced)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

Seat Front - Trim Code M7
Figure IPL-519


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Front Seat
	RZ34 1BZAA	1	D		22			M7	Agate, Right & Left
		1	D		42			M7	Agate, Right & Left
2									COVER, Front Seat Cushion
	RZ40 1BZAA	2	D		22			M7	Agate, Right & Left
		2	D		42			M7	Agate, Right & Left
3									SEAT BACK, Front
	RZ39 1BZAA	1	D		42			M7	Agate, Left
	RZ54 1BZAA	1	D		22			M7	Agate, Right
	RZ38 1BZAA	1	D		42			M7	Agate, Right
	RZ55 1BZAA	1	D		22			M7	Agate, Left
4									COVER, Front Seat Back
	RZ56 1BZAA	1	D		22			M7	Right
	RZ41 1BZAA	1	D		42			M7	Right & Left
	RZ57 1BZAA	1	D		22			M7	Left
5									HEADREST, Front
	RZ35 1BZAA	2	D		22			M7	Agate, Right & Left
		2	D		42			M7	Agate, Right & Left
6									COVER, Seat Headrest, (NOT SERVICED) (Not Serviced)
7									SLEEVE, Headrest
	QX11 1AZAA	1	D		22			M7	Agate, w/Release Button, Right & Left
		1	D		42			M7	Agate, w/Release Button, Right & Left
	QX12 1AZAA	1	D		42			M7	Agate, w/o Release Button
		1	D		22			M7	Agate, w/o Release Button
8									HOG RING, Seat, (NOT REQUIRED)
9									SHIELD, Seat Cushion
	JF76 1AZ	1	D		42			M7	Agate, Right
	JF77 1AZ	1	D		42			M7	Agate, Left
	LD94 1AZ	1	D		22			M7	Agate, Right
	LD95 1AZ	1	D		22			M7	Agate, Left
10									SCREW, Side Shield, (10-24x1.030 T-20 Toax), (NOT SERVICED) (Not Serviced)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Seat Front - Trim Code CL Figure IPL-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BACK, Front
	SB78 1AZAA	1	D, P		42			CL	Agate, Right
		1	Z		42			CL	Agate, Right
	SB58 1AZAA	1	D, P		22			CL	Agate, Right
	SB59 1AZAA	1	D, P		22			CL	Agate, Left
	SB79 1AZAA	1	D, P		42			CL	Agate, Left
		1	Z		42			CL	Agate, Left
2									COVER, Front Seat Back
	SB60 1AZAA	1	D, P		22			CL	Agate, Right
	SB61 1AZAA	1	D, P		22			CL	Agate, Left
	SB80 1AZAA	2	Z		42			CL	Agate, Right & Left
		2	D, P		22			CL	Agate, Right & Left
		2	D, P		42			CL	Agate, Right & Left
3									CUSHION, Front Seat
	SB76 1AZAA	1	D, P		22			CL	Agate, Right & Left
		1	D, P		42			CL	Agate, Right & Left
		1	Z		42			CL	Agate, Right & Left
4									COVER, Front Seat Cushion
	SB81 1AZAA	2	Z		42			CL	Agate, Right & Left
		2	D, P		22			CL	Agate, Right & Left
		2	D, P		42			CL	Agate, Right & Left
5									HEADREST, Front
	SB77 1AZAA	2	Z		42			CL	Agate, Right & Left
		2	D, P		22			CL	Agate, Right & Left
		2	D, P		42			CL	Agate, Right & Left
6									SLEEVE, Headrest
	QX11 1AZAA	1	D, P		22			CL	Agate, w/Release Button, Right & Left
		1	D, P		42			CL	Agate, w/Release Button, Right & Left
		1	Z		42			CL	Agate, w/Release Button, Right & Left
	QX12 1AZAA	1	D, P		42			CL	Agate, w/o Release Button, Right & Left
		1	D, P		22			CL	Agate, w/o Release Button, Right & Left
		1	Z		42			CL	Agate, w/o Release Button, Right & Left
7									HOG RING, Seat, (NOT SERVICED) (Not Serviced)
8									SHIELD, Seat Cushion
	JF76 1AZ	1	D, P		42			CL	Right

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI


TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Seat Front - Trim Code CL
Figure IPL-520

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	Z		42			CL	Right
	JF77 1AZ	1	D, P		42			CL	Left
		1	Z		42			CL	Left
	LD94 1AZ	1	D, P		22			CL	Agate, Right
	LD95 1AZ	1	D, P		22			CL	Agate, Left
9									SCREW, (NOT SERVICED) (Not Serviced)



DODGE - PLYMOUTH - CHRYSLER NEON (PL)-

BODGE - TE
SERIES
 L=Low Line
 H=High Line
 S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Seat Reclining - Attaching Parts
Figure IPL-529




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SCREW, Side Shield Attaching (10-24x1.030 T-20 Torx), (NOT SERVICED) (Not Serviced)
2									SHIELD, Seat Cushion
	JF76 1AZ	1	D, P		42			F7	Agate, Right
		1	D, P		42			G7	Agate, Right
		1	P		42			T7	Agate, Right
		1	D, P		42			CL	Agate, Right
		1	Z		42			CL	Agate, Right
		1	D, P		42			L7	Agate, Right
		1	D		42			W7	Agate, Right
		1	D		42			M7	Agate, Right
	JF76 1K5	1	D, P		42			G7	Tan, Right
		1	P		42			T7	Tan, Right
		1	D, P		42			L7	Tan, Right
	JF77 1AZ	1	D, P		42			CL	Agate, Left
		1	D, P		42			L7	Agate, Left
		1	D		42			M7	Agate, Left
		1	Z		42			CL	Agate, Left
		1	D, P		42			F7	Agate, Left
		1	D, P		42			G7	Agate, Left
		1	P		42			T7	Agate, Left
		1	D		42			W7	Agate, Left
	JF77 1K5	1	D, P		42			G7	Tan, Left
		1	D, P		42			L7	Tan, Left
		1	P		42			T7	Tan, Left
	LD94 1AZ	1	D, P		22			CL	Agate, Right
		1	D, P		22			G7	Agate, Right
		1	D, P		22			L7	Agate, Right
	LD94 1K5	1	D, P		22			G7	Tan, Right
		1	D, P		22			L7	Tan, Right
	LD94 1AZ	1	D		22			M7	Agate, Right
		1	D		22			W7	Agate, Right
	LD95 1AZ	1	D, P		22			CL	Agate, Left
		1	D, P		22			L7	Agate, Left
		1	D		22			M7	Agate, Left
	LD95 1K5	1	D, P		22			L7	Tan, Left
	LD95 1AZ	1	D, P		22			G7	Agate, Left
		1	D		22			W7	Agate, Left
	LD95 1K5	1	D, P		22			G7	Tan, Left
3									BOLT, Recliner
	4746 997	1	D, P		42			F7	

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Seat Reclining - Attaching Parts
Figure IPL-529



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	D, P		42			G7	
		1	Z		42			G7	
		1	D		22			W7	
		1	D		22			M7	
		1	P		42			T7	
		1	D		42			W7	
		1	D		42			M7	
4									RECLINER, Seat Back
	4797 318	1	D, P		42			CL	Right
		1	Z		42			CL	Right
		1	D, P		42			F7	Right
		1	D, P		42			G7	Right
		1	D, P		42			H7	Right
		1	Z		42			H7	Right
	4797 319	1	D, P		42			CL	Left
		1	Z		42			CL	Left
		1	D, P		42			F7	Left
		1	D, P		42			G7	Left
		1	D, P		42			H7	Left
		1	Z		42			H7	Left
	4798 468	1	D, P		22			CL	Right
		1	D, P		22			G7	Right
	4798 469	1	D, P		22			CL	Left
		1	D, P		22			G7	Left
5									HANDLE, Recliner
	4740 986	1	D, P		22			CL	Right
	4740 987	1	D, P		22			CL	Left
6									SCREW, Recliner Handle (M6x10-T30 Torx), (NOT SERVICED) (Not Serviced)
7									BOLT, Adjuster Shoulder
	4874 140	1	D, P		42			F7	
		1	Z		42			F7	
		1	D, P		42			G7	
		1	Z		42			G7	
		1	D		22			W7	
		1	D		42			W7	
		1	P		42			T7	
		1	D		22			M7	
		1	D		42			M7	
8									LEVER, Seat Latch Release
	4773 524	1	D, P		22			G7	

DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Seat Reclining - Attaching Parts

Figure IPL-529

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	D, P		22			CL	
		1	D, P		22			L7	
9		1	D, P		22			H7	FRAME, Front Seat Back, Serviced In Seat Back Assembly, (NOT SERVICED) (Not Serviced)
10									FRAME, Front Seat Cushion, Serviced In Seat Cushion Assembly, (NOT SERVICED) (Not Serviced)



DODGE - PLYMOUTH - CHRYSLER NEON (PL)-

DODGE - PL
SERIES
 L=Low Line
 H=High Line
 S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Rear Seat - Trim Code H7,T7
Figure IPL-604



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	SEAT BACK, Rear								
	RU04 1AZAA	1	Z		42			H7	Agate
		1	D, P		42			H7	Agate
	RU04 1K5AA	1	D, P		42			H7	Tan
	RY96 1K5AA	1	P		42			T7	Tan
	RY96 1AZAA	1	P		42			T7	Agate
2	SEAT BACK, Rear, 40%								
	RU05 1AZAA	1	Z		42			H7	Agate
		1	D, P		42			H7	Agate
		1	D, P		22			H7	Agate
	RU05 1K5AA	1	D, P		42			H7	Tan
	RY97 1K5AA	1	P		42			T7	Tan
	RU05 1K5AA	1	D, P		22			H7	Tan
	RY97 1AZAA	1	P		42			T7	Agate
3	COVER, Rear Seat Back, 40 % Side								
	RU07 1AZAA	1	Z		42			H7	Agate
		1	D, P		42			H7	Agate
		1	D, P		22			H7	Agate
	RU07 1K5AA	1	D, P		22			H7	Tan
	RZ01 1K5AA	1	P		42			T7	Tan
	RU07 1K5AA	1	D, P		42			H7	Tan
	RZ01 1AZAA	1	P		42			T7	Agate
4	SEAT BACK, Rear, 60%								
	PS92 1K5	1	D, P		22			H7	Tan
	RU06 1AZAA	1	D, P		42			H7	Agate
	PS92 1AZ	1	D, P		22			H7	Agate
	RU06 1AZAA	1	Z		42			H7	Agate
	RU06 1K5AA	1	D, P		42			H7	Tan
	RY98 1K5AA	1	P		42			T7	Tan
	RY98 1AZAA	1	P		42			T7	Agate
5	COVER, Rear Seat Back, 60 % Side								
	PS86 1K5	1	D, P		22			H7	Tan
	RU08 1AZAA	1	D, P		42			H7	Agate
	PS86 1AZ	1	D, P		22			H7	Agate
	RU08 1AZAA	1	Z		42			H7	Agate
	RU08 1K5AA	1	D, P		42			H7	Tan
	RZ02 1AZAA	1	P		42			T7	Agate
	RZ02 1K5AA	1	P		42			T7	Tan
6	COLLAR, Rear Seat Back								
	JK58 1AZ	1	D, P		22			H7	Agate
		1	D, P		42			H7	Agate
	JK58 1K5	1	D, P		22			H7	Tan

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special


LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

Rear Seat - Trim Code H7,T7
Figure IPL-604



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	JK58 1AZ	1	Z		42			H7	Agate
	JK58 1K5	1	D, P		42			H7	Tan
	RY99 1AZAA	1	P		42			T7	Agate
	RY99 1K5AA	1	P		42			T7	Tan
7									COVER, Seat Back Collar, (NOT SERVICED) (Not Serviced)
8									CUSHION, Rear Seat
	RY95 1AZAA	1	P		42			T7	Agate
	RY95 1K5AA	1	P		42			T7	Tan
	SC59 1AZAA	1	Z		42			H7	Agate
		1	D, P		42			H7	Agate
		1	D, P		22			H7	Agate
	SC59 1K5AA	1	D, P		42			H7	Tan
		1	D, P		22			H7	Tan
9									COVER, Rear Seat Cushion
	RZ00 1AZAA	1	P		42			T7	Agate
	RZ00 1K5AA	1	P		42			T7	Tan
	SC65 1AZAA	1	Z		42			H7	Agate
		1	D, P		42			H7	Agate
		1	D, P		22			H7	Agate
	SC65 1K5AA	1	D, P		42			H7	Tan
		1	D, P		22			H7	Tan
10									HOG RING, Seat, (NOT REQUIRED)
11									PULL STRAP, Flat Black, Serviced In Latch Assembly Only, (NOT SERVICED) (Not Serviced)
12									SEAT BACK, Rear, w/Child Seat
	LE60 1K5	1	D, P		42			H7	Tan
		1	D, P		22			H7	Tan
	LE60 1AZ	1	D, P		42			H7	Agate
		1	D, P		22			H7	Agate
13									COVER, Rear, With Child Seat
	LE16 1K5	1	D, P		22			H7	Tan
	LE16 1AZ	1	D, P		22			H7	Agate
14									COVER, Child Seat Cushion
	LH67 1AZ	1	D, P		22			H7	Agate
	LH67 1K5	1	D, P		22			H7	Tan
15									PAD, Child Seat Cushion And Ba
	LR00 1K5	1	D, P		22			H7	Tan
	LR00 1AZ	1	D, P		22			H7	Agate
16									MODULE, Child Seat Complete
	LE63 1AZ	1	D, P		22			H7	Agate

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Rear Seat - Trim Code H7,T7
Figure IPL-604

[illegible]

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Rear Seat - Trim Code G7,L7
Figure IPL-609



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BACK, Rear, Full Rear Seat
									Back
	RK66 1AZAA	1	D, P		42			G7	Agate
		1	D, P		22			G7	Agate
		1	D, P		22			L7	Agate
		1	D, P		42			L7	Agate
	RK66 1K5AA	1	D, P		42			G7	Tan
		1	D, P		22			G7	Tan
		1	D, P		22			L7	Tan
		1	D, P		42			L7	Tan
2									SEAT BACK, Rear, 40 % Side
	RK67 1AZAA	1	D, P		42			G7	Agate
		1	D, P		22			G7	Agate
		1	D, P		22			L7	Agate
		1	D, P		42			L7	Agate
	RK67 1K5AA	1	D, P		42			G7	Tan
		1	D, P		22			G7	Tan
		1	D, P		22			L7	Tan
		1	D, P		42			L7	Tan
3									COVER, Rear Seat Back, 40 % Side
	RK71 1AZAA	1	D, P		42			G7	Agate
		1	D, P		22			G7	Agate
		1	D, P		22			L7	Agate
		1	D, P		42			L7	Agate
	RK71 1K5AA	1	D, P		42			G7	Tan
		1	D, P		22			G7	Tan
		1	D, P		22			L7	Tan
		1	D, P		42			L7	Tan
4									SEAT BACK, Rear, 60 % Side
	RK68 1AZAA	1	D, P		42			G7	Agate
		1	D, P		22			G7	Agate
		1	D, P		22			L7	Agate
		1	D, P		42			L7	Agate
	RK68 1K5AA	1	D, P		42			G7	Tan
		1	D, P		22			G7	Tan
		1	D, P		22			L7	Tan
		1	D, P		42			L7	Tan
5									COVER, Rear Seat Back, 60 % Side
	RK72 1AZAA	1	D, P		42			G7	Agate
		1	D, P		22			G7	Agate
		1	D, P		22			L7	Agate
		1	D, P		42			L7	Agate

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Rear Seat - Trim Code G7,L7
Figure IPL-609



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	RK72 1K5AA	1	D, P		42			G7	Tan
		1	D, P		22			G7	Tan
		1	D, P		22			L7	Tan
		1	D, P		42			L7	Tan
6									COLLAR, Rear Seat Back
	QK73 1AZ	1	D, P		42			G7	Agate
		1	D, P		22			G7	Agate
		1	D, P		22			L7	Agate
		1	D, P		42			L7	Agate
	QK73 1K5	1	D, P		42			G7	Tan
		1	D, P		22			G7	Tan
		1	D, P		22			L7	Tan
		1	D, P		42			L7	Tan
7									COVER, Rear Seat Back Collar
	QK84 1AZ	1	D, P		42			G7	Agate
		1	D, P		22			G7	Agate
		1	D, P		22			L7	Agate
	QK84 1K5	1	D, P		42			L7	Agate
		1	D, P		42			G7	Tan
		1	D, P		22			G7	Tan
		1	D, P		22			L7	Tan
		1	D, P		42			L7	Tan
		1	D, P		22			L7	Tan
8									CUSHION, Rear Seat
	QK71 1AZ	1	D, P		42			G7	Agate
		1	D, P		22			G7	Agate
		1	D, P		22			L7	Agate
	QK71 1K5	1	D, P		42			L7	Agate
		1	D, P		42			G7	Tan
		1	D, P		22			G7	Tan
		1	D, P		22			L7	Tan
		1	D, P		42			L7	Tan
		1	D, P		42			L7	Tan
9									COVER, Rear Seat Cushion
	QK72 1AZ	1	D, P		42			G7	Agate
		1	D, P		22			G7	Agate
		1	D, P		22			L7	Agate
	QK72 1K5	1	D, P		42			L7	Agate
		1	D, P		42			G7	Tan
		1	D, P		22			G7	Tan
		1	D, P		22			L7	Tan
		1	D, P		22			L7	Tan
		1	D, P		42			L7	Tan
10									HOG RING, Seat, (NOT REQUIRED)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special


LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

Rear Seat - Trim Code F7,W7 Figure IPL-614



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BACK, Rear, Complete
	RZ27 1RZAA	1	D		22			W7	Agate
	RU53 1AZAA	1	D, P		42			F7	Agate
	RZ27 1RZAA	1	D		42			W7	Agate
2									SEAT BACK, Rear, 40%
	RZ28 1RZAA	1	D		22			W7	Agate
	RU44 1AZAA	1	D, P		42			F7	Agate
	RZ28 1RZAA	1	D		42			W7	Agate
3									COVER, Rear Seat Back, 40 % Side
	RU54 1AZAA	1	D, P		42			F7	Agate
	RZ32 1RZAA	1	D		42			W7	Agate
		1	D		22			W7	Agate
4									SEAT BACK, Rear, 60%
	RZ29 1RZAA	1	D		22			W7	Agate
	RU52 1AZAA	1	D, P		42			F7	Agate
	RZ29 1RZAA	1	D		42			W7	Agate
5									COVER, Rear Seat Back, 60 % Side
	RU55 1AZAA	1	D, P		42			F7	Agate
	RZ33 1RZAA	1	D		42			W7	Agate
		1	D		22			W7	Agate
6									COLLAR, Rear Seat Back
	RZ30 1RZAA	1	D		22			W7	Agate
	PA44 1AZ	1	D, P		42			F7	Agate
	RZ30 1RZAA	1	D		42			W7	Agate
7									COVER, Seat Back Collar, (NOT SERVICED) (Not Serviced)
8									CUSHION, Rear Seat
	RZ25 1RZAA	1	D		22			W7	Agate
	PA47 1AZ	1	D, P		42			F7	Agate
	RZ25 1RZAA	1	D		42			W7	Agate
9									COVER, Rear Seat Cushion
	RZ31 1RZAA	1	D		22			W7	Agate
	PA77 1AZ	1	D, P		42			F7	Agate
	RZ31 1RZAA	1	D		42			W7	Agate
10									HOG RING, Seat, (NOT SERVICED) (Not Serviced)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special


LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual


Rear Seat - Trim Code M7
Figure IPL-619



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Rear Seat
	RZ42 1BZAA	1	D		22			M7	Agate
		1	D		42			M7	Agate
2									COVER, Rear Seat Cushion
	RZ47 1BZAA	1	D		22			M7	Agate
		1	D		42			M7	Agate
3									SEAT BACK, Rear
	RZ43 1BZAA	1	D		22			M7	Agate, Complete
		1	D		42			M7	Agate, Complete
	RZ44 1BZAA	1	D		22			M7	Agate, 40% Side
		1	D		42			M7	Agate, 40% Side
	RZ45 1BZAA	1	D		22			M7	Agate, 60% Side
		1	D		42			M7	Agate, 60% Side
4									COVER, Rear Seat Back
	RZ48 1BZAA	1	D		22			M7	Agate, 40% Side
		1	D		42			M7	Agate, 40% Side
	RZ49 1BZAA	1	D		22			M7	Agate, 60% Side
		1	D		42			M7	Agate, 60% Side
-5									COLLAR, Rear Seat Back
	RZ46 1BZAA-	1	D		22			M7	Agate
		1	D		42			M7	Agate

DODGE - PLYMOUTH - CHRYSLER NEON (PL)
SERIES LINE BODY ENGINE TRANSMISSION
L=Low Line Z=Chrysler, RHD 41=4 Door, 104WB ECB=2.0L 4 Cyl., 16V SMPI DD5 = 5 Speed Manua
H=High Line D=Dodge EJD=1.6L 4 Cyl16V SOHC DGC = 3 Speed Automatic
S=Special D=Chrysler EBD=1.8L 4 Cyl16V SEFI DGL = 4 Speed Automatic
P=Plymouth DG0 = All Automatics
DBB= All 5 Speed Manual

Rear Seat - Trim Code CL Figure IPL-624



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BACK, Rear
	SB83 1AZAA	1	Z		42			CL	Agate
	SB64 1AZAA	1	D, P		22			CL	Agate
	SB83 1AZAA	1	D, P		42			CL	Agate
2									COVER, Rear Seat Back, (NOT SERVICED) (Not Serviced)
3									SEAT BACK, Rear, 60%
	SB84 1AZAA	1	Z		42			CL	Agate
	SB66 1AZAA	1	D, P		22			CL	Agate
	SB84 1AZAA	1	D, P		42			CL	Agate
4									COVER, Rear Seat Back, 60 % Side
	SB86 1AZAA	1	D, P		42			CL	Agate, 60 % Side
		1	D, P		22			CL	Agate, 60 % Side
5									SEAT BACK, Rear, 40%
	SB85 1AZAA	1	D, P		42			CL	Agate
		1	Z		42			CL	Agate
6									COVER, Rear Seat Back, 40 % Side
	SB87 1AZAA	1	D, P		42			CL	Agate
		1	D, P		22			CL	Agate
7									COLLAR, Rear Seat Back
	SB88 1AZAA	1	Z		42			CL	Agate
	SB75 1AZAA	1	D, P		22			CL	Agate
	SB88 1AZAA	1	D, P		42			CL	Agate
8									COVER, Seat Back Collar, (NOT SERVICED) (Not Serviced)
9									CUSHION, Rear Seat
	SB82 1AZAA	1	Z		42			CL	Agate
	SB63 1AZAA	1	D, P		22			CL	Agate
	SB82 1AZAA	1	D, P		42			CL	Agate
10									COVER, Rear Seat Cushion, (NOT SERVICED) (Not Serviced)
11									HOG RING, Seat, (NOT SERVICED) (Not Serviced)


DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic
	P=Plymouth			DG0 = All Automatics
				DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Rear Seat - Attaching Parts Attaching Parts Figure IPL-629



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									COLLAR, Rear Seat Back
	JK58 1AZ	1	D, P		22			H7	Agate
		1	Z		42			H7	Agate
		1	D, P		42			H7	Agate, Middle East
	JK58 1K5	1	D, P		22			H7	Tan
		1	D, P		42			H7	Tan, Middle East
		1	D, P		42			H7	Tan
	QK73 1AZ	1	D, P		42			G7	Agate
	PA44 1AZ	1	D, P		42			F7	Agate
	QK73 1AZ	1	D, P		22			L7	Agate
		1	D, P		42			L7	Agate
	QK73 1K5	1	D, P		22			L7	Tan
	QK73 1AZ	1	D, P		22			G7	Agate
	QK73 1K5	1	D, P		42			G7	Tan
		1	D, P		22			G7	Tan
	RY99 1AZAA	1	P		42			T7	Agate
	QK73 1K5	1	D, P		42			L7	Tan
	RZ30 1RZAA	1	D		42			W7	Agate
		1	D		22			W7	Agate
	RZ46 1BZAA	1	D		22			M7	Agate
	RY99 1K5AA	1	P		42			T7	Tan
	RZ46 1BZAA	1	D		42			M7	Agate
	SB75 1AZAA	1	D, P		22			CL	Agate
	SB88 1AZAA	1	D, P		42			CL	Agate
		1	Z		42			CL	Agate
2									COVER, Seat Back Collar, (NOT SERVICED) (Not Serviced)
3									LATCH, Seat
	JY05 1AZ	1	D, P		42			L7	Agate
		1	D		22			M7	Agate
		1	D		42			W7	AGate
		1	D, P		42			F7	Agate
		1	D, P		42			G7	Agate
		1	D		42			M7	Agate
		1	D		22			W7	Agate
	JY05 1K5	1	D, P		42			G7	Tan
		1	D, P		42			L7	Tan
	JY05 1AZ	1	P		42			T7	Agate
	JY05 1K5	1	P		42			T7	Tan
4									BRACKET, Inboard Pivot, 40 % Side
	4741 252	1	D, P		22			G7	
		1	D, P		42			G7	

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special


LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

Rear Seat - Attaching Parts Attaching Parts Figure IPL-629



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	D, P		42			F7	
		1	Z		42			F7	
		1	Z		42			G7	
		1	Z		42			H7	
		1	D, P		22			H7	
		1	D, P		42			L7	
		1	D, P		42			H7	
		1	D, P		42			B5	
		1	D, P		22			B5	
		1	D		22			W7	
		1	D, P		22			L7	
		1	D		22			M7	
		1	D		42			M7	
		1	D		42			W7	
		1	P		42			T7	
5									BRACKET, Outboard Pivot
	4741 253	1	D, P		22			G7	
		1	D, P		42			G7	
		1	D, P		42			F7	
		1	Z		42			F7	
		1	Z		42			G7	
		1	Z		42			H7	
		1	D, P		42			H7	
		1	D, P		42			B5	
		1	D, P		22			H7	
		1	D, P		42			L7	
		1	D, P		22			L7	
		1	D		22			M7	
		1	D, P		22			B5	
		1	D		22			W7	
		1	D		42			W7	
		1	P		42			T7	
		1	D		42			M7	
6									STRIKER, Seat Back Latch
	4741 265	1	D, P		22			G7	
		1	D, P		42			G7	
		1	D, P		42			F7	
		1	Z		42			H7	
		1	D, P		42			H7	
		1	D, P		22			H7	
		1	D, P		42			L7	
		1	D, P		22			L7	

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special


LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

Rear Seat - Attaching Parts Attaching Parts Figure IPL-629



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	D		22			M7	
		1	D		22			W7	
		1	D		42			W7	
		1	P		42			T7	
		1	D		42			M7	
7	4797 697	1	Z		42			H7	BRACKET, Rear Seat Center
		1	D, P		42			H7	
		1	D, P		22			CL	
		1	D, P		42			CL	
		1	Z		42			CL	
		1	D, P		42			F7	
		1	D, P		22			H7	
		1	D, P		22			L7	
		1	D, P		42			L7	
		1	D, P		22			G7	
		1	D		22			M7	
		1	D		42			M7	
		1	P		42			T7	
		1	D, P		42			G7	
		1	D		42			W7	
8	4741 261	1	D		22			W7	BRACKET, Lower Pivot
		1	D, P		42			F7	
		1	Z		42			F7	
		1	D, P		22			G7	
		1	D, P		42			G7	
		1	D, P		42			H7	
		1	D, P		42			B5	
		1	Z		42			G7	
		1	Z		42			H7	
		1	D, P		22			B5	
		1	D		22			W7	
		1	D		42			W7	
		1	P		42			T7	
		1	D, P		22			H7	
		1	D		22			M7	
9	4741 257	1	D		42			M7	BRACKET, Seat
		1	D, P		22			G7	
		1	D, P		42			F7	
		1	Z		42			F7	

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special


LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

Rear Seat - Attaching Parts Attaching Parts Figure IPL-629



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	Z		42			H7	
		1	D, P		42			H7	
		1	D, P		42			B5	
		1	D, P		22			H7	
		1	D		22			W7	
		1	D		42			W7	
		1	P		42			T7	
		1	D, P		22			B5	
		1	D, P		42			L7	
		1	D, P		22			L7	
		1	D		22			M7	
		1	D		42			M7	
10									SCREW, Phillips Head, .25x.75
	4741 276	1	D, P		22			G7	
		1	D, P		42			G7	
		1	D, P		42			F7	
		1	Z		42			F7	
		1	Z		42			G7	
		1	Z		42			H7	
		1	D, P		42			H7	
		1	D, P		42			B5	
		1	D, P		22			H7	
		1	D, P		22			B5	
11									SCREW, Torx Head, .25-20x.75
	4741 274	1	D, P		22			G7	
		1	D, P		42			G7	
		1	D, P		42			F7	
		1	Z		42			F7	
		1	Z		42			G7	
		1	Z		42			H7	
		1	D, P		42			H7	
		1	D, P		42			B5	
		1	D, P		22			H7	
		1	D		22			W7	
		1	D		42			W7	
		1	P		42			T7	
		1	D, P		22			B5	
		1	D		22			M7	
		1	D		42			M7	
12									COVER, Plastic Collar
	4761 016	1	D, P		22			G7	Right
		1	D, P		42			G7	Right

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

Rear Seat - Attaching Parts Attaching Parts
Figure IPL-629


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	D, P		42			F7	Right
		1	Z		42			F7	Right
		1	Z		42			G7	Right
		1	Z		42			H7	Right
		1	D, P		22			H7	Right
		1	D, P		42			B5	Right
		1	D, P		42			H7	Right
		1	D		22			W7	Right
		1	D		42			W7	Right
		1	D		22			M7	Right
		1	D, P		22			B5	Right
		1	P		42			T7	Right
		1	D		42			M7	Right
4761 017		1	D, P		42			G7	Left
		1	D, P		22			G7	Left
		1	Z		42			F7	Left
		1	D, P		42			F7	Left
		1	Z		42			G7	Left
		1	D, P		42			H7	Left
		1	Z		42			H7	Left
		1	D, P		22			H7	Left
		1	D, P		42			B5	Left
		1	D, P		22			B5	Left
		1	D		22			W7	Left
		1	D		42			M7	Left
		1	P		42			T7	Left
		1	D		42			W7	Left
		1	D		22			M7	Left
13									SCREW, Torx Head, .25-20x.75
4741 274		1	D, P		22			G7	
		1	D, P		42			G7	
		1	D, P		42			F7	
		1	Z		42			F7	
		1	Z		42			G7	
		1	Z		42			H7	
		1	D, P		42			H7	
		1	D, P		42			B5	
		1	D, P		22			H7	
		1	D		22			W7	
		1	D		42			W7	
		1	P		42			T7	
		1	D, P		22			B5	

DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Rear Seat - Attaching Parts Attaching Parts Figure IPL-629



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	D		22			M7	
		1	D		42			M7	
14	4741 256	1	D, P		22			G7	BRACKET, Inboard Pivot
		1	D, P		42			F7	
		1	Z		42			F7	
		1	Z		42			G7	
		1	Z		42			H7	
		1	D, P		22			H7	
		1	D, P		42			B5	
		1	D, P		42			H7	
		1	D, P		42			L7	
		1	D, P		22			L7	
		1	D		22			W7	
		1	D, P		22			B5	
		1	D		22			M7	
		1	D		42			M7	
		1	P		42			T7	
		1	D		42			W7	
15	4773 124	1	D, P		22			G7	BOLT, Shoulder
		1	D, P		42			G7	
		1	D, P		42			F7	
		1	Z		42			F7	
		1	Z		42			G7	
		1	Z		42			H7	
		1	D, P		42			H7	
		1	D, P		42			B5	
		1	D, P		22			H7	
		1	D		22			W7	
		1	D		42			W7	
		1	P		42			T7	
		1	D, P		22			B5	
		1	D		22			M7	
		1	D		42			M7	
16	4645 794	2							CLIP, Seat Back, Goes Between Seat And Shelf Panel, So There Is No Rattle (Only Used With Folding Seat)
17	4645 939AA	2							RETAINER, Seat Cushion
18	6504 118	2							U-NUT, M6 x 1.00, M6x1.00
19	6505 516AA	2	D, P						SCREW AND WASHER, Hex Head

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-20	4773 694	1							RETAINER PACKAGE, Rear Child
21									Seat Tether
	QK84 1AZ	1	D, P		42			G7	Agate
		1	D, P		22			G7	Agate
	QK84 1K5	1	D, P		42			G7	Tan
	QK84 1AZ	1	D, P		22			L7	Agate
		1	D, P		42			L7	Agate
	QK84 1K5	1	D, P		22			L7	Tan
		1	D, P		22			G7	Tan
		1	D, P		42			L7	Tan

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				ENGINE		TRANSMISSION	
SERIES	LINE	BODY		ECB=2.0L 4 Cyl., 16V SMPI		DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB		EJD=1.6L 4 Cyl16V SOHC		DGC = 3 Speed Automatic	
H=High Line	D=Dodge			EBD=1.8L 4 Cyl16V SEFI		DGL = 4 Speed Automatic	
S=Special	D=Chrysler					DG0 = All Automatics	
	P=Plymouth					DBB= All 5 Speed Manual	

Seat Belts - Front
Figure IPL-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4645 807AB	2			42				ADJUSTER, Seat Belt Turning Loop
2									SEAT BELT, Front Outer
	PM07 1X9AB	1	D, P		42			O0	Black, Left
		1	Z		42			O0	Black, Left
	PM09 LAZAB	1	D, P		42			O0	Agate, Left
	PM06 1X9AB	1	D, P		42			O0	Black, Right
		1	Z		42			O0	Black, Right
	PM08 LAZAB	1	D, P		42			O0	Agate, Right
	PM09 RK5AB	1	D, P		42			O0	Tan, Left
	PM11 LAZAB	1	D, P		22			O0	Agate, Left
	PM11 RK5AB	1	D, P		22			O0	Tan, Left
	PM08 RK5AB	1	D, P		42			O0	Tan, Right
	PM10 LAZAB	1	D, P		22			O0	Agate, Right
	PM10 RK5AB	1	D, P		22			O0	Tan, Right
3	QL36 1X9AB	1	Z		42			O0	SEAT BELT, Front
4	6035 808	2			42				SCREW, .437-20x1.50
5	4645 780	2			42				KNOB, Seat Belt Adjuster
6	4664 039	2			42				SCREW, Pan Head, .437-20x1.244
7	6034 449	2	D, P		22				SCREW, Pan Head, .437-20x1.79
8									WASHER, Seat Belt Attaching
	5013 757AA	1	D, P		22			CL	
		1	D, P		22			L7	
		1	D, P		42			G7	
		1	Z		42			CL	
		1	D, P		42			CL	
		1	D, P		42			L7	
		1	D, P		22			G7	
		1	D, P		22			H7	
		1	Z		42			H7	
		1	D, P		42			F7	
		1	D, P		42			H7	
9									SEAT BELT, Buckle Half
	PW88 1K5	1	D, P		22			O0	Tan
		1	D, P		42			O0	Tan
	PW88 SAZ	1	D, P		42			O0	Agate
		1	D, P		22			O0	Agate
10									BOLT, Seat Belt
	4864 865	1	Z		42			G7	
		1	D, P		42			F7	
		1	Z		42			F7	
		1	D, P		42			G7	
11									SEAT BELT, Front Inner

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special


LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

Seat Belts - Front
 Figure IPL-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
12	4864 880	1	D, P		42			O0	Middle East
		1	Z		42			O0	
	4856 560	1	Z		42			F7	EXTENDER, Seat Belt
		1	D, P		42			F7	
		1	D, P		42			G7	
		1	D, P		22			W5	
		1	D, P		42			W5	
		1	D, P		22			G7	
		1	D, P		42			H7	
		1	Z		42			G7	
13		1	D, P		22			H7	
		1	D, P		22			L7	
		1	D, P		22			L7	
14	HX89 LAZAB	2	D, P		22			O0	COVER, Seat Belt
	HX89 RK5AB	2	D, P		22			O0	Agate, Outboard
		2	D, P		22			O0	Tan, Outboard
15	JV77 PX9	2	D, P		42			O0	COVER, Adjustable Turning Loop
		2	Z		42			O0	Black
		2	Z		42			O0	Black
16		1	D, P		42			O0	PLATE, Silencer Front Seat Belt
		1	D, P		42			O0	Retainer
		1	D, P		42			O0	Right
17		1	D, P		42			O0	Left
		1	D, P		42			O0	
		1	D, P		42			O0	

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Seat Belts - Rear
 Figure IPL-720



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6035 808	2							SCREW, .437-20x1.50
2	PL99 LAZAB	2	D, P					O0	SEAT BELT, Rear Outer
	PL99 RK5AB	2	D, P					O0	Agate
	PM00 1AZAB	2	D, P		42			O0	Tan
		2	Z		42			O0	Agate, Middle East
	PM00 1K5AB	2	D, P		42			O0	Agate
		2	Z		42			O0	Tan, Middle East
								O0	Tan
3									BEZEL, Seat Belt, Serviced With
									Seat Belt, (NOT SERVICED) (Not Serviced)
4	4664 040	2							SCREW AND WASHER, Pan Head, .437-20x1.20
5	6034 819	2							SCREW, Seat Belt Attaching, .50-20x1.38
-6	6035 737	3	Z		42				NUT, .312-18, Child Teather Anchor
7	PM05 SAZ	1	D, P					O0	SEAT BELT, Rear Inner
	PM05 TK5	1	D, P					O0	Agate, Left
	PM12 SAZ	1	D, P					O0	Tan, Left
	PM12 TK5	1	D, P					O0	Agate, Right
								O0	Tan, Right
	QH33 SX9	1	D, P		42			O0	Black, Middle East, Left
		1	Z		42			O0	Black, Left
	QH34 SX9	1	D, P					O0	Black, Middle East, Right
		1	Z		42			O0	Black, Right
8	4856 560	1	D, P		22			W5	EXTENDER, Seat Belt
		1	D, P		42			W5	
		1	Z		42			F7	
		1	D, P		42			F7	
		1	Z		42			G7	
		1	D, P		42			G7	
		1	D, P		22			H7	
		1	D, P		42			H7	
		1	D, P		22			L7	
		1	D, P		42			L7	
-9	5017 563AB-	1							ANCHOR PACKAGE, Child Seat
									Tether

DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual


Seat Adjusters, Recliners and Side Shields
Figure IPL-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SCREW, Side Shield Outer, (NOT SERVICED) (Not Serviced)
2	JF76 1AZ	1	D, P		42			CL	Agate, Right
		1	Z		42			CL	Agate, Right
		1	D, P		42			L7	Agate, Right
		1	D, P		42			F7	Agate, Right
		1	D, P		42			G7	Agate, Right
		1	P		42			T7	Agate, Right
	JF76 1K5	1	D		42			M7	Agate, Right
		1	D		42			W7	Agate, Right
		1	P		42			T7	Tan, Right
		1	D, P		42			G7	Tan, Right
	JF77 1AZ	1	D, P		42			L7	Tan, Right
		1	D, P		42			CL	Agate, Left
		1	Z		42			CL	Agate, Left
		1	D, P		42			F7	Agate, Left
		1	D, P		42			G7	Agate, Left
		1	P		42			T7	Agate, Left
		1	D		42			W7	Agate, Left
		1	D, P		42			L7	Agate, Left
	JF77 1K5	1	D		42			M7	Agate, Left
		1	D, P		42			L7	Tan, Left
		1	P		42			T7	Tan, Left
		1	D, P		42			G7	Tan, Left
3									BOLT, Recliner
	4746 997	1	D, P		42			F7	
		1	Z		42			F7	
		1	D, P		42			G7	
		1	Z		42			G7	
		1	D		22			W7	
		1	D		22			M7	
		1	P		42			T7	
		1	D		42			W7	
		1	D		42			M7	
4									RECLINER, Seat Back
	4797 318	1	D, P		42			CL	Right
		1	Z		42			CL	Right
		1	D, P		42			H7	Right
		1	D, P		42			F7	Right
		1	D, P		42			G7	Right
		1	Z		42			H7	Right

DODGE - PLYMOUTH - CHRYSLER NEON (PL)
SERIES L=Low Line H=High Line S=Special
LINE Z=Chrysler, RHD D=Dodge D=Chrysler P=Plymouth
BODY 41=4 Door, 104WB
ENGINE ECB=2.0L 4 Cyl., 16V SMPI EJD=1.6L 4 Cyl16V SOHC EBD=1.8L 4 Cyl16V SEFI
TRANSMISSION DD5 = 5 Speed Manua DGC = 3 Speed Automatic DGL = 4 Speed Automatic DG0 = All Automatics DBB= All 5 Speed Manual

Seat Adjusters, Recliners and Side Shields
Figure IPL-810




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4797 319	1	Z		42			CL	Left
	4797 318	1	D, P		22			H7	Right
	4797 319	1	D, P		42			CL	Left
		1	D, P		42			G7	Left
		1	D, P		42			H7	Left
		1	D, P		42			F7	Left
		1	Z		42			H7	Left
		1	D, P		22			H7	Left
	4798 468	1	D, P		22			CL	Right
		1	D, P		22			G7	Right
	4798 469	1	D, P		22			CL	Left
		1	D, P		22			G7	Left
5									HANDLE, Recliner
	4740 986	1	D, P		42			F7	Right
		1	D, P		22			CL	Right
		1	D, P		22			G7	Right
		1	D, P		42			G7	Right
		1	D, P		22			B5	Right
		1	D, P		42			B5	Right
		1	D		42			W7	Right
		1	D		22			M7	Right
		1	D, P		42			L7	Right
		1	D, P		22			L7	Right
		1	D		22			W7	Right
		1	D		42			M7	Right
		1	P		42			T7	Right
	4740 987	1	D, P		22			CL	Left
		1	D, P		42			F7	Left
		1	D, P		42			B5	Left
		1	D, P		22			B5	Left
		1	D, P		42			L7	Left
		1	D, P		42			H7	Left
		1	D, P		22			H7	Left
		1	D, P		22			L7	Left
		1	D		22			W7	Left
		1	D		42			W7	Left
		1	D		22			M7	Left
		1	D		42			M7	Left
		1	P		42			T7	Left
6									SCREW, Recliner Handle Attaching (M6x10-T30 Torx, (NOT SERVICED) (Not Serviced)
7									BOLT, Cushion To Adjuster

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Seat Adjusters, Recliners and Side Shields
Figure IPL-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
4761 014		1	D, P		42			H7	
		1	Z		42			H7	
		1	D, P		22			H7	
		1	D, P		42			CL	
		1	Z		42			CL	
		1	D, P		42			F7	
		1	D, P		22			CL	
		1	D, P		22			L7	
		1	D, P		42			L7	
		1	D, P		22			G7	
		1	D, P		42			G7	
		1	D		42			M7	
		1	P		42			T7	
		1	D		22			M7	
		1	D		42			W7	
		1	D		22			W7	
-8	6503 675	8							SCREW AND WASHER, Hex Head, M10x1.5x40, Adjuster To Floor
9	4740 979	1	D, P		22			CL	TOWEL BAR, Seat Adjuster Handle
		1	D, P		42			F7	
		1	Z		42			G7	
		1	Z		42			F7	
		1	D, P		42			G7	
		1	D, P		42			H7	
		1	D, P		22			G7	
		1	Z		42			H7	
		1	D, P		22			H7	
		1	D, P		22			B5	
		1	D, P		42			L7	
		1	D		42			W7	
		1	D, P		42			B5	
		1	D, P		22			L7	
		1	D		22			W7	
		1	D		42			M7	
		1	D		22			M7	
		1	P		42			T7	
10	4874 140	1	Z		42			G7	BOLT, Adjuster Shoulder
		1	D		22			W7	Adjuster To Cushion
		1	D, P		42			F7	Adjuster To Cushion
		1	Z		42			F7	Adjuster To Cushion

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

Seat Adjusters, Recliners and Side Shields
Figure IPL-810




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	D, P		42			G7	Adjuster To Cushion
		1	P		42			T7	Adjuster To Cushion
		1	D		42			W7	Adjuster To Cushion
		1	D		22			M7	Adjuster To Cushion
		1	D		42			M7	Adjuster To Cushion
11									RIVET, Pop, (NOT SERVICED) (Not Serviced)
12									BUSHING, Seat Belt, (NOT REQUIRED)
13									BOLT, Seat Belt
	4864 865	1	Z		42			G7	
		1	D, P		42			F7	
		1	Z		42			F7	
		1	D, P		42			G7	
14									ADJUSTER, Manual Seat
	4886 292AA	1	D, P		22			CL	Right,Inboard
		1	Z		42			CL	Right,Inboard
		1	D, P		22			G7	Right,Inboard
		1	D, P		42			F7	Right,Inboard
		1	D, P		42			G7	Right,Inboard
		1	D, P		42			H7	Right,Inboard
		1	Z		42			H7	Right,Inboard
		1	D		22			M7	Right,Inboard
		1	D		42			M7	Right,Inboard
		1	D		22			W7	Right,Inboard
		1	D, P		22			H7	Right,Inboard
		1	P		42			T7	Right,Inboard
		1	D		42			W7	Right,Inboard
	4886 293AA	1	Z		42			CL	Left,Inboard
		1	D, P		22			CL	Left,Inboard
		1	D, P		42			G7	Left,Inboard
		1	D, P		22			G7	Left,Inboard
		1	D, P		22			H7	Left,Inboard
		1	D, P		42			F7	Left,Inboard
		1	Z		42			H7	Left,Inboard
		1	D, P		42			H7	Left,Inboard
		1	D		42			M7	Left,Inboard
		1	D		22			M7	Left,Inboard
		1	D		42			W7	Left,Inboard
		1	D		22			W7	Left,Inboard
		1	P		42			T7	Left,Inboard
	4886 294AA	1	D, P		22			CL	Right,Outboard

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Seat Adjusters, Recliners and Side Shields
 Figure IPL-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	D, P		22			H7	Right, Outboard
		1	Z		42			H7	Right, Outboard
		1	D, P		42			H7	Right, Outboard
		1	D		22			M7	Right, Outboard
		1	D		42			M7	Right, Outboard
		1	P		42			T7	Right, Outboard
		1	D		42			W7	Right, Outboard
4886	295AA	1	Z		42			CL	Left, Outboard
4886	294AA	1	D		22			W7	Right, Outboard
4886	295AA	1	D, P		22			CL	Left, Outboard
		1	Z		42			H7	Left, Outboard
		1	D, P		42			H7	Left, Outboard
		1	D		22			M7	Left, Outboard
		1	D, P		22			H7	Left, Outboard
		1	P		42			T7	Left, Outboard
		1	D		42			M7	Left, Outboard
		1	D		42			W7	Left, Outboard
		1	D		22			W7	Left, Outboard
-15									COVER, Seat Adjuster
4897	937AA-	1	D, P		42			CL	Black, Rear
		1	D, P		42			F7	Black, Rear
		1	D, P		42			G7	Black, Rear
4897	938AA-	1	Z		42			CL	Black, Rear


DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005





Group – SPL









Body Sheet Metal Except Doors



Group – SPL

Body Sheet Metal Except Doors

SPL-1100 Roof Panels 	SPL-1200 Sunroof 	SPL-1300 Deck Lid 	SPL-1400 Rear Shelf Panel 
--	--	---	---


SPL-200 Floor Pans 	SPL-300 Plugs 	SPL-400 Front Fenders 	SPL-500 Hood and Hood Release 
SPL-600 Cowl and Dash Panel 	SPL-700 Glass and Mirror 	SPL-800 Aperture Panel 	SPL-900 Quarter Panel 

GROUP SPL - Body Sheet Metal Except Doors

Illustration Title	Group-Fig. No.
Floor Pans	
Floor Pan Front	Fig. SPL-201
Floor Pan, Rear	Fig. SPL-202
Plugs	
Plugs	Fig. SPL-301
Front Fenders	
Front Fender	Fig. SPL-401
Hood and Hood Release	
Hood and Hood Release	Fig. SPL-501
Cowl and Dash Panel	
Cowl and Dash Panel	Fig. SPL-601
Glass and Mirror	
Windshield, Backlite and Mirror	Fig. SPL-701
Aperture Panel	
Aperature Panels 2-Door 2-Door	Fig. SPL-801
Aperature Panels 4-Door 4-Door	Fig. SPL-802
Quarter Panel	
Quarter Panel 2-Door	Fig. SPL-901
Quarter Panel 4-Door	Fig. SPL-902
Roof Panels	
Roof Panel	Fig. SPL-1101
Sunroof	
Sunroof	Fig. SPL-1201
Deck Lid	
Deck Lid	Fig. SPL-1301
Rear Shelf Panel	
Rear Shelf Panel	Fig. SPL-1401



Floor Pan Front Figure SPL-201



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									BRACKET, Floor Console
	4783 157AB	1	Z		42				
	4783 251AC	1	D, P						
2									BRACE, Floor Pan To Sill
	4655 508	1							Right
	4655 509	1							Left
3									CROSSMEMBER, Front Floor
	5256 972	1	Z		42				
	4741 353	1							Track Bar Bracket
	4783 128	1	D, P						Seat Track Mounting
4									CROSSMEMBER, Rear Floor
5									PAN, Floor
	4897 793AA	1	Z		42				
	4897 795AA	1							
6									SILENCER, Floor Pan Front Tunnel
7									PAD, Front Floor Pan, Floor Pan
	4783 461	1							Tunnel Front
8									PLATE, Front Side Rail to Floor
9									CROSSMEMBER, Front Floor
	4783 128	1	D, P						Floor Pan Tunnel To Front Side
									Rail Rear
	5256 972	1	Z		42				
10									REINFORCEMENT, Floor Tunnel
11									PLATE, Front Seat, (NOT
	4655 821	1							REQUIRED)
12									TAPPING PLATE, Seat Attaching,
									(NOT REQUIRED)
13									PANEL, Sill
	4741 228	1							Right
	4741 229	1							Left
14									NUT PLATE, .25-20
15									TAPE, Hole Cover, 50x50x1 mm
16									SILENCER, Floor Pan
	4783 210	2							Front Floor Pan Under Front Seat
	4740 136	1							
	4783 209	1							Rear Floor Pan Under Rear Seat

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DGO = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Floor Pan, Rear Figure SPL-202



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4864 506	1							PAN, Rear Floor
2									REINFORCEMENT, Rear Seat And Fuel Strap
	4783 248	1							Rear Seat Fuel Tank Strap Mounting, Right
	4783 249	1							Rear Seat Fuel Tank Strap Mounting
3	4783 209	1							SILENCER, Floor Pan
4	4783 044	1							CROSSMEMBER, Rear Floor, Rear
									Floor Pan Front (Kick-Up)
5	4655 672	2							CROSSMEMBER, Rear Suspension, Rear Floor Pan Rear Suspension Outer
6									RAIL PACKAGE, Floor Pan Side
	4882 820	1							Right
	4882 821	1							Left
7	4655 016	2							REINFORCEMENT, Bumper, Rear
									Side Rail Shipping Tie Down and Bumper Support
8									EXTENSION, Body Side Sill
	4655 002	1							Right
	4655 003	1							Left
9	4655 831	1							BRACKET, Exhaust Hanger, Rear
									Side Rail Exhaust Hanger Mounting Front, Left
10									BRACKET, Exhaust Hanger
	4655 828	1							Rear Side Rail Exhaust Hanger Mounting Rear, Right
	4655 829	1							Left
11									TAPE, Hole Cover, 50x50x1 mm
	4278 178	6							
		2	D, P				22		
12	5256 621	1							BRACKET, Towing
-13	6502 337	2							NUT, M10x1.5, Tow Bracket
									Attaching
-14	6101 735	2							SCREW AND WASHER, Hex Head, M10x1.5x30, Tow Bracket
									Attaching
15	4206 922	1							BRACKET, Spare Tire, Rear Floor Pan Spare Wheel Anchor Bolt
16	4655 004	2							REINFORCEMENT, Floor Pan, Front
									Crossmember Fuel Tank Strap Mounting

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Floor Pan, Rear
Figure SPL-202




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
17	4645 939AA	2							RETAINER, Seat Cushion
18	5256 958	1	D, P		22				BEAM, Body Side Sill

DODGE - PLYMOUTH - CHRYSLER NEON (PL)				TRANSMISSION	
SERIES	LINE	BODY	ENGINE	DD5 = 5 Speed Manua	
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DGC = 3 Speed Automatic	
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGL = 4 Speed Automatic	
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DG0 = All Automatics	
	P=Plymouth			DBB= All 5 Speed Manual	

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Plugs Figure SPL-301



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4586 055	3							PLUG, Floor Pan
2	4696 666	5							PLUG, Top Seal
3	4586 055	3							PLUG, Floor Pan
4	4512 495	2							PLUG, Spare Tire Bracket
5	4586 055	3							PLUG, Floor Pan
6	4696 666	3							PLUG, Top Seal
7	6029 057	1							PLUG, Body, 1.655 Diameter, Round Push-In Front Fender Side Shield and Rail Reinforcement Left Engine Mounting
8	5255 216	2							PLUG, Body, .875 Diameter, Front Hinge Pillar
9									INSULATOR, Wiring
	4661 106	2	D, P						A-Pillar
	4707 364	1							Oxygen Sensor
10	2860 332	1							PLUG, Anti-Rattle
11	2811 825	2							PLUG, Splash Shield
12	4661 214	2	D, P			42			PLUG, Body, B Pillar
13	6029 939	2							PLUG, Body, .50 Diameter, Deck Lid Inner Panel, Front
14	4646 527	2							PLUG, Deck Lid, Deck Lid Inner Panel, Rear
-15	5264 670	1	D, P						PLUG, Dash Panel

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DGO = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Front Fender Figure SPL-401



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SHIELD, Wheelhouse
	5256 932	1							Right
	5256 933	1							Left
-2	6030 441	1							PIN, Retainer, Fender Wheelhouse Splash Attaching
3									PLATE, Hinge
	4655 650	1							Right
	4655 651	1							Left
4									BEAM, Front Fender Shield
	5256 930	1							Upper Load Path Front, Right
	5256 931	1							Upper Load Path Front, Left
-5	6501 703	4							U-NUT, M6 x 1.00, M6x1.00, Load Beam To Fender Attaching
6	4783 805	2							SHIM, Fender, Upper Load Beam To Fender
7									SUPPORT, Load Beam
	5256 918	1							Front Upper Load Beam To Front Fender, Right
	5256 919	1							Front Upper Load Beam To Front Fender, Left
8									FENDER
	5003 644AA	1							Export, Right
	5003 645AA	1							Export, Left
	5003 642AA	1							Right
	5003 643AA	1							Left
-9	6100 567	4							SCREW AND WASHER, Hex Head, M6x1x25
10	6504 118	2							U-NUT, M6 x 1.00, M6x1.00, Fender Body Side Aperature Attaching
-11	6035 155	4							SCREW, Hex Head, .25-14x.875, Fender To Hinge Pillar Attaching
12	4655 092	1							SHIELD, Accessory Drive, Front Side Rail A/C Pulley Splash
13									PANEL, Fender Side Shield
	5256 922	1							Right
	5256 923	1							Left
14									PANEL, Front Strut Mounting
	4863 854	1							Right
	4863 855	1							Left
15									EXTENSION, Front Fender Side Shield
	4655 104	1							Shield, Right
	4655 105	1							Shield, Left

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special


LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

Front Fender Figure SPL-401



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

16

PAD, Wheelhouse

4783 204

2


D, P

2

Z

42

Hood and Hood Release Figure SPL-501



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									HOOD
	4783 286AC	1							With Bulge
	4783 287AC	1							Without Bulge
2									HINGE, Hood
	4783 990	1							Right
	4783 991	1							Left
-3	6100 567	4							SCREW AND WASHER, Hex Head, M6x1x25, Hood Hinge To Hood PLATE, Hood Hinge to Cowl
-4									
	4783 064	1	Z		42				Right
	4783 065	1	Z		42				Left
5	4783 224	1							ROD, Hood Prop
-6	6032 824	2							BOLT, Hex Flange Head, .25-14x. 625, Hood Prop Rod Attaching SCREW, Self Piercing, .25-14x.625, Prop Rod Attaching
-7	0154 554	2	D, P						CLIP, Prop Rod
8	J400 7456	1							SILENCER, Hood
9									Without Bulge
	4783 330AB	1							With Bulge
	4783 331AB	1							FASTENER, Hood Silencer
-10	4341 060	7							SEAL, Hood To Fender
11	4856 516	2							RELEASE, Hood Latch
12									Inside Hood
	4658 909	1	D, P						Inside Hood Latch
	4888 613AA	1	Z		42				GROMMET, Hood Latch Release
-13									
	5207 294	1	Z		42				ISOLATOR, Hood Prop Rod
		1	D, P						LATCH, Hood
14	4783 513	1							NUT AND WASHER, Hex Nut-Coned Washer, M6 x 1.00, Latch To Radiator Support
15	4615 516	1							BUMPER, Crossmember To Hood Stop
16	6503 102	2							BUMPER, Hood
17	4783 419	1							SEAL, Hood Cowl, Hood Inner To Cowl Top
18	4103 165	2							CLIP, Cable Routing, Inside Hood Latch Release Cable Attaching
19	5256 554	1			42				SHIELD, Throttle Body
-20	6504 048	7	Z						PIN, Retainer, Shield Attaching
21	4669 484	1							
22	6030 441	4							

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Hood and Hood Release Figure SPL-501



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

23

RIVET, Shield Attaching (M5.00x18.50), (NOT SERVICED) (Not Serviced)

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
 DD5 = 5 Speed Manua
 DGC = 3 Speed Automatic
 DGL = 4 Speed Automatic
 DG0 = All Automatics
 DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Cowl and Dash Panel Figure SPL-601



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4741 450	1	D, P						PANEL, Cowl And Plenum
-2	4278 178	4							TAPE, Hole Cover, 50x50x1 mm, Cowl Side Seal
3	5256 788	1							PLUG, Cowl Side Right
	5256 789	1							Left
-4	4674 461AB-	2							SEAL, Body Side To Cowl Side
5	4655 604	2							SEAL, Cowl, Cowl Top Patch
6									SILENCER, Cowl Plenum Panel
	5256 682	1	D, P						
	5256 992	1	Z		42				
7									SILENCER, Cowl Plenum Panel
	5256 682	1	D, P						
	5256 992	1	Z		42				
-8	5256 996	1	Z		42				SILENCER, Plenum And Dash Panel
9									REINFORCEMENT, Brake Booster
	4655 211	1	D, P						Brake Booster to Dash Panel
	4783 062	1	Z		42				Brake Booster to Dash Panel
10	5256 880	1	D, P						SILENCER PACKAGE, Instrument Panel
11									PANEL, Dash
	4655 148	1	D, P						
	5256 990	1	Z		42				
12									SILENCER, Dash Panel
	4783 242	1	Z		42				Upper Right
	4783 973	1	Z		42				Upper Left
	4783 974	1	D, P						Right
	4783 975	1	D, P						Left
13									SCREEN, Cowl
	4783 390AB	1	Z		42				Includes Item 18 (P.A.R.)
	4888 542AB	1	D, P						Includes Item 18 (P.A.R.)
-14	4790 753	2							RETAINER, Cowl Screen, Attaching
15									CLIP, Cowl Plenum
	4655 794	5	Z		42				Cowl Screen To Cowl Plenum
		3	D, P						Cowl Screen To Cowl Plenum
16	4783 464AB	2	D, P						CLIP, Cowl Screen
17									SEAL, Serviced With Screen Cowl
									Top Item 14, (NOT SERVICED)
									(Not Serviced)
18									PANEL, Cowl Side
	4783 014	1	Z		42				Right
	4655 028	1	D, P						Right
	4655 029	1							Left

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Cowl and Dash Panel
Figure SPL-601




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
19	4655 756	1	D, P						BRACE, Cowl Plenum To Cowl Side, With Wiper Pivot Mounting Center
20	4655 806	2							SEAL, Cowl Reinforcement
21	4783 253AB	1	Z		42				BRACKET, Steering Column Support
	4888 878AB	1	D, P						Support
22									DAMPER, Cowl Plenum, Left, Dash Footwell (Not Required), (NOT SERVICED) (Not Serviced)
23	5264 670	1	D, P						PLUG, Dash Panel
24									EXTENSION, Front Fender Side Shield
	4655 104	1							Right
	4655 105	1							Left
25									PANEL, Cowl Side
	4773 567	1							Left
	4773 566	1							Right
26	4655 778	1							TAPPING PLATE, Wiper Motor Attaching
27									DAMPER, Cowl Plenum, (NOT REQUIRED)
28	4783 100	1							TUBE, Drain
29	5253 960	1							SEAL, Dash Panel To Hood
30	4783 252AB	1	Z		42				BRACKET, Plenum to Brake Pedal Support
31	5264 763	1	D, P						SCREEN, Cowl
32	4783 978	1	D, P						EXTENSION, Cowl Top
-33	4783 060	1	Z		42				BRACKET, Clutch Pedal
34	4783 068	1	Z		42				BRACKET, Cowl Top Wiring Connect

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Windshield, Backlite and Mirror
Figure SPL-701



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4886 135AA	1							WINDSHIELD
-2	5288 535	1							MOLDING, Windshield
3									BACKLITE
	4655 527	1	D, P						Tinted, Heated
	5255 576	1							Tinted
	5256 525	1	Z		42				Tinted, Heated
4	4299 325	1							MIRROR, Inside Rear View, Primsmatic
5	5008 018AA	1							MIRROR, Inside Rear View, Lighted
6	6031 094	1							SCREW, Pan Head Tapping, .19- 16x.375
7	4054 098	1							BUTTON, Rear View Mirror
-8	4293 039	1							ADHESIVE, Rear View Mirror
9									GLASS, Quarter Window
	4798 274	1	D, P		22				Right
	4798 275	1	D, P		22				Left
10	6502 028	10	D, P		22				NUT AND WASHER, Hex Nut-Coned Washer, M4 x 0.70

DODGE - PLYMOUTH - CHRYSLER NEON (PL)			
SERIES	LINE	BODY	ENGINE
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI
	P=Plymouth		
			TRANSMISSION
			DD5 = 5 Speed Manua
			DGC = 3 Speed Automatic
			DGL = 4 Speed Automatic
			DG0 = All Automatics
			DBB= All 5 Speed Manual

**Aperature Panels 2-Door 2-Door
Figure SPL-801**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL PACKAGE, Body Side
	4741 458	1	D, P		22				Aperature Right,Front
	4741 459	1	D, P		22				Left,Front
2									PANEL PACKAGE, Body Side
	4741 462	1	D, P		22				Aperature Rear, Right,Rear
	4741 463	1	D, P		22				Rear, Left,Rear
3									REINFORCEMENT, Quarter Panel
	4655 550	1							To Body Side Aperature, Right, Quarter,Inner,Lower
	4655 551	1							To Body Side Aperature, Left, Quarter,Inner,Lower
4									EXTENSION, Body Side Aperature
	4655 716	1							Drain Right
	4655 717	1							Left
5									TROUGH, Body Side Aperature Drain
	5255 526	1							Right
	5255 527	1							Left
6	6503 120	4							SCREW AND WASHER, Button
									Head Torx
7	4512 871	2							RETAINER, Door Lock Striker
8	5525 6000	2							PLATE, Front Door Striker
9	4658 446	2							STRIKER AND BUMPER, Door
									Latch, Front and Rear Door
10									FRAME, Windshield
	4655 350	1							Side - Opening, Right
	4655 351	1							Side - Opening, Left
11	5264 595	2							EXHAUSTER, Interior Trim Panel, Body Side Aperature Panel Air
									FRAME, Windshield Side
12									Right
	4655 582	1	D, P		22				Left
	4655 583	1	D, P		22				Left
13									SUPPORT, Panel To Seal Retainer
	4783 046	1	D, P		22				Right
	4783 047	1	D, P		22				Left
14	0154 725	2	D, P		22				SCREW, Hex Head, .25-14x1.25

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special


LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

**Aperture Panels 4-Door 4-Door
Figure SPL-802**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Body Side Aperture Front
	4897 138AA	1			42				Right
	4897 139AA	1			42				Left
2									PANEL, Body Side Aperture Center
	4897 140AA	1			42				Right
	4897 141AA	1			42				Left
3									PANEL, Body Side Aperture Rear
	4798 610	1			42				Right
	4798 611	1			42				Left
4									PANEL, Body Side Aperture Inner
	4883 760AA	1			42				Right
	4883 761AA	1			42				Left
5									EXTENSION, Body Side Sill
	4655 002	1							Right,Inner
	4655 003	1							Left,Inner
6	5525 6000	2			42				PLATE, Front Door Striker
7	4512 871	2							RETAINER, Door Lock Striker
8	6503 120	4							SCREW AND WASHER, Button Head Torx
9	4658 446	2							STRIKER AND BUMPER, Door Latch, Front and Rear Door
10	4520 289	AR							SPACER, Door Latch Striker
11	4658 906	2			42				STRIKER, Door Interlock, Rear Door
12									FRAME, Windshield
	4655 350	1							Side Inner, Right
	4655 351	1							Side Inner, Left
13	5264 595	2							EXHAUSTER, Interior Trim Panel, Body Side Aperture Panel
14									PANEL, Bodyside Apperture Sill
	4897 142AA	1			42				Right
	4897 143AA	1							Left
15									PANEL, Body Side Aperture Rear
	4798 614	1			42				Quarter Upper, Right
	4798 615	1			42				Quarter Upper, Left
16									REINFORCEMENT, Side Impact Center Pillar
	4783 178	1			42				Right
	4783 179	1			42				Left

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB


ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

**Quarter Panel 2-Door
Figure SPL-901**

[illegible]

DODGE - PLYMOUTH - CHRYSLER NEON (PL)-

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manual
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005


Quarter Panel 4-Door
Figure SPL-902

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Quarter Panel Outer Is Part Of the Aperture - See Illustration 802									
1									WHEELHOUSE, Rear Inner
	4655 042	1							Right
	4655 043	1							Left
2									WHEELHOUSE, Rear Inner
	4741 424	1							Right
	4741 425	1							Left
3									PANEL, Quarter Inner
	4655 346	1			42				Upper, Right
	4655 347	1			42				Upper, Left
4									REINFORCEMENT, Quarter Panel
	4655 550	1							Inner Lower To Body Side
									Aperture Panel Drain Though,
									Right
	4655 551	1							Inner Lower To Body Side
									Aperture Panel Drain Through,
									Left
5									PANEL, Quarter Inner
	4655 344	1			42				Lower, Right
	4655 345	1			42				Lower, Left
-6	6502 328	3							PIN, Push, M5.80x13.00, Adhesive
7	6033 150	2							To Rear Wheel House Outer
8									NUT PLATE, .25-20, Seatbelt Anchor
	4655 320	1							WHEELHOUSE, Rear Outer
	4655 321	1							Right
									Left
9									REINFORCEMENT, Jacking
	5255 502	1							Body Side Aperture Jack, Rear,
									Right
	5255 503	1							Body Side Aperture Jack, Rear,
									Left
10									EXTENSION, Shelf Panel
	5255 516	1							Outer, Right
	5255 517	1							Outer, Left
11									SUPPORT, Rear Shelf Panel
	5255 518	1							To Wheelhouse Front, Right
	5255 519	1							To Wheelhouse Front, Left
12	4655 367AB	1							DOOR, Fuel Fill
13	5256 943AB	1							HOUSING, Fuel Filler
14	4655 684	2							CAP, Wheelhouse Strut, Rear
									Wheelhouse Inner Strut Mounting
									Reinforcement

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					


AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005



**Quarter Panel 4-Door
Figure SPL-902**

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-15	4696 849	1	D, P						LABEL, Unleaded Fuel Only, French
-16	4278 178	6							TAPE, Hole Cover, 50x50x1 mm, Quarter Inner Lower Gage Hole



DODGE - PLYMOUTH - CHRYSLER NEON (PL)-

DODGE - PL
SERIES
 L=Low Line
 H=High Line
 S=Special

LINE

Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth

BODY

41=4 Door, 104WB

ENGINE

ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION

DD5 = 5 Speed Manual
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DG0 = All Automatics
DBB= All 5 Speed Manual

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Roof Panel
Figure SPL-1101

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4888 946AB	1							ROOF, Panel
-2	4888 917AC-	1							PANEL AND REINFORCEMENT, Sunroof
-3	6504 325	2			42				SCREW, Special Head, M6x1x25, DSI Bracket
4	5255 450	1							FRAME, Windshield, Upper
5	5255 530	1							BOW, Roof
6	5255 531AB	1							FRAME, Rear Window, Upper
7	4278 178	6							TAPE, Hole Cover, 50x50x1 mm, Roof Rail Inner Side Gage Hole
8	4546 820	1							DEADENER, Roof Panel
9									RAIL, Roof
	5256 914	1	D, P		22				Roof Side Inner, Right
	5256 915	1	D, P		22				Roof Side Inner, Left
10									RAIL, Roof Side
	4783 154	1			42				Right,Inner
	4783 155	1			42				Left,Inner

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					

Sunroof
Figure SPL-1201


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SUNSHADE, Sunroof
	PK53 SC1	1							Mist Gray
	PK53 TK4	1							Tan
2									WELT, Sunroof Opening
	JJ27 SC1	1							Mist Gray
	JJ27 TK4	1							Tan
3	4783 106	1							CABLE, Sunroof, Assembly, Drive
4	4783 107	1							DEFLECTOR, Sunroof Wind
5	4783 108	1							MOTOR, Sunroof
-6	5016 539AA-	1							BRACKET, Sunroof Motor, Used For Repair
7	4783 109AB	1							GLASS, Sunroof
8									GUIDE, Sunroof Lid, Sunshade
									(Serviced With Item 16 Only), (NOT SERVICED) (Not Serviced)
9									GUIDE, Sunroof Front Track
	5027 226AB	1							Right
	5027 227AB	1							Left
10									LOCATOR, Sunroof Drive Cable, (Serviced With Item17), (NOT SERVICED) (Not Serviced)
11	5016 539AA	1							BRACKET, Sunroof Motor
12	5256 666	2							HOSE, Sunroof Drain, Front
13	5256 667	2							HOSE, Sunroof Drain, Rear
14	5256 592	2				42			BRACKET, Sunroof Module to Roof Rail Rear
15	5256 588	2	D, P			22			BRACKET, Sunroof Module to Quarter Inner
16	4888 917AB	1							PANEL AND REINFORCEMENT, Sunroof, Sunroof
17	4886 081AA	1							FRAME, Sunroof, (w/Tubing)
18	6500 284	3							NUT, Hex, M6x1.00

DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Deck Lid
Figure SPL-1301



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4741 215	1							DECKLID
2	4655 283	2							SPRING, Deck Lid Hinge
3									HINGE, Deck Lid
	5255 544	1							Right
	5255 545	1							Left
-4	6100 286	4							BOLT AND CONED WASHER, Hex Head, M6x20x20, Hinge To Shelf Panel
-5	6022 149	1							NUT, Push, .312
-6	6101 805	4							SCREW, Hex Head Tapping, M6x1x40
-7	4206 243	1							PIN, Deck Lid Hinge Pivot
8	4741 452	1							PANEL, Decklid Opening
9									EXTENSION, Deck Opening
	5255 474	1							Right
	5255 475	1							Left
10									PANEL, Decklid Opening
	4655 394	1							Right
	4655 395	1							Left
11	6504 118	2							U-NUT, M6 x 1.00, M6x1.00, Lower Deck Outer Reinforcement
12									Attaching REINFORCEMENT, Decklid Opening
	4655 590	1							Right
	4655 591	1							Left
13									EXTENSION, Body Side Aperture Drain
	4655 716	1							Right
	4655 717	1							Left
14									BRACKET, Deck Lid Hinge Spring
	4655 660	1							Spring Attaching, Right
	4655 661	1							Spring Attaching, Left
15									LATCH, Decklid
	4658 814	1							Without Switch
	4888 622AB	1							With Switch
16	6502 925	2							SCREW AND WASHER, Hex Head, M6x1x21
17	4615 513	1							STRIKER, Door Latch, Deck Lid Latch
18	4783 223	2							BUMPER, Deck Lid Overslam
19	4655 286	2							BUMPER, Upstop
20	4888 788AA	1							WEATHERSTRIP, Decklid
21	4658 815AC	1							CABLE, Deck Lid Release

DODGE - PLYMOUTH - CHRYSLER NEON (PL)

SERIES
L=Low Line
H=High Line
S=Special

LINE
Z=Chrysler, RHD
D=Dodge
D=Chrysler
P=Plymouth


BODY
41=4 Door, 104WB

ENGINE
ECB=2.0L 4 Cyl., 16V SMPI
EJD=1.6L 4 Cyl16V SOHC
EBD=1.8L 4 Cyl16V SEFI

TRANSMISSION
DD5 = 5 Speed Manua
DGC = 3 Speed Automatic
DGL = 4 Speed Automatic
DGO = All Automatics
DBB= All 5 Speed Manual

Deck Lid
Figure SPL-1301

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-22	4661 248	2							CLIP, Stud
23	LP89 SX9	1	Z		42				HANDLE, Deck Lid Release Black
	MW34 RX9	1	D, P						Black
24									SCREW, .164-15x.625, (NOT SERVICED) (Not Serviced)
25	5255 526	1							TROUGH, Body Side Aperture Drain Drain, Right
	5255 527	1							Drain, Left
26	4783 223	2							BUMPER, Deck Lid Overslam
27	4783 161	2	D, P		22				BUMPER, Deck Lid
28	4773 199	1							SPOILER, Rear Air Dam, Paint As Required
29	6504 260	4							NUT AND WASHER, Hex, M6x1
30	4646 527	2							PLUG, Deck Lid




DODGE - PLYMOUTH - CHRYSLER NEON (PL)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua			
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic			
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic			
	P=Plymouth			DG0 = All Automatics			
				DBB= All 5 Speed Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 15, 2005

Rear Shelf Panel
Figure SPL-1401



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5255 514	1							PANEL, Shelf
2	5255 518	1							SUPPORT, Rear Shelf Panel To Wheelhouse Front, Right
	5255 519	1							To Wheelhouse Front, Left
3									EXTENSION, Shelf Panel
	5255 516	1							Right,Outer
	5255 517	1							Left,Outer
4	4655 289	1							REINFORCEMENT, Shelf Panel Rear
5									REINFORCEMENT, Shelf Panel Front
	4655 420	1							Right
	4655 421	1							Left

DODGE - PLYMOUTH - CHRYSLER NEON (PL)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
L=Low Line	Z=Chrysler, RHD	41=4 Door, 104WB	ECB=2.0L 4 Cyl., 16V SMPI	DD5 = 5 Speed Manua					
H=High Line	D=Dodge		EJD=1.6L 4 Cyl16V SOHC	DGC = 3 Speed Automatic					
S=Special	D=Chrysler		EBD=1.8L 4 Cyl16V SEFI	DGL = 4 Speed Automatic					
	P=Plymouth			DG0 = All Automatics					
				DBB= All 5 Speed Manual					